

SC/68A/IST/02

Results of Trials to Evaluate the Interim Allowance Strategy for West Greenland Bowhead and Fin Whales

ANDRE E. PUNT



INTERNATIONAL
WHALING COMMISSION

Results of Trials to Evaluate the Interim Allowance Strategy for West Greenland Bowhead and Fin Whales

ANDRÉ E. PUNT

School of Aquatic and Fishery Sciences, University of Washington, Box 355020, Seattle, WA 98195-5020, USA

Contact e-mail: depunt@uw.edu

ABSTRACT

The framework developed during the 2015 Annual Meeting of the Scientific Committee to evaluate an ‘interim allowance’ strategy is applied to West Greenland bowhead and fin whales based on the agreed *Strike Limit Algorithms* for these two groups of whales. The values for the ‘mandatory’ performance statistics for the ‘phase-out’ and ‘interim allowance’ strategy suggest that adopting the ‘interim allowance’ strategy has no substantial impact on risk, while at the same time leading to a better ability satisfy need and to lower inter-annual variation in strike limits.

INTRODUCTION

IWC (2016a) considered a proposal for the Bering-Chukchi-Beaufort Seas stock of bowhead whales that the ‘phase out’ approach - in which catch limits are reduced by 50% (the ‘grace period’) once a recent abundance estimate has not been available for 10 years – be replaced by an ‘interim allowance’ approach in which the 50% phase-out during the grace period would not apply. Punt (2015) and Punt and Brandão (2017) conducted projections to evaluate the consequences of adopting such an ‘interim allowance’ strategy for the B-C-B bowhead whales and humpback whales off West Greenland.

IWC (2019) recommended that similar calculations be conducted for North Pacific gray whales, as well as for fin and minke whales off West Greenland. This document reports results for fin whales off West Greenland and also for bowhead whales off West Greenland, as it appears that as a consequence of heavy pressure of time IWC (2019) omitted to recommend that such calculations were needed for the latter group of whales.

METHODS

The projections were based on the *Evaluation Trials* for the West Greenland bowhead whales (IWC, 2016b) and those for the west Greenland fin whales (IWC, 2019), Tables 1 and 2. Table 3 lists the six scenarios regarding future surveys. Future surveys are determined by the frequency of surveys and how many years it takes for an abundance estimate to become available following a survey. Table 4 lists the performance statistics. This paper provides only provides the ‘mandatory’ statistics, but the full set of results is available on request. The strike limit algorithm was taken to be the agreed *Bowhead and fin whale SLAs* (IWC, 2016a; 2019).

RESULTS AND DISCUSSION

Tables 5 and 6 list the values for mandatory performance statistics for each combination of trial and scenario.

West Greenland bowhead whales

The results for ‘interim allowance’ and ‘phase out’ (denoted ‘interim’ and ‘original’ in Table 5) are very similar. Figure 1 plots the differences between ‘interim’ and ‘original’ (‘interim’ – ‘original’) for four performance statistics for the 228 trials to highlight cases where ‘interim’ leads to markedly poorer conservation performance than ‘original’, and where it achieves markedly better performance for need satisfaction and strike variation. In general, differences

are very small when the survey interval is 10 years, especially when it takes only two years for a survey estimate to be adopted for use in the *SLA* after the associated survey has been conducted. In contrast, differences are largest when the survey interval is 20 years and it takes three years for a survey estimate to be adopted for use in the *SLA* after the associated survey has been conducted. In terms of risk, there are respectively 1, 4, 5, 2, 6 and 8 trials in which ‘original’ (which is more conservative than the actual *SLA* because the latter was tested without a ‘phase out’ rule) leads to a value for the lower 5% percentile for the D10 statistic that is greater than 1 and ‘interim’ does not. In contrast, there are trials when the survey interval is 20 years where ‘interim’ achieves a value for the N9 statistic that is more than 0.2 than for ‘original’. Similarly, there are cases where ‘original’ leads to much greater variation in strike limits than ‘interim’.

West Greenland fin whales

The results for ‘interim allowance’ and ‘phase out’ (denoted ‘interim’ and ‘original’ in Tables 6 and 7) for West Greenland fin whales are qualitatively similar to those for bowhead whales. Figures 2 and 3 summarize the results of the 312 trials in terms of the same four performance statistics as Figure 1 does for the West Greenland bowhead whales. As before, the differences are most substantial for the 20-year survey interval cases, and particularly when it takes three years for a survey estimate to be adopted for use in the *SLA* after the associated survey has been conducted. There are only two cases in which ‘original’ leads to a value for the lower 5% percentile for the D10 statistic that is greater than 1 and ‘interim’ does not (trial B36-2 for 20-year surveys).

REFERENCES

- International Whaling Commission (IWC). 2016a. Report of the AWMP Workshop on Developing *Strike Limit Algorithms (SLAs)* for the Greenland Hunts. *J. Cetacean Res. Manage* 17 (Suppl): 473-83.
- International Whaling Commission (IWC). 2016b. Report of the Standing Working Group on the Aboriginal Whaling Management Procedure (AWMP). *J. Cetacean Res. Manage* 17 (Suppl): 185-203.
- International Whaling Commission (IWC). 2019. Report of the Standing Working Group on the Aboriginal Whaling Management Procedure (AWMP). *J. Cetacean Res. Manage* 20 (Suppl): 00-00.
- Punt, A.E. 2015. Initial evaluation of two options for addressing infrequent surveys of the Bering-Beaufort Seas bowhead whales. IWC Document SC/D15/AWMP01 (21pp).
- Punt, A.E. and A. Brandão. 2017. Results of trials to evaluate the interim allowance strategy for West Greenland humpback whales. IWC Document SC/AC67a/AWMP01 (22pp).

Table 1

The *Evaluation Trials* for West Greenland bowhead whales

B01A: MSYR ₁₊ =2.5%
B01B: MSYR ₁₊ =1%
B01C: MSYR ₁₊ =4%
B02A: MSYR ₁₊ =2.5%; first survey 2017
B02B: MSYR ₁₊ =1%; first survey 2017
B03A: MSYR ₁₊ =2.5%; first survey 2027
B03B: MSYR ₁₊ =1%; first survey 2027
B04A: MSYR ₁₊ =2.5%; survey bias=0.5
B04B: MSYR ₁₊ =1%; survey bias=0.5
B05A: MSYR ₁₊ =2.5%; 3 episodic events
B05B: MSYR ₁₊ =1%; 3 episodic events
B06A: MSYR ₁₊ =2.5%; stochastic events every 5 years
B06B: MSYR ₁₊ =1%; stochastic events every 5 years
B10A: MSYR ₁₊ =2.5%; asymmetric environmental stochasticity
B10B: MSYR ₁₊ =1%; asymmetric environmental stochasticity

Table 2

The *Evaluation Trials* for fin whales.

Trial	Description	MSYR ₁₊	Need scenarios	Historical survey bias	Other
Partial Hypothesis					
1-1	MSYR ₁₊ =1%	1%	A, B	1	
1-2	MSYR ₁₊ =2.5%	2.5%	A, B	1	
1-4	MSYR ₁₊ =4%	4%	A, B	1	
1-8	MSYR ₁₊ =7%	7%	A, B	1	
2-2	First survey in 2020	2.5%	A, B	1	
2-4	First survey in 2020	4%	A, B,	1	
3-1	First survey in 2030; MSYR ₁₊ =1%	1%	A, B	1	
3-2	First survey in 2030	2.5%	A, B	1	
3-4	First survey in 2030	4%	A, B	1	
4-2	Survey bias=0.8	2.5%	A, B	0.8	
4-4	Survey bias=0.8	4%	A, B	0.8	
5-2	Survey bias=1.2	2.5%	A, B	1.2	
5-4	Survey bias=1.2	4%	A, B	1.2	
6-1	3 episodic events; MSYR ₁₊ =1%	1%	A, B	1	
6-2	3 episodic event	2.5%	A, B	1	
6-4	3 episodic events	4%	A, B	1	
7-2	Stochastic events every five years	2.5%	A, B	1	
7-4	Stochastic events every five years	4%	A, B	1	
8-1	Asymmetric env. stochasticity; MSYR ₁₊ =1%	1%	A, B	1	
8-2	Asymmetric env. stochasticity	2.5%	A, B	1	
8-4	Asymmetric env. stochasticity	4%	A, B	1	
9-2	Lower survey CVs	2.5	A.B	1	
10-2	Higher survey CVs	2.5	A,B	1	
Influx Hypothesis					
34-1	MSYR=1%	1%	A.B	1	$K \sim U[0,6000]$
35-2	MSYR=2.5%	2.5%	A.B	1	$K \sim U[0,6000]$
36-2	MSYR=2.5%; High K prior	2.5%	A,B	1	$K \sim U[0,9000]$

Table 3
Specifications for future surveys

Case	Survey frequency	Time until estimate becomes available
10-2	10	2
15-2	15	2
20-2	20	2
10-3	10	3
15-3	15	3
20-3	20	3

Table 4
The performance statistics

ID	Name	Mandatory	Optional	Time Periods	Use to explain performance to layperson	Use to evaluate performance for SC	Details
D1	Final Depletion	1+, mature		100	Yes	Yes	P_T / K
D2	Lowest Depletion		mature	100	Yes	Yes	$\min(P_t / K) : t = 0, 1, \dots, T$
D6	Trajectories 1 and 2		1+, mature	100	Yes	No	
D7	Pointwise Quantile Trajectories		1+, mature	100	Yes	No	
D8	Rescaled final Depletion	Yes		100		No	P_T / P_T^*
D9	Minimum number of whales		1+, mature	100		No	$\min(P_t) : t = 0, 1, \dots, T$
D10	Relative Increase	Yes		100		Yes	P_T / P_0
N1	Total Need Satisfaction		Yes	20, 100	Yes	Yes	$\sum_{t=0}^{T-1} C_t / \sum_{t=0}^{T-1} Q_t$
N2	Longest Shortfall		Yes	20, 100	Yes, after rescaling	Yes	(negative of the greatest number of consecutive years in which $C_t < Q_t$) / T
N4	Fraction of years in which catch = quota		Yes	20, 100	Yes	Yes	
N7	Percent Need Satisfaction Pointwise Quantile Trajectory Plot		Yes	100	No	Yes	
N8	Percent Need Satisfaction Trajectories 1 and 2 Plot		Yes	100	No	Yes	
N9	Average need satisfaction	Yes		20, 100	Yes	Yes	$\frac{1}{T} \sum_{t=0}^{T-1} C_t / \sum_{t=0}^{T-1} Q_t$
N10	Average Annual Variation in Catch		Yes	100	No	Yes	
N11	Anti-curvature Catch Variation Statistic		Yes	100	No	Yes	
N12	Mean downstep	Yes					
R1	Relative Recovery	1+		100	Yes	Yes	$P_{t_r^*} / P_{t_r^*}^*$ where t_r^* = 1st year in which $P_{t_r^*}$ passes through MSYL
R3	Time Frequency in Recovered State after Recovery		1+, mature	100	Yes	Yes	
R4	Relative Time to Recovery		1+, mature	100	Yes	Yes	

Table 5

Performance statistics for the trials to compare the performance of the ‘phase out’ (‘original’) and ‘interim allowance’ (‘interim’) options for the West Greenland bowhead whales

(a) Case 10-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	B01AA	0.619	0.895	0.967	0.360	0.696	0.874	0.772	0.936	0.976	0.883	0.968	0.988	3.28	12.59	22.24	0.865	1.000	1.000	0.854	1.000	1.000	0.000	0.000	0.052
Original	B01AA	0.621	0.895	0.967	0.360	0.698	0.874	0.772	0.937	0.976	0.887	0.969	0.988	3.28	12.59	22.24	0.865	1.000	1.000	0.813	1.000	1.000	0.000	0.000	0.056
Interim	B01AB	0.598	0.885	0.960	0.345	0.672	0.846	0.748	0.925	0.970	0.857	0.957	0.983	3.24	12.42	21.88	0.865	1.000	1.000	0.847	0.997	0.997	0.000	0.000	0.039
Original	B01AB	0.606	0.885	0.960	0.346	0.676	0.847	0.748	0.925	0.970	0.864	0.958	0.983	3.24	12.42	21.88	0.865	1.000	1.000	0.808	0.997	0.997	0.000	0.000	0.040
Interim	B01BA	0.034	0.105	0.525	0.021	0.069	0.368	0.285	0.462	0.682	0.521	0.680	0.836	1.02	1.83	2.52	0.833	1.000	1.000	0.209	0.732	1.000	0.000	0.105	0.341
Original	B01BA	0.033	0.107	0.526	0.021	0.070	0.366	0.289	0.464	0.681	0.521	0.685	0.834	1.03	1.83	2.55	0.833	1.000	1.000	0.211	0.729	1.000	0.000	0.099	0.321
Interim	B01BB	0.029	0.094	0.483	0.017	0.059	0.317	0.244	0.405	0.628	0.426	0.607	0.793	0.94	1.62	2.35	0.833	1.000	1.000	0.198	0.692	0.997	0.000	0.126	0.361
Original	B01BB	0.031	0.095	0.471	0.017	0.060	0.321	0.254	0.408	0.628	0.439	0.612	0.796	0.94	1.64	2.35	0.833	1.000	1.000	0.199	0.682	0.997	0.000	0.110	0.341
Interim	B01CA	0.972	0.985	0.991	0.605	0.708	0.800	0.973	0.985	0.991	0.983	0.994	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.214	0.620	1.000	0.000	0.174	0.355
Original	B01CA	0.973	0.984	0.991	0.604	0.707	0.801	0.973	0.985	0.991	0.985	0.993	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.214	0.618	1.000	0.000	0.153	0.343
Interim	B01CB	0.956	0.980	0.990	0.474	0.652	0.781	0.956	0.980	0.990	0.964	0.991	0.998	0.96	0.99	1.00	0.823	1.000	1.000	0.206	0.577	0.982	0.017	0.202	0.381
Original	B01CB	0.956	0.979	0.990	0.468	0.658	0.783	0.956	0.979	0.990	0.966	0.988	0.998	0.97	0.99	1.00	0.823	1.000	1.000	0.195	0.583	0.997	0.000	0.170	0.361
Interim	B02AA	0.631	0.895	0.967	0.367	0.698	0.874	0.797	0.938	0.976	0.898	0.970	0.989	3.28	12.66	22.47	0.693	1.000	1.000	0.808	1.000	1.000	0.000	0.000	0.075
Original	B02AA	0.640	0.898	0.969	0.375	0.702	0.878	0.809	0.941	0.978	0.908	0.973	0.990	3.28	12.71	22.75	0.693	1.000	1.000	0.730	0.906	0.906	0.118	0.118	0.183
Interim	B02AB	0.611	0.886	0.960	0.352	0.671	0.845	0.767	0.926	0.970	0.870	0.958	0.984	3.24	12.51	22.02	0.693	1.000	1.000	0.796	0.997	0.997	0.000	0.000	0.054
Original	B02AB	0.623	0.890	0.962	0.363	0.682	0.854	0.788	0.931	0.972	0.884	0.962	0.985	3.25	12.59	22.27	0.693	1.000	1.000	0.725	0.904	0.904	0.116	0.116	0.166
Interim	B02BA	0.039	0.104	0.539	0.023	0.068	0.373	0.290	0.466	0.674	0.529	0.690	0.827	1.08	1.85	2.57	0.621	1.000	1.000	0.199	0.726	1.000	0.000	0.119	0.448
Original	B02BA	0.040	0.109	0.538	0.025	0.070	0.388	0.297	0.484	0.690	0.559	0.715	0.843	1.11	1.92	2.62	0.621	1.000	1.000	0.194	0.662	0.906	0.118	0.215	0.493
Interim	B02BB	0.032	0.093	0.473	0.019	0.059	0.313	0.250	0.405	0.624	0.441	0.609	0.803	0.93	1.63	2.40	0.621	1.000	1.000	0.188	0.696	0.997	0.000	0.123	0.462
Original	B02BB	0.037	0.097	0.507	0.021	0.062	0.353	0.262	0.427	0.644	0.469	0.645	0.812	1.01	1.72	2.47	0.621	1.000	1.000	0.188	0.639	0.904	0.116	0.217	0.517
Interim	B03AA	0.613	0.894	0.967	0.360	0.692	0.874	0.774	0.935	0.976	0.878	0.967	0.989	3.28	12.59	22.23	1.000	1.000	1.000	0.852	1.000	1.000	0.000	0.000	0.072
Original	B03AA	0.625	0.898	0.969	0.370	0.704	0.880	0.792	0.941	0.978	0.898	0.973	0.990	3.28	12.68	22.53	0.833	0.833	0.833	0.752	0.875	0.875	0.128	0.131	0.154
Interim	B03AB	0.598	0.882	0.960	0.346	0.670	0.845	0.750	0.923	0.970	0.852	0.955	0.983	3.24	12.49	21.69	1.000	1.000	1.000	0.846	0.997	0.997	0.000	0.000	0.052
Original	B03AB	0.612	0.889	0.962	0.358	0.681	0.855	0.773	0.930	0.972	0.875	0.962	0.985	3.25	12.54	22.19	0.833	0.833	0.833	0.747	0.873	0.873	0.124	0.125	0.148
Interim	B03BA	0.036	0.103	0.524	0.022	0.067	0.357	0.260	0.453	0.674	0.491	0.672	0.822	1.03	1.79	2.52	1.000	1.000	1.000	0.260	0.738	1.000	0.000	0.107	0.412
Original	B03BA	0.041	0.108	0.560	0.024	0.072	0.397	0.297	0.481	0.699	0.558	0.712	0.849	1.11	1.94	2.63	0.833	0.833	0.833	0.213	0.658	0.875	0.131	0.202	0.372

Interim	B03BB	0.032	0.092	0.477	0.017	0.058	0.330	0.230	0.399	0.629	0.403	0.598	0.777	0.88	1.57	2.36	1.000	1.000	1.000	0.232	0.714	0.997	0.000	0.117	0.432
Original	B03BB	0.034	0.100	0.483	0.020	0.063	0.330	0.262	0.431	0.652	0.474	0.642	0.803	0.99	1.69	2.48	0.833	0.833	0.833	0.200	0.635	0.873	0.125	0.208	0.392
Interim	B04AA	0.871	0.965	0.983	0.666	0.863	0.930	0.942	0.979	0.990	0.973	0.991	0.995	2.22	7.52	16.02	0.877	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.031
Original	B04AA	0.871	0.965	0.983	0.667	0.863	0.930	0.942	0.979	0.990	0.973	0.991	0.995	2.22	7.52	16.02	0.877	1.000	1.000	0.850	1.000	1.000	0.000	0.000	0.033
Interim	B04AB	0.865	0.959	0.980	0.650	0.846	0.914	0.934	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.89	0.877	1.000	1.000	0.885	0.997	0.997	0.000	0.000	0.022
Original	B04AB	0.865	0.959	0.980	0.651	0.846	0.914	0.934	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.89	0.877	1.000	1.000	0.843	0.997	0.997	0.000	0.000	0.023
Interim	B04BA	0.117	0.309	0.760	0.080	0.222	0.620	0.551	0.720	0.861	0.717	0.836	0.920	1.52	2.63	3.17	0.865	1.000	1.000	0.747	1.000	1.000	0.000	0.000	0.089
Original	B04BA	0.117	0.309	0.760	0.080	0.223	0.624	0.552	0.722	0.861	0.730	0.839	0.923	1.52	2.63	3.17	0.865	1.000	1.000	0.747	1.000	1.000	0.000	0.000	0.093
Interim	B04BB	0.104	0.290	0.725	0.069	0.204	0.574	0.486	0.675	0.827	0.638	0.786	0.890	1.36	2.44	3.05	0.865	1.000	1.000	0.742	0.997	0.997	0.000	0.000	0.094
Original	B04BB	0.104	0.291	0.725	0.069	0.207	0.574	0.493	0.676	0.827	0.643	0.786	0.890	1.36	2.44	3.05	0.865	1.000	1.000	0.736	0.997	0.997	0.000	0.000	0.091
Interim	B05AA	0.801	1.020	1.055	0.503	0.925	1.095	0.847	0.969	0.992	0.917	0.985	0.997	3.52	14.22	28.92	0.853	1.000	1.000	0.846	1.000	1.000	0.000	0.000	0.060
Original	B05AA	0.806	1.019	1.055	0.511	0.925	1.095	0.850	0.969	0.992	0.922	0.985	0.997	3.52	14.22	28.94	0.853	1.000	1.000	0.806	1.000	1.000	0.000	0.000	0.060
Interim	B05AB	0.782	1.011	1.050	0.484	0.891	1.072	0.830	0.963	0.990	0.897	0.979	0.995	3.50	14.16	28.73	0.853	1.000	1.000	0.838	0.997	0.997	0.000	0.000	0.043
Original	B05AB	0.790	1.011	1.050	0.491	0.892	1.072	0.833	0.963	0.990	0.906	0.979	0.995	3.50	14.16	28.76	0.853	1.000	1.000	0.799	0.997	0.997	0.000	0.000	0.043
Interim	B05BA	0.144	0.423	1.078	0.085	0.250	0.911	0.417	0.635	0.959	0.643	0.798	0.979	2.41	6.00	16.87	0.840	1.000	1.000	0.330	0.888	1.000	0.000	0.049	0.272
Original	B05BA	0.144	0.425	1.079	0.085	0.248	0.915	0.419	0.637	0.960	0.650	0.798	0.979	2.41	6.02	16.91	0.840	1.000	1.000	0.332	0.856	1.000	0.000	0.051	0.272
Interim	B05BB	0.128	0.396	1.064	0.074	0.226	0.869	0.368	0.590	0.946	0.568	0.742	0.963	2.11	5.58	16.50	0.840	1.000	1.000	0.324	0.882	0.997	0.000	0.037	0.280
Original	B05BB	0.128	0.396	1.064	0.074	0.227	0.859	0.368	0.592	0.946	0.574	0.746	0.963	2.19	5.61	16.49	0.840	1.000	1.000	0.326	0.846	0.997	0.000	0.039	0.274
Interim	B06AA	0.650	0.889	0.944	0.368	0.699	0.840	0.812	0.952	0.983	0.900	0.977	0.993	3.09	12.40	24.26	0.877	1.000	1.000	0.864	1.000	1.000	0.000	0.000	0.051
Original	B06AA	0.650	0.889	0.944	0.368	0.699	0.840	0.812	0.953	0.983	0.909	0.977	0.993	3.09	12.41	24.29	0.877	1.000	1.000	0.817	1.000	1.000	0.000	0.000	0.055
Interim	B06AB	0.637	0.877	0.938	0.355	0.675	0.824	0.793	0.942	0.980	0.880	0.968	0.989	3.05	12.32	23.95	0.877	1.000	1.000	0.861	0.997	0.997	0.000	0.000	0.036
Original	B06AB	0.637	0.877	0.938	0.355	0.675	0.824	0.793	0.943	0.980	0.886	0.968	0.989	3.05	12.33	24.05	0.877	1.000	1.000	0.812	0.997	0.997	0.000	0.000	0.038
Interim	B06BA	0.117	0.329	0.918	0.068	0.190	0.659	0.425	0.636	0.926	0.643	0.793	0.958	1.99	4.85	13.07	0.844	1.000	1.000	0.476	0.944	1.000	0.000	0.029	0.227
Original	B06BA	0.118	0.331	0.918	0.068	0.193	0.659	0.428	0.636	0.926	0.639	0.795	0.958	2.01	4.85	13.22	0.844	1.000	1.000	0.477	0.931	1.000	0.000	0.030	0.199
Interim	B06BB	0.103	0.303	0.897	0.057	0.172	0.608	0.370	0.589	0.900	0.557	0.735	0.935	1.79	4.41	13.04	0.844	1.000	1.000	0.459	0.940	0.997	0.000	0.021	0.228
Original	B06BB	0.103	0.307	0.898	0.057	0.173	0.608	0.372	0.595	0.902	0.558	0.740	0.940	1.81	4.48	13.04	0.844	1.000	1.000	0.435	0.928	0.997	0.000	0.021	0.243
Interim	B07AA	0.642	0.898	0.966	0.376	0.704	0.869	0.799	0.940	0.975	0.889	0.971	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.860	1.000	1.000	0.000	0.051	
Original	B07AA	0.642	0.898	0.966	0.377	0.704	0.869	0.799	0.941	0.975	0.894	0.971	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.813	1.000	1.000	0.000	0.056	
Interim	B07AB	0.623	0.888	0.958	0.362	0.681	0.845	0.778	0.929	0.969	0.864	0.960	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.852	0.997	0.997	0.000	0.036	
Original	B07AB	0.625	0.889	0.958	0.362	0.681	0.845	0.778	0.930	0.969	0.867	0.960	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.810	0.997	0.997	0.000	0.038	
Interim	B07BA	0.036	0.110	0.516	0.021	0.071	0.363	0.300	0.483	0.692	0.505	0.675	0.826	1.11	1.91	2.63	0.834	1.000	1.000	0.250	0.777	1.000	0.000	0.087	0.331
Original	B07BA	0.036	0.111	0.519	0.021	0.072	0.363	0.305	0.485	0.691	0.523	0.681	0.827	1.16	1.92	2.63	0.834	1.000	1.000	0.250	0.771	1.000	0.000	0.082	0.322
Interim	B07BB	0.027	0.097	0.470	0.016	0.060	0.322	0.244	0.415	0.640	0.406	0.589	0.779	0.96	1.67	2.44	0.834	1.000	1.000	0.249	0.747	0.997	0.000	0.103	0.348
Original	B07BB	0.028	0.097	0.477	0.016	0.060	0.325	0.254	0.422	0.640	0.421	0.598	0.782	0.98	1.68	2.44	0.834	1.000	1.000	0.247	0.737	0.997	0.000	0.086	0.346

Interim	B09AA	0.691	0.917	0.977	0.418	0.743	0.897	0.860	0.961	0.985	0.912	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.868	1.000	1.000	0.000	0.000	0.051
Original	B09AA	0.691	0.918	0.977	0.418	0.743	0.897	0.864	0.962	0.985	0.915	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.821	1.000	1.000	0.000	0.000	0.055
Interim	B09AB	0.676	0.908	0.970	0.403	0.717	0.871	0.841	0.952	0.979	0.890	0.966	0.985	3.28	12.81	23.81	0.873	1.000	1.000	0.861	0.997	0.997	0.000	0.000	0.036
Original	B09AB	0.678	0.909	0.970	0.403	0.717	0.871	0.844	0.952	0.979	0.897	0.966	0.985	3.28	12.81	23.91	0.873	1.000	1.000	0.814	0.997	0.997	0.000	0.000	0.038
Interim	B09BA	0.061	0.156	0.687	0.039	0.102	0.516	0.545	0.673	0.832	0.619	0.734	0.872	1.85	2.71	3.19	0.835	1.000	1.000	0.427	0.860	1.000	0.000	0.058	0.272
Original	B09BA	0.062	0.155	0.691	0.040	0.104	0.522	0.551	0.677	0.834	0.620	0.740	0.872	1.86	2.74	3.19	0.835	1.000	1.000	0.403	0.839	1.000	0.000	0.058	0.268
Interim	B09BB	0.053	0.140	0.634	0.032	0.087	0.440	0.461	0.604	0.800	0.513	0.657	0.826	1.68	2.41	2.95	0.835	1.000	1.000	0.389	0.833	0.997	0.000	0.053	0.298
Original	B09BB	0.053	0.140	0.635	0.032	0.089	0.445	0.461	0.608	0.800	0.518	0.662	0.826	1.71	2.45	2.94	0.835	1.000	1.000	0.373	0.823	0.997	0.000	0.047	0.298
Interim	B10AA	0.355	0.751	1.090	0.200	0.468	0.967	0.618	0.818	0.996	0.792	0.903	1.000	2.95	10.85	16.68	0.857	1.000	1.000	0.762	1.000	1.000	0.000	0.000	0.070
Original	B10AA	0.355	0.752	1.090	0.200	0.468	0.967	0.622	0.818	0.996	0.797	0.905	1.000	2.95	10.89	16.68	0.857	1.000	1.000	0.752	1.000	1.000	0.000	0.000	0.072
Interim	B10AB	0.340	0.725	1.082	0.189	0.450	0.945	0.577	0.798	0.995	0.743	0.879	0.997	2.89	10.41	16.24	0.857	1.000	1.000	0.751	0.997	0.997	0.000	0.000	0.051
Original	B10AB	0.341	0.728	1.082	0.189	0.450	0.945	0.586	0.798	0.995	0.751	0.880	0.997	2.89	10.49	16.24	0.857	1.000	1.000	0.745	0.997	0.997	0.000	0.000	0.054
Interim	B10BA	0.197	0.458	0.996	0.113	0.282	0.727	0.501	0.700	0.915	0.712	0.833	0.945	2.93	7.03	9.85	0.855	1.000	1.000	0.732	1.000	1.000	0.000	0.000	0.090
Original	B10BA	0.198	0.459	0.996	0.114	0.283	0.725	0.507	0.702	0.923	0.712	0.835	0.945	2.95	7.05	9.85	0.855	1.000	1.000	0.740	1.000	1.000	0.000	0.000	0.089
Interim	B10BB	0.174	0.435	0.955	0.099	0.260	0.675	0.454	0.663	0.885	0.641	0.788	0.914	2.72	6.62	9.37	0.855	1.000	1.000	0.723	0.997	0.997	0.000	0.000	0.074
Original	B10BB	0.182	0.437	0.955	0.099	0.261	0.675	0.460	0.664	0.886	0.638	0.790	0.920	2.73	6.65	9.43	0.855	1.000	1.000	0.728	0.997	0.997	0.000	0.000	0.073

(b) Case 15-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	B01AA	0.623	0.895	0.967	0.360	0.698	0.874	0.773	0.937	0.976	0.887	0.969	0.989	3.28	12.59	22.24	0.865	1.000	1.000	0.768	1.000	1.000	0.000	0.000	0.061
Original	B01AA	0.632	0.899	0.970	0.368	0.705	0.882	0.788	0.941	0.978	0.897	0.974	0.991	3.28	12.67	22.46	0.865	1.000	1.000	0.663	0.844	0.844	0.213	0.213	0.247
Interim	B01AB	0.607	0.885	0.960	0.345	0.673	0.845	0.752	0.925	0.970	0.859	0.957	0.983	3.24	12.42	21.69	0.865	1.000	1.000	0.758	0.997	0.997	0.000	0.000	0.041
Original	B01AB	0.617	0.893	0.964	0.357	0.689	0.861	0.771	0.932	0.974	0.877	0.965	0.986	3.26	12.54	22.17	0.865	1.000	1.000	0.655	0.841	0.841	0.207	0.207	0.233
Interim	B01BA	0.035	0.105	0.526	0.021	0.068	0.373	0.276	0.468	0.674	0.500	0.683	0.827	1.04	1.85	2.52	0.833	1.000	1.000	0.202	0.737	1.000	0.000	0.074	0.293
Original	B01BA	0.034	0.110	0.548	0.022	0.073	0.388	0.296	0.494	0.700	0.566	0.719	0.848	1.07	1.96	2.64	0.833	1.000	1.000	0.202	0.645	0.844	0.213	0.239	0.318
Interim	B01BB	0.026	0.093	0.467	0.016	0.057	0.327	0.239	0.410	0.621	0.399	0.612	0.802	0.92	1.62	2.35	0.833	1.000	1.000	0.196	0.709	0.997	0.000	0.084	0.310
Original	B01BB	0.032	0.099	0.503	0.019	0.063	0.358	0.272	0.449	0.657	0.484	0.660	0.830	1.02	1.78	2.47	0.833	1.000	1.000	0.195	0.623	0.841	0.207	0.234	0.336
Interim	B01CA	0.971	0.984	0.991	0.581	0.711	0.803	0.971	0.985	0.991	0.982	0.993	0.999	0.98	0.99	1.01	0.823	1.000	1.000	0.209	0.616	1.000	0.000	0.126	0.300
Original	B01CA	0.977	0.987	0.993	0.619	0.733	0.818	0.977	0.987	0.993	0.989	0.996	0.999	0.99	0.99	1.01	0.823	1.000	1.000	0.202	0.539	0.844	0.213	0.247	0.329
Interim	B01CB	0.947	0.981	0.990	0.447	0.656	0.796	0.947	0.981	0.990	0.955	0.992	0.999	0.96	0.99	1.01	0.823	1.000	1.000	0.189	0.585	0.997	0.000	0.136	0.314
Original	B01CB	0.963	0.984	0.991	0.514	0.686	0.805	0.963	0.984	0.991	0.972	0.994	0.999	0.97	0.99	1.01	0.823	1.000	1.000	0.193	0.512	0.841	0.207	0.255	0.341
Interim	B02AA	0.634	0.895	0.967	0.370	0.698	0.874	0.795	0.938	0.976	0.896	0.970	0.989	3.28	12.66	22.65	0.693	1.000	1.000	0.784	1.000	1.000	0.000	0.000	0.066
Original	B02AA	0.645	0.900	0.970	0.378	0.706	0.883	0.811	0.944	0.979	0.909	0.975	0.991	3.29	12.73	22.86	0.693	1.000	1.000	0.648	0.813	0.813	0.256	0.256	0.300
Interim	B02AB	0.617	0.885	0.960	0.353	0.673	0.847	0.770	0.927	0.970	0.873	0.958	0.983	3.24	12.51	22.21	0.693	1.000	1.000	0.780	0.997	0.997	0.000	0.000	0.049
Original	B02AB	0.630	0.893	0.964	0.365	0.692	0.863	0.791	0.935	0.973	0.891	0.967	0.987	3.26	12.62	22.57	0.693	1.000	1.000	0.645	0.810	0.810	0.251	0.251	0.286
Interim	B02BA	0.031	0.103	0.544	0.019	0.067	0.381	0.267	0.462	0.692	0.510	0.683	0.851	1.02	1.81	2.60	0.621	1.000	1.000	0.187	0.738	1.000	0.000	0.086	0.348
Original	B02BA	0.037	0.110	0.572	0.022	0.073	0.422	0.300	0.496	0.712	0.584	0.730	0.874	1.13	1.97	2.68	0.621	1.000	1.000	0.171	0.611	0.813	0.256	0.296	0.431
Interim	B02BB	0.028	0.092	0.502	0.015	0.058	0.338	0.223	0.404	0.652	0.404	0.600	0.820	0.90	1.60	2.42	0.621	1.000	1.000	0.180	0.702	0.997	0.000	0.093	0.355
Original	B02BB	0.033	0.102	0.533	0.019	0.065	0.371	0.278	0.447	0.677	0.483	0.666	0.844	0.99	1.77	2.54	0.621	1.000	1.000	0.166	0.591	0.810	0.251	0.295	0.453
Interim	B03AA	0.614	0.894	0.967	0.359	0.691	0.874	0.772	0.936	0.976	0.878	0.967	0.988	3.28	12.59	22.23	1.000	1.000	1.000	0.794	1.000	1.000	0.000	0.000	0.068
Original	B03AA	0.634	0.900	0.969	0.373	0.706	0.883	0.797	0.943	0.978	0.909	0.974	0.991	3.28	12.70	22.61	0.833	0.833	0.833	0.646	0.813	0.813	0.231	0.231	0.263
Interim	B03AB	0.600	0.884	0.960	0.335	0.670	0.845	0.751	0.924	0.970	0.851	0.956	0.983	3.24	12.49	21.83	1.000	1.000	1.000	0.776	0.997	0.997	0.000	0.000	0.051
Original	B03AB	0.620	0.891	0.963	0.362	0.685	0.861	0.779	0.933	0.973	0.888	0.965	0.986	3.26	12.57	22.29	0.833	0.833	0.833	0.632	0.810	0.810	0.227	0.227	0.256
Interim	B03BA	0.036	0.101	0.495	0.022	0.066	0.341	0.254	0.453	0.677	0.493	0.670	0.826	0.98	1.80	2.54	1.000	1.000	1.000	0.252	0.725	1.000	0.000	0.101	0.353
Original	B03BA	0.041	0.110	0.528	0.024	0.073	0.366	0.282	0.494	0.708	0.553	0.728	0.862	1.09	1.96	2.68	0.833	0.833	0.833	0.214	0.620	0.813	0.231	0.281	0.376
Interim	B03BB	0.031	0.091	0.434	0.017	0.057	0.306	0.229	0.399	0.635	0.382	0.600	0.782	0.88	1.61	2.35	1.000	1.000	1.000	0.231	0.695	0.997	0.000	0.102	0.353
Original	B03BB	0.038	0.101	0.484	0.021	0.063	0.334	0.265	0.448	0.673	0.470	0.662	0.825	1.01	1.77	2.51	0.833	0.833	0.833	0.202	0.592	0.810	0.227	0.284	0.394
Interim	B04AA	0.871	0.965	0.983	0.664	0.863	0.930	0.942	0.979	0.990	0.974	0.991	0.995	2.22	7.52	16.02	0.877	1.000	1.000	0.931	1.000	1.000	0.000	0.000	0.028
Original	B04AA	0.875	0.967	0.984	0.667	0.870	0.935	0.947	0.981	0.991	0.979	0.992	0.996	2.22	7.53	16.08	0.877	1.000	1.000	0.752	0.844	0.844	0.213	0.213	0.241
Interim	B04AB	0.865	0.960	0.980	0.648	0.846	0.914	0.934	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.89	0.877	1.000	1.000	0.928	0.997	0.997	0.000	0.000	0.020

Original	B04AB	0.870	0.963	0.981	0.654	0.856	0.921	0.940	0.978	0.989	0.969	0.989	0.994	2.21	7.50	15.99	0.877	1.000	1.000	0.749	0.841	0.841	0.207	0.207	0.229
Interim	B04BA	0.119	0.311	0.758	0.081	0.225	0.625	0.547	0.723	0.861	0.725	0.839	0.924	1.52	2.63	3.17	0.865	1.000	1.000	0.715	1.000	1.000	0.000	0.000	0.089
Original	B04BA	0.124	0.321	0.768	0.083	0.231	0.641	0.581	0.745	0.874	0.764	0.864	0.937	1.56	2.71	3.23	0.865	1.000	1.000	0.601	0.844	0.844	0.213	0.213	0.256
Interim	B04BB	0.107	0.293	0.725	0.070	0.207	0.570	0.483	0.677	0.828	0.633	0.786	0.890	1.39	2.45	3.05	0.865	1.000	1.000	0.696	0.997	0.997	0.000	0.000	0.077
Original	B04BB	0.115	0.305	0.747	0.076	0.218	0.598	0.531	0.707	0.851	0.697	0.820	0.910	1.46	2.58	3.13	0.865	1.000	1.000	0.592	0.841	0.841	0.207	0.207	0.247
Interim	B05AA	0.800	1.019	1.055	0.511	0.923	1.097	0.847	0.969	0.992	0.918	0.985	0.997	3.52	14.22	28.58	0.853	1.000	1.000	0.766	1.000	1.000	0.000	0.000	0.057
Original	B05AA	0.806	1.022	1.057	0.522	0.936	1.106	0.856	0.971	0.992	0.928	0.988	0.997	3.52	14.24	28.78	0.853	1.000	1.000	0.663	0.844	0.844	0.213	0.213	0.243
Interim	B05AB	0.784	1.011	1.051	0.493	0.891	1.072	0.827	0.963	0.990	0.899	0.979	0.995	3.50	14.16	28.29	0.853	1.000	1.000	0.755	0.997	0.997	0.000	0.000	0.041
Original	B05AB	0.791	1.015	1.053	0.508	0.910	1.083	0.842	0.967	0.991	0.914	0.983	0.996	3.51	14.20	28.54	0.853	1.000	1.000	0.657	0.841	0.841	0.207	0.207	0.231
Interim	B05BA	0.140	0.426	1.076	0.082	0.248	0.911	0.402	0.638	0.961	0.631	0.805	0.979	2.31	6.03	16.94	0.840	1.000	1.000	0.363	0.881	1.000	0.000	0.036	0.216
Original	B05BA	0.149	0.439	1.082	0.088	0.257	0.936	0.410	0.659	0.964	0.673	0.827	0.983	2.40	6.22	17.23	0.840	1.000	1.000	0.317	0.766	0.844	0.213	0.225	0.276
Interim	B05BB	0.124	0.401	1.064	0.069	0.233	0.872	0.364	0.597	0.946	0.550	0.757	0.963	2.00	5.57	16.50	0.840	1.000	1.000	0.336	0.868	0.997	0.000	0.026	0.217
Original	B05BB	0.133	0.418	1.073	0.080	0.244	0.899	0.389	0.624	0.954	0.599	0.789	0.971	2.14	5.85	16.82	0.840	1.000	1.000	0.286	0.759	0.841	0.207	0.222	0.285
Interim	B06AA	0.650	0.888	0.944	0.367	0.699	0.844	0.812	0.952	0.983	0.903	0.977	0.993	3.09	12.37	24.28	0.877	1.000	1.000	0.809	1.000	1.000	0.000	0.000	0.046
Original	B06AA	0.658	0.891	0.946	0.375	0.708	0.848	0.823	0.957	0.985	0.920	0.981	0.994	3.09	12.41	24.53	0.877	1.000	1.000	0.689	0.844	0.844	0.213	0.213	0.243
Interim	B06AB	0.637	0.877	0.938	0.353	0.675	0.824	0.793	0.942	0.980	0.879	0.968	0.990	3.05	12.29	23.73	0.877	1.000	1.000	0.796	0.997	0.997	0.000	0.000	0.032
Original	B06AB	0.650	0.882	0.941	0.364	0.688	0.831	0.808	0.948	0.982	0.900	0.973	0.992	3.07	12.34	24.26	0.877	1.000	1.000	0.681	0.841	0.841	0.207	0.207	0.231
Interim	B06BA	0.116	0.336	0.920	0.068	0.192	0.656	0.420	0.634	0.926	0.622	0.801	0.958	1.84	4.91	12.99	0.844	1.000	1.000	0.393	1.000	1.000	0.000	0.000	0.159
Original	B06BA	0.127	0.349	0.926	0.074	0.199	0.672	0.450	0.657	0.936	0.671	0.825	0.967	1.95	5.04	13.17	0.844	1.000	1.000	0.385	0.844	0.844	0.213	0.213	0.268
Interim	B06BB	0.103	0.314	0.896	0.057	0.171	0.628	0.366	0.592	0.901	0.531	0.744	0.935	1.65	4.51	12.67	0.844	1.000	1.000	0.373	0.997	0.997	0.000	0.000	0.155
Original	B06BB	0.112	0.329	0.911	0.065	0.185	0.642	0.412	0.620	0.915	0.598	0.782	0.947	1.78	4.78	12.91	0.844	1.000	1.000	0.373	0.841	0.841	0.207	0.207	0.276
Interim	B07AA	0.643	0.898	0.965	0.379	0.702	0.869	0.799	0.940	0.975	0.897	0.970	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.787	1.000	1.000	0.000	0.000	0.056
Original	B07AA	0.651	0.902	0.968	0.387	0.713	0.879	0.815	0.945	0.977	0.910	0.975	0.991	3.27	12.75	23.06	0.873	1.000	1.000	0.683	0.844	0.844	0.213	0.213	0.245
Interim	B07AB	0.627	0.888	0.958	0.363	0.679	0.845	0.779	0.929	0.969	0.871	0.959	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.779	0.997	0.997	0.000	0.000	0.041
Original	B07AB	0.640	0.894	0.962	0.374	0.694	0.855	0.798	0.937	0.973	0.890	0.967	0.986	3.25	12.64	22.67	0.873	1.000	1.000	0.676	0.841	0.841	0.207	0.207	0.233
Interim	B07BA	0.034	0.108	0.513	0.020	0.071	0.365	0.298	0.490	0.686	0.477	0.682	0.822	1.06	1.94	2.61	0.834	1.000	1.000	0.253	0.781	1.000	0.000	0.065	0.282
Original	B07BA	0.037	0.114	0.555	0.022	0.077	0.385	0.324	0.516	0.713	0.558	0.721	0.845	1.18	2.06	2.72	0.834	1.000	1.000	0.238	0.679	0.844	0.213	0.237	0.312
Interim	B07BB	0.027	0.096	0.473	0.016	0.060	0.327	0.237	0.428	0.634	0.388	0.599	0.782	0.88	1.70	2.43	0.834	1.000	1.000	0.221	0.750	0.997	0.000	0.069	0.290
Original	B07BB	0.031	0.104	0.491	0.019	0.067	0.353	0.278	0.468	0.664	0.454	0.652	0.806	1.05	1.84	2.54	0.834	1.000	1.000	0.210	0.661	0.841	0.207	0.231	0.328
Interim	B09AA	0.691	0.917	0.977	0.418	0.742	0.897	0.866	0.961	0.985	0.914	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.797	1.000	1.000	0.000	0.000	0.055
Original	B09AA	0.699	0.920	0.980	0.427	0.749	0.905	0.875	0.965	0.987	0.926	0.980	0.992	3.32	12.95	24.55	0.873	1.000	1.000	0.688	0.844	0.844	0.213	0.213	0.245
Interim	B09AB	0.678	0.909	0.970	0.402	0.717	0.870	0.848	0.952	0.979	0.892	0.966	0.985	3.28	12.81	23.74	0.873	1.000	1.000	0.787	0.997	0.997	0.000	0.000	0.041
Original	B09AB	0.689	0.915	0.973	0.415	0.735	0.885	0.861	0.958	0.982	0.910	0.972	0.988	3.29	12.88	24.25	0.873	1.000	1.000	0.680	0.841	0.841	0.207	0.207	0.232
Interim	B09BA	0.063	0.152	0.683	0.040	0.101	0.550	0.540	0.682	0.827	0.601	0.744	0.869	1.87	2.77	3.19	0.835	1.000	1.000	0.382	0.853	1.000	0.000	0.041	0.195

Original	B09BA	0.066	0.162	0.716	0.041	0.109	0.585	0.585	0.714	0.849	0.661	0.778	0.888	1.92	2.90	3.31	0.835	1.000	1.000	0.320	0.744	0.844	0.213	0.231	0.282
Interim	B09BB	0.054	0.137	0.632	0.033	0.087	0.448	0.438	0.612	0.792	0.493	0.664	0.818	1.61	2.48	2.99	0.835	1.000	1.000	0.349	0.820	0.997	0.000	0.034	0.211
Original	B09BB	0.059	0.147	0.664	0.037	0.097	0.495	0.508	0.656	0.815	0.568	0.716	0.855	1.80	2.66	3.12	0.835	1.000	1.000	0.291	0.706	0.841	0.207	0.224	0.304
Interim	B10AA	0.353	0.750	1.090	0.203	0.469	0.967	0.626	0.820	0.996	0.802	0.903	0.999	2.98	10.87	16.55	0.857	1.000	1.000	0.726	1.000	1.000	0.000	0.000	0.068
Original	B10AA	0.361	0.764	1.094	0.208	0.477	0.976	0.649	0.830	0.997	0.826	0.918	1.001	3.01	11.05	16.80	0.857	1.000	1.000	0.634	0.844	0.844	0.213	0.213	0.248
Interim	B10AB	0.336	0.724	1.084	0.189	0.446	0.945	0.586	0.801	0.996	0.754	0.879	0.997	2.90	10.45	16.18	0.857	1.000	1.000	0.724	0.997	0.997	0.000	0.000	0.051
Original	B10AB	0.346	0.742	1.089	0.198	0.464	0.957	0.616	0.813	0.997	0.787	0.897	1.000	2.93	10.74	16.46	0.857	1.000	1.000	0.632	0.841	0.841	0.207	0.207	0.235
Interim	B10BA	0.191	0.458	0.999	0.112	0.284	0.723	0.519	0.701	0.914	0.712	0.836	0.945	2.91	7.02	9.88	0.855	1.000	1.000	0.675	1.000	1.000	0.000	0.000	0.083
Original	B10BA	0.201	0.474	1.015	0.117	0.293	0.766	0.536	0.721	0.940	0.748	0.859	0.958	3.02	7.24	10.09	0.855	1.000	1.000	0.560	0.844	0.844	0.213	0.213	0.252
Interim	B10BB	0.175	0.430	0.962	0.099	0.262	0.663	0.468	0.663	0.883	0.635	0.792	0.914	2.70	6.63	9.50	0.855	1.000	1.000	0.661	0.997	0.997	0.000	0.000	0.068
Original	B10BB	0.186	0.449	0.987	0.105	0.277	0.703	0.499	0.690	0.906	0.694	0.824	0.929	2.87	6.91	9.81	0.855	1.000	1.000	0.542	0.841	0.841	0.207	0.207	0.239

(c) Case 20-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	B01AA	0.619	0.895	0.967	0.360	0.697	0.874	0.772	0.937	0.976	0.878	0.969	0.988	3.28	12.59	22.24	0.865	1.000	1.000	0.850	1.000	1.000	0.000	0.000	0.039
Original	B01AA	0.633	0.899	0.969	0.369	0.705	0.883	0.789	0.943	0.978	0.898	0.974	0.991	3.28	12.67	22.47	0.865	1.000	1.000	0.654	0.813	0.813	0.178	0.178	0.227
Interim	B01AB	0.597	0.885	0.960	0.343	0.674	0.845	0.748	0.925	0.970	0.852	0.958	0.983	3.24	12.42	21.88	0.865	1.000	1.000	0.825	0.997	0.997	0.000	0.000	0.028
Original	B01AB	0.617	0.892	0.963	0.358	0.689	0.861	0.769	0.934	0.972	0.876	0.965	0.986	3.26	12.55	22.20	0.865	1.000	1.000	0.651	0.810	0.810	0.175	0.175	0.214
Interim	B01BA	0.029	0.105	0.534	0.016	0.068	0.364	0.248	0.467	0.682	0.460	0.681	0.848	0.87	1.82	2.57	0.833	1.000	1.000	0.233	0.708	1.000	0.000	0.073	0.251
Original	B01BA	0.030	0.111	0.564	0.017	0.073	0.392	0.264	0.499	0.705	0.507	0.716	0.867	1.00	1.96	2.65	0.833	1.000	1.000	0.214	0.601	0.813	0.178	0.221	0.317
Interim	B01BB	0.023	0.094	0.462	0.014	0.061	0.313	0.206	0.407	0.634	0.380	0.608	0.809	0.80	1.62	2.40	0.833	1.000	1.000	0.208	0.664	0.997	0.000	0.076	0.266
Original	B01BB	0.025	0.103	0.508	0.015	0.067	0.342	0.237	0.448	0.666	0.431	0.656	0.832	0.89	1.78	2.51	0.833	1.000	1.000	0.202	0.585	0.810	0.175	0.219	0.327
Interim	B01CA	0.970	0.984	0.991	0.570	0.699	0.809	0.970	0.984	0.991	0.981	0.992	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.213	0.663	1.000	0.000	0.103	0.270
Original	B01CA	0.972	0.985	0.991	0.603	0.724	0.827	0.972	0.985	0.991	0.984	0.993	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.206	0.559	0.813	0.178	0.230	0.321
Interim	B01CB	0.949	0.979	0.990	0.427	0.636	0.795	0.949	0.979	0.990	0.959	0.989	0.998	0.96	0.99	1.01	0.823	1.000	1.000	0.200	0.628	0.997	0.000	0.121	0.281
Original	B01CB	0.956	0.980	0.990	0.490	0.669	0.810	0.956	0.980	0.990	0.966	0.988	0.998	0.97	0.99	1.01	0.823	1.000	1.000	0.197	0.530	0.810	0.175	0.232	0.332
Interim	B02AA	0.631	0.896	0.967	0.367	0.697	0.874	0.795	0.938	0.976	0.897	0.970	0.989	3.28	12.66	22.61	0.693	1.000	1.000	0.725	1.000	1.000	0.000	0.000	0.058
Original	B02AA	0.648	0.904	0.972	0.385	0.713	0.890	0.823	0.948	0.980	0.924	0.979	0.993	3.29	12.77	23.17	0.693	1.000	1.000	0.529	0.688	0.688	0.324	0.325	0.350
Interim	B02AB	0.617	0.886	0.960	0.353	0.673	0.845	0.773	0.926	0.970	0.874	0.958	0.984	3.24	12.51	22.12	0.693	1.000	1.000	0.712	0.997	0.997	0.000	0.000	0.044
Original	B02AB	0.639	0.898	0.967	0.375	0.703	0.875	0.810	0.940	0.976	0.909	0.973	0.989	3.27	12.71	22.87	0.693	1.000	1.000	0.520	0.686	0.686	0.317	0.318	0.344
Interim	B02BA	0.034	0.104	0.504	0.020	0.067	0.357	0.267	0.467	0.674	0.496	0.687	0.838	1.00	1.82	2.55	0.621	1.000	1.000	0.228	0.722	1.000	0.000	0.076	0.309
Original	B02BA	0.039	0.116	0.556	0.025	0.077	0.407	0.301	0.527	0.729	0.629	0.770	0.875	1.18	2.08	2.76	0.621	1.000	1.000	0.189	0.531	0.688	0.325	0.345	0.450
Interim	B02BB	0.029	0.092	0.468	0.016	0.057	0.313	0.214	0.411	0.625	0.365	0.612	0.803	0.82	1.60	2.37	0.621	1.000	1.000	0.199	0.685	0.997	0.000	0.078	0.316
Original	B02BB	0.037	0.110	0.527	0.022	0.069	0.385	0.290	0.485	0.695	0.537	0.716	0.848	1.05	1.92	2.61	0.621	1.000	1.000	0.171	0.507	0.686	0.318	0.344	0.450
Interim	B03AA	0.621	0.894	0.967	0.360	0.691	0.874	0.774	0.936	0.976	0.885	0.968	0.988	3.28	12.59	22.23	1.000	1.000	1.000	0.850	1.000	1.000	0.000	0.000	0.068
Original	B03AA	0.641	0.903	0.971	0.378	0.711	0.889	0.804	0.946	0.980	0.915	0.977	0.992	3.29	12.75	22.82	0.833	0.833	0.833	0.587	0.688	0.688	0.267	0.267	0.294
Interim	B03AB	0.608	0.884	0.960	0.345	0.670	0.845	0.754	0.924	0.970	0.853	0.956	0.983	3.24	12.49	21.83	1.000	1.000	1.000	0.844	0.997	0.997	0.000	0.000	0.048
Original	B03AB	0.634	0.897	0.967	0.369	0.697	0.874	0.790	0.938	0.976	0.899	0.971	0.988	3.27	12.65	22.49	0.833	0.833	0.833	0.584	0.686	0.686	0.267	0.267	0.292
Interim	B03BA	0.034	0.103	0.517	0.021	0.068	0.373	0.241	0.452	0.685	0.464	0.672	0.836	0.95	1.82	2.57	1.000	1.000	1.000	0.232	0.724	1.000	0.000	0.082	0.345
Original	B03BA	0.042	0.117	0.590	0.026	0.078	0.439	0.307	0.515	0.725	0.598	0.763	0.885	1.16	2.07	2.78	0.833	0.833	0.833	0.188	0.563	0.688	0.255	0.269	0.333
Interim	B03BB	0.028	0.091	0.500	0.014	0.059	0.335	0.201	0.403	0.643	0.334	0.608	0.797	0.75	1.62	2.38	1.000	1.000	1.000	0.225	0.684	0.997	0.000	0.081	0.345
Original	B03BB	0.037	0.109	0.552	0.022	0.072	0.404	0.282	0.477	0.700	0.519	0.715	0.851	1.04	1.93	2.65	0.833	0.833	0.833	0.183	0.485	0.686	0.255	0.271	0.335
Interim	B04AA	0.871	0.965	0.983	0.655	0.864	0.930	0.945	0.979	0.990	0.974	0.991	0.995	2.22	7.52	16.04	0.877	1.000	1.000	0.885	1.000	1.000	0.000	0.000	0.029
Original	B04AA	0.875	0.967	0.984	0.662	0.871	0.935	0.949	0.981	0.991	0.979	0.992	0.996	2.22	7.53	16.11	0.877	1.000	1.000	0.675	0.813	0.813	0.178	0.178	0.220
Interim	B04AB	0.865	0.960	0.980	0.646	0.847	0.914	0.935	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.92	0.877	1.000	1.000	0.881	0.997	0.997	0.000	0.000	0.021

Original	B04AB	0.870	0.962	0.981	0.652	0.857	0.921	0.941	0.978	0.988	0.969	0.988	0.994	2.21	7.50	16.01	0.877	1.000	1.000	0.670	0.810	0.810	0.175	0.175	0.210
Interim	B04BA	0.120	0.312	0.760	0.081	0.225	0.620	0.550	0.720	0.861	0.719	0.841	0.924	1.52	2.65	3.18	0.865	1.000	1.000	0.630	1.000	1.000	0.000	0.000	0.074
Original	B04BA	0.125	0.322	0.775	0.087	0.233	0.641	0.589	0.745	0.876	0.767	0.867	0.939	1.57	2.76	3.25	0.865	1.000	1.000	0.536	0.813	0.813	0.178	0.178	0.249
Interim	B04BB	0.109	0.294	0.725	0.069	0.205	0.574	0.484	0.675	0.828	0.630	0.788	0.892	1.36	2.47	3.05	0.865	1.000	1.000	0.626	0.997	0.997	0.000	0.000	0.052
Original	B04BB	0.116	0.308	0.749	0.077	0.219	0.608	0.538	0.710	0.853	0.698	0.828	0.913	1.49	2.61	3.15	0.865	1.000	1.000	0.532	0.810	0.810	0.175	0.175	0.234
Interim	B05AA	0.794	1.020	1.055	0.500	0.923	1.096	0.844	0.969	0.992	0.917	0.985	0.997	3.52	14.22	28.58	0.853	1.000	1.000	0.727	1.000	1.000	0.000	0.000	0.050
Original	B05AA	0.807	1.022	1.055	0.515	0.934	1.106	0.856	0.971	0.992	0.932	0.988	0.997	3.52	14.24	28.82	0.853	1.000	1.000	0.600	0.813	0.813	0.178	0.178	0.232
Interim	B05AB	0.781	1.011	1.050	0.482	0.894	1.072	0.827	0.963	0.990	0.897	0.979	0.995	3.50	14.16	28.37	0.853	1.000	1.000	0.703	0.997	0.997	0.000	0.000	0.036
Original	B05AB	0.793	1.014	1.052	0.498	0.913	1.082	0.843	0.967	0.990	0.918	0.983	0.995	3.50	14.20	28.55	0.853	1.000	1.000	0.583	0.810	0.810	0.175	0.175	0.221
Interim	B05BA	0.138	0.423	1.076	0.076	0.251	0.906	0.390	0.636	0.960	0.610	0.806	0.979	2.43	6.03	16.88	0.840	1.000	1.000	0.325	0.896	1.000	0.000	0.027	0.190
Original	B05BA	0.150	0.436	1.083	0.085	0.257	0.926	0.425	0.660	0.964	0.666	0.835	0.983	2.42	6.27	17.28	0.840	1.000	1.000	0.273	0.729	0.813	0.178	0.208	0.287
Interim	B05BB	0.122	0.397	1.065	0.068	0.231	0.867	0.334	0.597	0.950	0.523	0.760	0.966	2.24	5.60	16.50	0.840	1.000	1.000	0.292	0.891	0.997	0.000	0.019	0.190
Original	B05BB	0.134	0.415	1.071	0.075	0.244	0.898	0.395	0.628	0.955	0.600	0.795	0.972	2.32	5.96	16.90	0.840	1.000	1.000	0.238	0.714	0.810	0.175	0.205	0.286
Interim	B06AA	0.654	0.888	0.944	0.372	0.697	0.840	0.812	0.953	0.983	0.903	0.977	0.993	3.09	12.37	24.26	0.877	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.035
Original	B06AA	0.662	0.891	0.946	0.380	0.709	0.849	0.824	0.957	0.985	0.920	0.981	0.994	3.09	12.41	24.49	0.877	1.000	1.000	0.668	0.813	0.813	0.178	0.178	0.223
Interim	B06AB	0.637	0.877	0.938	0.360	0.672	0.824	0.793	0.943	0.980	0.879	0.968	0.989	3.05	12.20	23.94	0.877	1.000	1.000	0.872	0.997	0.997	0.000	0.000	0.025
Original	B06AB	0.652	0.882	0.941	0.372	0.690	0.831	0.810	0.949	0.982	0.903	0.974	0.991	3.07	12.34	24.25	0.877	1.000	1.000	0.663	0.810	0.810	0.175	0.175	0.212
Interim	B06BA	0.118	0.342	0.920	0.068	0.195	0.650	0.414	0.638	0.929	0.618	0.804	0.959	1.91	4.89	12.99	0.844	1.000	1.000	0.458	1.000	1.000	0.000	0.000	0.130
Original	B06BA	0.127	0.352	0.927	0.075	0.203	0.667	0.453	0.659	0.935	0.676	0.832	0.968	1.97	5.08	13.19	0.844	1.000	1.000	0.425	0.813	0.813	0.178	0.178	0.260
Interim	B06BB	0.103	0.317	0.894	0.056	0.174	0.608	0.354	0.590	0.907	0.516	0.749	0.941	1.74	4.49	12.67	0.844	1.000	1.000	0.448	0.997	0.997	0.000	0.000	0.130
Original	B06BB	0.116	0.336	0.907	0.066	0.189	0.641	0.414	0.625	0.918	0.601	0.787	0.952	1.81	4.77	12.95	0.844	1.000	1.000	0.404	0.810	0.810	0.175	0.175	0.265
Interim	B07AA	0.642	0.898	0.965	0.376	0.704	0.869	0.801	0.941	0.975	0.888	0.970	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.036
Original	B07AA	0.652	0.902	0.968	0.388	0.713	0.880	0.816	0.946	0.977	0.907	0.975	0.990	3.27	12.76	23.09	0.873	1.000	1.000	0.662	0.813	0.813	0.178	0.178	0.224
Interim	B07AB	0.623	0.888	0.958	0.362	0.679	0.845	0.776	0.930	0.969	0.864	0.960	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.871	0.997	0.997	0.000	0.000	0.025
Original	B07AB	0.641	0.895	0.961	0.374	0.694	0.856	0.799	0.937	0.972	0.887	0.967	0.986	3.24	12.65	22.72	0.873	1.000	1.000	0.658	0.810	0.810	0.175	0.175	0.212
Interim	B07BA	0.029	0.110	0.515	0.017	0.071	0.359	0.267	0.489	0.692	0.447	0.677	0.840	0.96	1.91	2.64	0.834	1.000	1.000	0.263	0.776	1.000	0.000	0.059	0.238
Original	B07BA	0.035	0.118	0.546	0.021	0.078	0.395	0.296	0.520	0.719	0.510	0.721	0.857	1.03	2.07	2.75	0.834	1.000	1.000	0.238	0.659	0.813	0.178	0.217	0.311
Interim	B07BB	0.025	0.098	0.470	0.014	0.060	0.314	0.196	0.426	0.637	0.346	0.590	0.799	0.82	1.65	2.48	0.834	1.000	1.000	0.230	0.747	0.997	0.000	0.066	0.253
Original	B07BB	0.029	0.108	0.505	0.016	0.070	0.339	0.247	0.469	0.679	0.419	0.654	0.822	0.94	1.85	2.59	0.834	1.000	1.000	0.225	0.622	0.810	0.175	0.211	0.323
Interim	B09AA	0.691	0.918	0.977	0.418	0.741	0.897	0.861	0.961	0.985	0.913	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.035
Original	B09AA	0.699	0.921	0.979	0.427	0.751	0.906	0.875	0.966	0.986	0.927	0.980	0.991	3.32	12.95	24.57	0.873	1.000	1.000	0.662	0.813	0.813	0.178	0.178	0.224
Interim	B09AB	0.675	0.909	0.970	0.403	0.715	0.870	0.842	0.952	0.979	0.890	0.966	0.985	3.28	12.81	23.81	0.873	1.000	1.000	0.871	0.997	0.997	0.000	0.000	0.025
Original	B09AB	0.690	0.915	0.973	0.416	0.735	0.885	0.861	0.958	0.981	0.913	0.972	0.987	3.29	12.88	24.29	0.873	1.000	1.000	0.658	0.810	0.810	0.175	0.175	0.212
Interim	B09BA	0.057	0.157	0.678	0.036	0.103	0.510	0.517	0.682	0.830	0.585	0.745	0.874	1.75	2.74	3.25	0.835	1.000	1.000	0.352	0.880	1.000	0.000	0.031	0.198

Original	B09BA	0.062	0.167	0.713	0.041	0.111	0.557	0.579	0.719	0.846	0.647	0.783	0.890	1.87	2.92	3.37	0.835	1.000	1.000	0.315	0.694	0.813	0.178	0.214	0.285
Interim	B09BB	0.052	0.142	0.624	0.030	0.091	0.434	0.436	0.614	0.789	0.486	0.667	0.832	1.50	2.45	3.09	0.835	1.000	1.000	0.319	0.846	0.997	0.000	0.027	0.211
Original	B09BB	0.058	0.154	0.662	0.035	0.102	0.479	0.515	0.664	0.815	0.575	0.722	0.859	1.69	2.68	3.20	0.835	1.000	1.000	0.274	0.684	0.810	0.175	0.208	0.295
Interim	B10AA	0.362	0.755	1.091	0.200	0.468	0.967	0.622	0.818	0.996	0.788	0.905	1.001	2.95	10.80	16.68	0.857	1.000	1.000	0.656	1.000	1.000	0.000	0.000	0.063
Original	B10AA	0.366	0.766	1.091	0.208	0.477	0.974	0.647	0.833	0.999	0.821	0.921	1.000	3.00	11.04	16.96	0.857	1.000	1.000	0.552	0.813	0.813	0.178	0.178	0.240
Interim	B10AB	0.341	0.729	1.084	0.189	0.447	0.945	0.586	0.798	0.995	0.742	0.881	0.998	2.89	10.37	16.19	0.857	1.000	1.000	0.642	0.997	0.997	0.000	0.000	0.049
Original	B10AB	0.355	0.748	1.089	0.199	0.463	0.957	0.619	0.817	0.995	0.788	0.902	0.999	2.91	10.75	16.60	0.857	1.000	1.000	0.541	0.810	0.810	0.175	0.175	0.228
Interim	B10BA	0.193	0.455	0.995	0.112	0.282	0.731	0.523	0.703	0.914	0.715	0.837	0.944	3.02	7.05	9.78	0.855	1.000	1.000	0.624	1.000	1.000	0.000	0.000	0.073
Original	B10BA	0.202	0.475	1.009	0.119	0.294	0.757	0.542	0.726	0.933	0.756	0.864	0.957	3.02	7.30	10.07	0.855	1.000	1.000	0.541	0.813	0.813	0.178	0.178	0.249
Interim	B10BB	0.179	0.428	0.958	0.098	0.261	0.669	0.468	0.665	0.885	0.648	0.794	0.912	2.64	6.67	9.43	0.855	1.000	1.000	0.618	0.997	0.997	0.000	0.000	0.060
Original	B10BB	0.189	0.451	0.984	0.109	0.279	0.705	0.510	0.696	0.907	0.704	0.830	0.933	2.96	6.97	9.74	0.855	1.000	1.000	0.534	0.810	0.810	0.175	0.175	0.237

(d) Case 10-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	B01AA	0.619	0.895	0.967	0.360	0.696	0.874	0.772	0.937	0.976	0.884	0.968	0.988	3.28	12.59	22.24	0.865	1.000	1.000	0.854	1.000	1.000	0.000	0.000	0.052
Original	B01AA	0.625	0.897	0.969	0.364	0.702	0.878	0.780	0.940	0.978	0.895	0.971	0.990	3.28	12.63	22.46	0.865	1.000	1.000	0.747	0.906	0.906	0.113	0.113	0.156
Interim	B01AB	0.598	0.885	0.960	0.345	0.672	0.846	0.748	0.925	0.970	0.857	0.957	0.983	3.24	12.42	21.88	0.865	1.000	1.000	0.847	0.997	0.997	0.000	0.000	0.039
Original	B01AB	0.610	0.889	0.963	0.351	0.683	0.855	0.758	0.930	0.972	0.875	0.962	0.985	3.25	12.47	22.03	0.865	1.000	1.000	0.744	0.904	0.904	0.116	0.116	0.147
Interim	B01BA	0.034	0.105	0.525	0.021	0.069	0.367	0.285	0.462	0.682	0.520	0.679	0.836	1.02	1.83	2.52	0.833	1.000	1.000	0.208	0.732	1.000	0.000	0.104	0.339
Original	B01BA	0.034	0.109	0.539	0.021	0.072	0.382	0.291	0.479	0.695	0.554	0.701	0.844	1.05	1.89	2.60	0.833	1.000	1.000	0.208	0.668	0.906	0.113	0.196	0.349
Interim	B01BB	0.029	0.094	0.483	0.017	0.059	0.317	0.244	0.405	0.628	0.426	0.606	0.791	0.95	1.62	2.35	0.833	1.000	1.000	0.198	0.692	0.997	0.000	0.126	0.357
Original	B01BB	0.033	0.099	0.497	0.020	0.062	0.337	0.263	0.427	0.654	0.465	0.636	0.810	1.00	1.71	2.42	0.833	1.000	1.000	0.198	0.633	0.904	0.116	0.202	0.388
Interim	B01CA	0.972	0.985	0.991	0.605	0.707	0.800	0.972	0.985	0.991	0.983	0.994	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.214	0.622	1.000	0.000	0.174	0.349
Original	B01CA	0.974	0.985	0.991	0.622	0.723	0.809	0.974	0.985	0.991	0.986	0.994	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.206	0.578	0.906	0.113	0.239	0.378
Interim	B01CB	0.956	0.980	0.990	0.472	0.651	0.781	0.956	0.980	0.990	0.964	0.991	0.998	0.96	0.99	1.00	0.823	1.000	1.000	0.206	0.577	0.982	0.017	0.198	0.374
Original	B01CB	0.963	0.981	0.990	0.516	0.673	0.790	0.963	0.981	0.990	0.972	0.990	0.998	0.97	0.99	1.01	0.823	1.000	1.000	0.194	0.545	0.904	0.116	0.259	0.403
Interim	B02AA	0.626	0.894	0.967	0.362	0.696	0.874	0.789	0.937	0.976	0.890	0.969	0.989	3.28	12.65	22.41	0.877	1.000	1.000	0.829	1.000	1.000	0.000	0.000	0.073
Original	B02AA	0.634	0.898	0.969	0.371	0.702	0.878	0.801	0.940	0.978	0.906	0.973	0.990	3.28	12.71	22.72	0.877	1.000	1.000	0.714	0.906	0.906	0.118	0.118	0.194
Interim	B02AB	0.611	0.884	0.960	0.347	0.671	0.845	0.762	0.925	0.970	0.863	0.957	0.984	3.24	12.49	21.90	0.877	1.000	1.000	0.821	0.997	0.997	0.000	0.000	0.054
Original	B02AB	0.620	0.889	0.962	0.357	0.682	0.854	0.784	0.930	0.972	0.883	0.962	0.985	3.25	12.57	22.27	0.877	1.000	1.000	0.705	0.904	0.904	0.116	0.116	0.177
Interim	B02BA	0.039	0.104	0.529	0.023	0.068	0.373	0.275	0.462	0.674	0.506	0.685	0.824	1.04	1.83	2.53	0.861	1.000	1.000	0.212	0.731	1.000	0.000	0.115	0.352
Original	B02BA	0.040	0.109	0.550	0.025	0.071	0.390	0.299	0.481	0.689	0.549	0.711	0.835	1.09	1.93	2.62	0.861	1.000	1.000	0.209	0.663	0.906	0.118	0.213	0.411
Interim	B02BB	0.032	0.092	0.473	0.018	0.059	0.313	0.237	0.403	0.623	0.423	0.602	0.793	0.90	1.61	2.39	0.861	1.000	1.000	0.203	0.711	0.997	0.000	0.121	0.374
Original	B02BB	0.034	0.098	0.487	0.019	0.062	0.343	0.257	0.431	0.649	0.472	0.646	0.800	0.98	1.72	2.48	0.861	1.000	1.000	0.195	0.639	0.904	0.116	0.226	0.439
Interim	B03AA	0.613	0.894	0.967	0.360	0.692	0.874	0.774	0.935	0.976	0.878	0.967	0.989	3.28	12.59	22.23	1.000	1.000	1.000	0.852	1.000	1.000	0.000	0.000	0.072
Original	B03AA	0.628	0.899	0.969	0.370	0.704	0.880	0.792	0.941	0.978	0.904	0.973	0.990	3.28	12.68	22.53	0.833	0.833	0.833	0.710	0.875	0.875	0.128	0.131	0.164
Interim	B03AB	0.598	0.882	0.960	0.346	0.670	0.845	0.750	0.923	0.970	0.852	0.955	0.983	3.24	12.49	21.69	1.000	1.000	1.000	0.846	0.997	0.997	0.000	0.000	0.052
Original	B03AB	0.613	0.890	0.962	0.358	0.681	0.855	0.773	0.930	0.972	0.880	0.962	0.985	3.25	12.54	22.19	0.833	0.833	0.833	0.700	0.873	0.873	0.124	0.125	0.155
Interim	B03BA	0.036	0.103	0.524	0.022	0.067	0.357	0.258	0.452	0.674	0.491	0.670	0.822	1.03	1.79	2.52	1.000	1.000	1.000	0.262	0.741	1.000	0.000	0.107	0.405
Original	B03BA	0.040	0.110	0.543	0.025	0.073	0.380	0.298	0.483	0.697	0.565	0.716	0.849	1.11	1.95	2.64	0.833	0.833	0.833	0.227	0.648	0.875	0.131	0.205	0.346
Interim	B03BB	0.032	0.092	0.465	0.017	0.058	0.319	0.230	0.398	0.629	0.403	0.596	0.775	0.88	1.56	2.35	1.000	1.000	1.000	0.233	0.718	0.997	0.000	0.117	0.425
Original	B03BB	0.034	0.101	0.483	0.020	0.063	0.335	0.266	0.436	0.653	0.473	0.651	0.805	0.98	1.73	2.50	0.833	0.833	0.833	0.211	0.620	0.873	0.125	0.214	0.372
Interim	B04AA	0.871	0.965	0.983	0.666	0.863	0.930	0.942	0.979	0.990	0.973	0.991	0.995	2.22	7.52	16.02	0.877	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.031
Original	B04AA	0.873	0.966	0.984	0.669	0.868	0.933	0.945	0.980	0.990	0.976	0.992	0.996	2.22	7.52	16.05	0.877	1.000	1.000	0.778	0.906	0.906	0.113	0.113	0.152
Interim	B04AB	0.865	0.959	0.980	0.650	0.846	0.914	0.934	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.89	0.877	1.000	1.000	0.885	0.997	0.997	0.000	0.000	0.022

Original	B04AB	0.868	0.962	0.981	0.655	0.852	0.918	0.937	0.977	0.988	0.966	0.988	0.994	2.21	7.50	15.94	0.877	1.000	1.000	0.772	0.904	0.904	0.116	0.116	0.143
Interim	B04BA	0.117	0.309	0.760	0.080	0.222	0.620	0.551	0.720	0.861	0.717	0.836	0.920	1.52	2.63	3.17	0.865	1.000	1.000	0.747	1.000	1.000	0.000	0.000	0.089
Original	B04BA	0.120	0.313	0.768	0.083	0.226	0.634	0.565	0.732	0.868	0.751	0.851	0.930	1.55	2.67	3.20	0.865	1.000	1.000	0.684	0.906	0.906	0.113	0.113	0.204
Interim	B04BB	0.104	0.290	0.725	0.069	0.204	0.574	0.486	0.675	0.827	0.638	0.786	0.890	1.36	2.44	3.05	0.865	1.000	1.000	0.742	0.997	0.997	0.000	0.000	0.094
Original	B04BB	0.108	0.299	0.738	0.073	0.212	0.595	0.512	0.693	0.838	0.671	0.805	0.902	1.44	2.51	3.09	0.865	1.000	1.000	0.673	0.904	0.904	0.116	0.116	0.202
Interim	B05AA	0.801	1.020	1.055	0.503	0.925	1.095	0.847	0.969	0.992	0.917	0.985	0.997	3.52	14.22	28.92	0.853	1.000	1.000	0.846	1.000	1.000	0.000	0.000	0.060
Original	B05AA	0.809	1.021	1.056	0.516	0.929	1.101	0.852	0.970	0.992	0.927	0.987	0.997	3.52	14.23	28.97	0.853	1.000	1.000	0.740	0.906	0.906	0.113	0.113	0.167
Interim	B05AB	0.782	1.011	1.050	0.484	0.891	1.072	0.831	0.963	0.990	0.898	0.979	0.995	3.50	14.16	28.73	0.853	1.000	1.000	0.838	0.997	0.997	0.000	0.000	0.043
Original	B05AB	0.795	1.014	1.052	0.497	0.903	1.078	0.839	0.965	0.990	0.912	0.981	0.996	3.51	14.18	28.80	0.853	1.000	1.000	0.733	0.904	0.904	0.116	0.116	0.157
Interim	B05BA	0.144	0.423	1.078	0.085	0.249	0.911	0.417	0.635	0.959	0.643	0.798	0.979	2.41	6.00	16.87	0.840	1.000	1.000	0.332	0.888	1.000	0.000	0.049	0.271
Original	B05BA	0.148	0.430	1.081	0.089	0.253	0.927	0.430	0.650	0.960	0.669	0.809	0.981	2.46	6.11	17.00	0.840	1.000	1.000	0.315	0.783	0.906	0.113	0.152	0.325
Interim	B05BB	0.128	0.396	1.064	0.074	0.226	0.869	0.364	0.590	0.946	0.568	0.743	0.963	2.13	5.58	16.50	0.840	1.000	1.000	0.324	0.882	0.997	0.000	0.037	0.278
Original	B05BB	0.134	0.407	1.068	0.078	0.232	0.882	0.392	0.607	0.952	0.601	0.766	0.969	2.27	5.72	16.63	0.840	1.000	1.000	0.308	0.773	0.904	0.116	0.146	0.333
Interim	B06AA	0.650	0.889	0.944	0.368	0.699	0.840	0.812	0.952	0.983	0.900	0.977	0.993	3.09	12.40	24.26	0.877	1.000	1.000	0.864	1.000	1.000	0.000	0.000	0.051
Original	B06AA	0.653	0.891	0.945	0.372	0.704	0.845	0.818	0.955	0.985	0.913	0.979	0.994	3.09	12.42	24.32	0.877	1.000	1.000	0.750	0.906	0.906	0.113	0.113	0.154
Interim	B06AB	0.637	0.877	0.938	0.355	0.675	0.824	0.793	0.942	0.980	0.880	0.968	0.989	3.05	12.32	23.96	0.877	1.000	1.000	0.861	0.997	0.997	0.000	0.000	0.036
Original	B06AB	0.643	0.881	0.940	0.360	0.683	0.828	0.801	0.946	0.981	0.892	0.971	0.991	3.07	12.35	24.21	0.877	1.000	1.000	0.748	0.904	0.904	0.116	0.116	0.146
Interim	B06BA	0.117	0.329	0.917	0.068	0.190	0.659	0.425	0.636	0.926	0.640	0.793	0.958	1.99	4.85	13.07	0.844	1.000	1.000	0.486	0.944	1.000	0.000	0.029	0.227
Original	B06BA	0.122	0.337	0.922	0.072	0.197	0.670	0.443	0.646	0.931	0.655	0.811	0.963	2.05	5.00	13.37	0.844	1.000	1.000	0.445	0.844	0.906	0.113	0.141	0.298
Interim	B06BB	0.103	0.303	0.897	0.057	0.172	0.608	0.370	0.589	0.900	0.557	0.735	0.935	1.77	4.40	13.04	0.844	1.000	1.000	0.470	0.940	0.997	0.000	0.021	0.228
Original	B06BB	0.107	0.316	0.906	0.061	0.180	0.627	0.392	0.612	0.911	0.590	0.760	0.947	1.87	4.62	13.04	0.844	1.000	1.000	0.419	0.841	0.904	0.116	0.137	0.316
Interim	B07AA	0.642	0.898	0.966	0.376	0.704	0.869	0.799	0.940	0.975	0.889	0.971	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.860	1.000	1.000	0.000	0.000	0.051
Original	B07AA	0.647	0.901	0.967	0.381	0.709	0.875	0.806	0.943	0.976	0.899	0.973	0.990	3.27	12.73	22.90	0.873	1.000	1.000	0.750	0.906	0.906	0.113	0.113	0.155
Interim	B07AB	0.623	0.888	0.958	0.362	0.681	0.845	0.778	0.929	0.969	0.864	0.960	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.852	0.997	0.997	0.000	0.000	0.036
Original	B07AB	0.632	0.891	0.961	0.368	0.689	0.851	0.787	0.933	0.971	0.876	0.964	0.985	3.24	12.59	22.46	0.873	1.000	1.000	0.748	0.904	0.904	0.116	0.116	0.146
Interim	B07BA	0.036	0.110	0.516	0.021	0.071	0.363	0.300	0.482	0.692	0.506	0.675	0.826	1.11	1.91	2.63	0.834	1.000	1.000	0.250	0.777	1.000	0.000	0.087	0.330
Original	B07BA	0.037	0.114	0.539	0.022	0.074	0.376	0.319	0.498	0.705	0.550	0.698	0.836	1.20	1.98	2.69	0.834	1.000	1.000	0.247	0.708	0.906	0.113	0.182	0.360
Interim	B07BB	0.027	0.097	0.470	0.016	0.060	0.322	0.244	0.415	0.640	0.406	0.588	0.779	0.96	1.67	2.44	0.834	1.000	1.000	0.249	0.749	0.997	0.000	0.101	0.348
Original	B07BB	0.029	0.101	0.489	0.017	0.065	0.334	0.273	0.440	0.658	0.443	0.624	0.800	1.05	1.75	2.51	0.834	1.000	1.000	0.244	0.682	0.904	0.116	0.188	0.394
Interim	B09AA	0.691	0.917	0.977	0.418	0.743	0.897	0.860	0.961	0.985	0.912	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.868	1.000	1.000	0.000	0.000	0.051
Original	B09AA	0.695	0.920	0.978	0.422	0.746	0.902	0.868	0.963	0.986	0.921	0.978	0.991	3.32	12.93	24.44	0.873	1.000	1.000	0.755	0.906	0.906	0.113	0.113	0.155
Interim	B09AB	0.676	0.908	0.970	0.403	0.717	0.871	0.841	0.952	0.979	0.890	0.966	0.985	3.28	12.81	23.81	0.873	1.000	1.000	0.861	0.997	0.997	0.000	0.000	0.036
Original	B09AB	0.685	0.912	0.972	0.409	0.727	0.878	0.850	0.956	0.981	0.903	0.970	0.987	3.29	12.85	24.04	0.873	1.000	1.000	0.751	0.904	0.904	0.116	0.116	0.146
Interim	B09BA	0.061	0.156	0.687	0.039	0.102	0.516	0.545	0.673	0.832	0.619	0.733	0.872	1.85	2.71	3.19	0.835	1.000	1.000	0.427	0.860	1.000	0.000	0.058	0.272

Original	B09BA	0.063	0.160	0.700	0.042	0.107	0.533	0.572	0.693	0.840	0.647	0.754	0.883	1.88	2.80	3.26	0.835	1.000	1.000	0.391	0.766	0.906	0.113	0.157	0.326
Interim	B09BB	0.053	0.140	0.632	0.032	0.087	0.440	0.461	0.604	0.800	0.513	0.656	0.826	1.68	2.41	2.94	0.835	1.000	1.000	0.389	0.833	0.997	0.000	0.053	0.299
Original	B09BB	0.056	0.145	0.661	0.035	0.094	0.477	0.492	0.631	0.814	0.548	0.687	0.841	1.74	2.54	3.03	0.835	1.000	1.000	0.358	0.754	0.904	0.116	0.158	0.346
Interim	B10AA	0.355	0.751	1.090	0.200	0.468	0.967	0.618	0.818	0.996	0.792	0.903	1.000	2.95	10.85	16.68	0.857	1.000	1.000	0.762	1.000	1.000	0.000	0.000	0.070
Original	B10AA	0.356	0.757	1.089	0.204	0.473	0.972	0.633	0.824	0.996	0.811	0.912	0.999	2.98	11.00	16.80	0.857	1.000	1.000	0.687	0.906	0.906	0.113	0.113	0.177
Interim	B10AB	0.340	0.725	1.082	0.189	0.450	0.945	0.578	0.798	0.995	0.744	0.879	0.998	2.89	10.41	16.24	0.857	1.000	1.000	0.751	0.997	0.997	0.000	0.000	0.051
Original	B10AB	0.347	0.736	1.085	0.193	0.456	0.952	0.600	0.808	0.994	0.770	0.889	0.999	2.91	10.61	16.41	0.857	1.000	1.000	0.682	0.904	0.904	0.116	0.116	0.169
Interim	B10BA	0.197	0.458	0.996	0.113	0.282	0.726	0.501	0.700	0.915	0.712	0.833	0.945	2.93	7.03	9.85	0.855	1.000	1.000	0.735	1.000	1.000	0.000	0.000	0.090
Original	B10BA	0.204	0.466	1.004	0.116	0.289	0.745	0.513	0.711	0.926	0.730	0.846	0.952	2.98	7.17	9.98	0.855	1.000	1.000	0.670	0.906	0.906	0.113	0.113	0.198
Interim	B10BB	0.174	0.435	0.955	0.099	0.260	0.675	0.454	0.663	0.885	0.642	0.788	0.914	2.72	6.62	9.37	0.855	1.000	1.000	0.725	0.997	0.997	0.000	0.000	0.074
Original	B10BB	0.188	0.444	0.969	0.103	0.270	0.692	0.473	0.679	0.899	0.664	0.807	0.926	2.84	6.79	9.59	0.855	1.000	1.000	0.662	0.904	0.904	0.116	0.116	0.193

(e) Case 15-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	B01AA	0.623	0.895	0.967	0.360	0.698	0.874	0.773	0.937	0.976	0.887	0.969	0.989	3.28	12.59	22.24	0.865	1.000	1.000	0.768	1.000	1.000	0.000	0.000	0.061
Original	B01AA	0.632	0.899	0.970	0.368	0.705	0.882	0.788	0.941	0.978	0.897	0.974	0.991	3.28	12.67	22.46	0.865	1.000	1.000	0.663	0.844	0.844	0.213	0.213	0.247
Interim	B01AB	0.607	0.885	0.960	0.345	0.673	0.845	0.752	0.925	0.970	0.859	0.957	0.983	3.24	12.42	21.69	0.865	1.000	1.000	0.760	0.997	0.997	0.000	0.000	0.041
Original	B01AB	0.617	0.893	0.964	0.357	0.689	0.861	0.771	0.932	0.974	0.877	0.965	0.986	3.26	12.54	22.17	0.865	1.000	1.000	0.655	0.841	0.841	0.207	0.207	0.233
Interim	B01BA	0.034	0.105	0.525	0.021	0.068	0.369	0.277	0.467	0.674	0.500	0.683	0.827	1.04	1.85	2.52	0.833	1.000	1.000	0.202	0.738	1.000	0.000	0.074	0.285
Original	B01BA	0.034	0.110	0.548	0.022	0.073	0.388	0.296	0.494	0.700	0.566	0.719	0.848	1.07	1.96	2.64	0.833	1.000	1.000	0.202	0.645	0.844	0.213	0.239	0.318
Interim	B01BB	0.026	0.093	0.463	0.016	0.057	0.324	0.239	0.408	0.621	0.396	0.610	0.802	0.90	1.62	2.35	0.833	1.000	1.000	0.198	0.719	0.997	0.000	0.084	0.298
Original	B01BB	0.032	0.099	0.503	0.019	0.063	0.358	0.272	0.449	0.657	0.484	0.660	0.830	1.02	1.78	2.47	0.833	1.000	1.000	0.195	0.623	0.841	0.207	0.234	0.336
Interim	B01CA	0.971	0.984	0.991	0.580	0.711	0.803	0.971	0.984	0.991	0.982	0.993	0.999	0.98	0.99	1.01	0.823	1.000	1.000	0.212	0.621	1.000	0.000	0.126	0.294
Original	B01CA	0.977	0.987	0.993	0.619	0.733	0.818	0.977	0.987	0.993	0.989	0.996	0.999	0.99	0.99	1.01	0.823	1.000	1.000	0.202	0.539	0.844	0.213	0.247	0.329
Interim	B01CB	0.947	0.981	0.990	0.446	0.654	0.795	0.947	0.981	0.990	0.955	0.992	0.998	0.96	0.99	1.01	0.823	1.000	1.000	0.191	0.592	0.997	0.000	0.135	0.305
Original	B01CB	0.963	0.984	0.991	0.514	0.686	0.805	0.963	0.984	0.991	0.972	0.994	0.999	0.97	0.99	1.01	0.823	1.000	1.000	0.193	0.512	0.841	0.207	0.255	0.341
Interim	B02AA	0.629	0.895	0.967	0.364	0.698	0.874	0.793	0.938	0.976	0.891	0.969	0.989	3.28	12.64	22.53	0.877	1.000	1.000	0.812	1.000	1.000	0.000	0.000	0.058
Original	B02AA	0.645	0.900	0.970	0.376	0.706	0.883	0.810	0.943	0.979	0.912	0.975	0.991	3.29	12.72	22.74	0.877	1.000	1.000	0.623	0.813	0.813	0.256	0.256	0.299
Interim	B02AB	0.612	0.884	0.960	0.348	0.672	0.847	0.770	0.926	0.970	0.865	0.957	0.983	3.24	12.49	22.14	0.877	1.000	1.000	0.808	0.997	0.997	0.000	0.000	0.043
Original	B02AB	0.630	0.892	0.964	0.365	0.690	0.863	0.791	0.934	0.973	0.893	0.966	0.987	3.26	12.60	22.44	0.877	1.000	1.000	0.618	0.810	0.810	0.251	0.251	0.290
Interim	B02BA	0.031	0.102	0.544	0.017	0.067	0.381	0.254	0.460	0.694	0.500	0.678	0.848	0.99	1.81	2.57	0.861	1.000	1.000	0.216	0.743	1.000	0.000	0.084	0.296
Original	B02BA	0.037	0.110	0.562	0.023	0.073	0.415	0.275	0.499	0.717	0.554	0.728	0.868	1.09	1.97	2.68	0.861	1.000	1.000	0.204	0.605	0.813	0.256	0.308	0.391
Interim	B02BB	0.026	0.092	0.494	0.015	0.058	0.338	0.221	0.401	0.650	0.384	0.599	0.809	0.89	1.60	2.41	0.861	1.000	1.000	0.204	0.700	0.997	0.000	0.095	0.302
Original	B02BB	0.030	0.101	0.533	0.017	0.066	0.369	0.252	0.448	0.682	0.474	0.673	0.841	1.00	1.76	2.52	0.861	1.000	1.000	0.193	0.592	0.810	0.251	0.309	0.421
Interim	B03AA	0.614	0.894	0.967	0.359	0.691	0.874	0.772	0.936	0.976	0.878	0.967	0.988	3.28	12.59	22.23	1.000	1.000	0.794	1.000	1.000	0.000	0.000	0.068	
Original	B03AA	0.638	0.902	0.971	0.377	0.709	0.888	0.803	0.945	0.980	0.914	0.977	0.992	3.29	12.74	22.79	0.833	0.833	0.573	0.719	0.719	0.254	0.254	0.282	
Interim	B03AB	0.600	0.883	0.960	0.335	0.670	0.845	0.751	0.924	0.970	0.851	0.956	0.983	3.24	12.49	21.83	1.000	1.000	0.775	0.997	0.997	0.000	0.000	0.051	
Original	B03AB	0.625	0.896	0.966	0.367	0.694	0.871	0.788	0.937	0.975	0.897	0.970	0.988	3.27	12.63	22.45	0.833	0.833	0.561	0.717	0.717	0.250	0.250	0.276	
Interim	B03BA	0.036	0.101	0.495	0.022	0.066	0.338	0.252	0.453	0.677	0.488	0.669	0.826	0.97	1.79	2.54	1.000	1.000	0.253	0.725	1.000	0.000	0.101	0.350	
Original	B03BA	0.041	0.114	0.551	0.025	0.075	0.392	0.298	0.514	0.728	0.590	0.749	0.875	1.12	2.03	2.74	0.833	0.833	0.211	0.552	0.719	0.254	0.274	0.346	
Interim	B03BB	0.031	0.091	0.434	0.017	0.056	0.306	0.222	0.399	0.635	0.379	0.600	0.779	0.88	1.61	2.35	1.000	1.000	0.233	0.702	0.997	0.000	0.102	0.352	
Original	B03BB	0.039	0.105	0.501	0.023	0.067	0.348	0.283	0.472	0.697	0.523	0.693	0.841	1.07	1.86	2.57	0.833	0.833	0.198	0.531	0.717	0.250	0.277	0.357	
Interim	B04AA	0.871	0.965	0.983	0.663	0.863	0.930	0.942	0.979	0.990	0.974	0.991	0.995	2.22	7.52	16.02	0.877	1.000	0.931	1.000	1.000	0.000	0.000	0.028	
Original	B04AA	0.875	0.967	0.984	0.667	0.870	0.935	0.947	0.981	0.991	0.979	0.992	0.996	2.22	7.53	16.08	0.877	1.000	0.752	0.844	0.844	0.213	0.213	0.241	
Interim	B04AB	0.865	0.960	0.980	0.647	0.846	0.914	0.934	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.90	0.877	1.000	0.928	0.997	0.997	0.000	0.000	0.020	

Original	B04AB	0.870	0.963	0.981	0.654	0.856	0.921	0.940	0.978	0.989	0.969	0.989	0.994	2.21	7.50	15.99	0.877	1.000	1.000	0.749	0.841	0.841	0.207	0.207	0.229
Interim	B04BA	0.119	0.311	0.758	0.081	0.225	0.625	0.547	0.723	0.861	0.724	0.839	0.924	1.52	2.63	3.17	0.865	1.000	1.000	0.715	1.000	1.000	0.000	0.000	0.089
Original	B04BA	0.124	0.321	0.768	0.083	0.231	0.641	0.581	0.745	0.874	0.764	0.864	0.937	1.56	2.71	3.23	0.865	1.000	1.000	0.601	0.844	0.844	0.213	0.213	0.256
Interim	B04BB	0.106	0.293	0.725	0.070	0.207	0.570	0.483	0.677	0.828	0.633	0.786	0.890	1.39	2.45	3.05	0.865	1.000	1.000	0.706	0.997	0.997	0.000	0.000	0.076
Original	B04BB	0.115	0.305	0.747	0.076	0.218	0.598	0.531	0.707	0.851	0.697	0.820	0.910	1.46	2.58	3.13	0.865	1.000	1.000	0.592	0.841	0.841	0.207	0.207	0.247
Interim	B05AA	0.800	1.019	1.055	0.511	0.923	1.097	0.847	0.969	0.992	0.918	0.985	0.997	3.52	14.22	28.58	0.853	1.000	1.000	0.766	1.000	1.000	0.000	0.000	0.057
Original	B05AA	0.806	1.022	1.057	0.522	0.936	1.106	0.856	0.971	0.992	0.928	0.988	0.997	3.52	14.24	28.78	0.853	1.000	1.000	0.663	0.844	0.844	0.213	0.213	0.243
Interim	B05AB	0.784	1.011	1.051	0.493	0.891	1.072	0.827	0.963	0.990	0.899	0.979	0.995	3.50	14.16	28.29	0.853	1.000	1.000	0.759	0.997	0.997	0.000	0.000	0.041
Original	B05AB	0.791	1.015	1.053	0.508	0.910	1.083	0.842	0.967	0.991	0.914	0.983	0.996	3.51	14.20	28.54	0.853	1.000	1.000	0.657	0.841	0.841	0.207	0.207	0.231
Interim	B05BA	0.140	0.426	1.076	0.082	0.247	0.911	0.400	0.636	0.961	0.631	0.803	0.979	2.31	6.03	16.94	0.840	1.000	1.000	0.365	0.881	1.000	0.000	0.036	0.212
Original	B05BA	0.149	0.439	1.082	0.088	0.257	0.936	0.410	0.659	0.964	0.673	0.827	0.983	2.40	6.22	17.23	0.840	1.000	1.000	0.317	0.766	0.844	0.213	0.225	0.276
Interim	B05BB	0.124	0.400	1.064	0.069	0.232	0.872	0.364	0.596	0.946	0.549	0.755	0.963	2.00	5.55	16.50	0.840	1.000	1.000	0.337	0.868	0.997	0.000	0.026	0.216
Original	B05BB	0.133	0.418	1.073	0.080	0.244	0.899	0.389	0.624	0.954	0.599	0.789	0.971	2.14	5.85	16.82	0.840	1.000	1.000	0.286	0.759	0.841	0.207	0.222	0.285
Interim	B06AA	0.650	0.888	0.944	0.367	0.699	0.844	0.812	0.952	0.983	0.903	0.977	0.993	3.09	12.37	24.29	0.877	1.000	1.000	0.809	1.000	1.000	0.000	0.000	0.046
Original	B06AA	0.658	0.891	0.946	0.375	0.708	0.848	0.823	0.957	0.985	0.920	0.981	0.994	3.09	12.41	24.53	0.877	1.000	1.000	0.689	0.844	0.844	0.213	0.213	0.243
Interim	B06AB	0.637	0.877	0.938	0.353	0.675	0.824	0.793	0.942	0.980	0.879	0.968	0.990	3.05	12.29	23.73	0.877	1.000	1.000	0.796	0.997	0.997	0.000	0.000	0.032
Original	B06AB	0.650	0.882	0.941	0.364	0.688	0.831	0.808	0.948	0.982	0.900	0.973	0.992	3.07	12.34	24.26	0.877	1.000	1.000	0.681	0.841	0.841	0.207	0.207	0.231
Interim	B06BA	0.116	0.335	0.920	0.068	0.192	0.656	0.420	0.634	0.926	0.622	0.801	0.958	1.84	4.90	12.99	0.844	1.000	1.000	0.401	1.000	1.000	0.000	0.000	0.157
Original	B06BA	0.127	0.349	0.926	0.074	0.199	0.672	0.450	0.657	0.936	0.671	0.825	0.967	1.95	5.04	13.17	0.844	1.000	1.000	0.385	0.844	0.844	0.213	0.213	0.268
Interim	B06BB	0.103	0.313	0.896	0.057	0.171	0.628	0.364	0.591	0.901	0.529	0.744	0.935	1.63	4.51	12.67	0.844	1.000	1.000	0.384	0.997	0.997	0.000	0.000	0.151
Original	B06BB	0.112	0.329	0.911	0.065	0.185	0.642	0.412	0.620	0.915	0.598	0.782	0.947	1.78	4.78	12.91	0.844	1.000	1.000	0.373	0.841	0.841	0.207	0.207	0.276
Interim	B07AA	0.643	0.898	0.965	0.379	0.702	0.869	0.799	0.940	0.975	0.897	0.971	0.989	3.26	12.68	22.77	0.873	1.000	1.000	0.787	1.000	1.000	0.000	0.000	0.056
Original	B07AA	0.651	0.902	0.968	0.387	0.713	0.879	0.815	0.945	0.977	0.910	0.975	0.991	3.27	12.75	23.06	0.873	1.000	1.000	0.683	0.844	0.844	0.213	0.213	0.245
Interim	B07AB	0.627	0.888	0.958	0.363	0.679	0.845	0.779	0.929	0.969	0.871	0.959	0.983	3.23	12.53	22.31	0.873	1.000	1.000	0.779	0.997	0.997	0.000	0.000	0.041
Original	B07AB	0.640	0.894	0.962	0.374	0.694	0.855	0.798	0.937	0.973	0.890	0.967	0.986	3.25	12.64	22.67	0.873	1.000	1.000	0.676	0.841	0.841	0.207	0.207	0.233
Interim	B07BA	0.034	0.107	0.513	0.020	0.071	0.365	0.291	0.489	0.685	0.474	0.682	0.821	1.06	1.94	2.61	0.834	1.000	1.000	0.254	0.781	1.000	0.000	0.064	0.270
Original	B07BA	0.037	0.114	0.555	0.022	0.077	0.385	0.324	0.516	0.713	0.558	0.721	0.845	1.18	2.06	2.72	0.834	1.000	1.000	0.238	0.679	0.844	0.213	0.237	0.312
Interim	B07BB	0.027	0.095	0.473	0.016	0.060	0.323	0.237	0.426	0.634	0.380	0.597	0.779	0.86	1.69	2.43	0.834	1.000	1.000	0.222	0.754	0.997	0.000	0.068	0.284
Original	B07BB	0.031	0.104	0.491	0.019	0.067	0.353	0.278	0.468	0.664	0.454	0.652	0.806	1.05	1.84	2.54	0.834	1.000	1.000	0.210	0.661	0.841	0.207	0.231	0.328
Interim	B09AA	0.691	0.917	0.977	0.418	0.742	0.897	0.866	0.961	0.985	0.914	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.797	1.000	1.000	0.000	0.000	0.055
Original	B09AA	0.699	0.920	0.980	0.427	0.749	0.905	0.875	0.965	0.987	0.926	0.980	0.992	3.32	12.95	24.55	0.873	1.000	1.000	0.688	0.844	0.844	0.213	0.213	0.245
Interim	B09AB	0.678	0.909	0.970	0.402	0.717	0.870	0.848	0.952	0.979	0.892	0.966	0.985	3.28	12.81	23.74	0.873	1.000	1.000	0.787	0.997	0.997	0.000	0.000	0.041
Original	B09AB	0.689	0.915	0.973	0.415	0.735	0.885	0.861	0.958	0.982	0.910	0.972	0.988	3.29	12.88	24.25	0.873	1.000	1.000	0.680	0.841	0.841	0.207	0.207	0.232
Interim	B09BA	0.063	0.152	0.683	0.040	0.101	0.550	0.540	0.681	0.827	0.601	0.742	0.866	1.86	2.77	3.19	0.835	1.000	1.000	0.387	0.859	1.000	0.000	0.041	0.195

Original	B09BA	0.066	0.162	0.716	0.041	0.109	0.585	0.585	0.714	0.849	0.661	0.778	0.888	1.92	2.90	3.31	0.835	1.000	1.000	0.320	0.744	0.844	0.213	0.231	0.282
Interim	B09BB	0.054	0.138	0.632	0.033	0.088	0.448	0.435	0.610	0.785	0.486	0.663	0.819	1.61	2.47	2.99	0.835	1.000	1.000	0.351	0.812	0.997	0.000	0.034	0.213
Original	B09BB	0.059	0.147	0.664	0.037	0.097	0.495	0.508	0.656	0.815	0.568	0.716	0.855	1.80	2.66	3.12	0.835	1.000	1.000	0.291	0.706	0.841	0.207	0.224	0.304
Interim	B10AA	0.353	0.750	1.090	0.202	0.469	0.967	0.626	0.820	0.996	0.802	0.903	0.999	2.98	10.87	16.55	0.857	1.000	1.000	0.729	1.000	1.000	0.000	0.000	0.067
Original	B10AA	0.361	0.764	1.094	0.208	0.477	0.976	0.649	0.830	0.997	0.826	0.918	1.001	3.01	11.05	16.80	0.857	1.000	1.000	0.634	0.844	0.844	0.213	0.213	0.248
Interim	B10AB	0.336	0.724	1.084	0.189	0.446	0.945	0.586	0.801	0.996	0.754	0.879	0.997	2.90	10.44	16.18	0.857	1.000	1.000	0.725	0.997	0.997	0.000	0.000	0.051
Original	B10AB	0.346	0.742	1.089	0.198	0.464	0.957	0.616	0.813	0.997	0.787	0.897	1.000	2.93	10.74	16.46	0.857	1.000	1.000	0.632	0.841	0.841	0.207	0.207	0.235
Interim	B10BA	0.190	0.458	0.999	0.111	0.284	0.723	0.518	0.700	0.914	0.712	0.836	0.945	2.91	7.02	9.88	0.855	1.000	1.000	0.677	1.000	1.000	0.000	0.000	0.083
Original	B10BA	0.201	0.474	1.015	0.117	0.293	0.766	0.536	0.721	0.940	0.748	0.859	0.958	3.02	7.24	10.09	0.855	1.000	1.000	0.560	0.844	0.844	0.213	0.213	0.252
Interim	B10BB	0.173	0.430	0.961	0.099	0.262	0.663	0.468	0.663	0.883	0.634	0.792	0.914	2.67	6.63	9.49	0.855	1.000	1.000	0.662	0.997	0.997	0.000	0.000	0.067
Original	B10BB	0.186	0.449	0.987	0.105	0.277	0.703	0.499	0.690	0.906	0.694	0.824	0.929	2.87	6.91	9.81	0.855	1.000	1.000	0.542	0.841	0.841	0.207	0.207	0.239

(f) Case 20-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)			
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	
Interim	B01AA	0.619	0.895	0.967	0.360	0.697	0.874	0.772	0.936	0.976	0.878	0.969	0.988	3.28	12.59	22.24	0.865	1.000	1.000	0.850	1.000	1.000	0.000	0.000	0.039	
Original	B01AA	0.641	0.902	0.972	0.375	0.714	0.890	0.800	0.946	0.980	0.906	0.977	0.992	3.29	12.74	22.72	0.865	1.000	1.000	0.581	0.688	0.688	0.293	0.293	0.305	
Interim	B01AB	0.598	0.885	0.959	0.343	0.674	0.845	0.748	0.925	0.970	0.852	0.958	0.983	3.24	12.42	21.88	0.865	1.000	1.000	0.825	0.997	0.997	0.000	0.000	0.028	
Original	B01AB	0.630	0.897	0.968	0.367	0.701	0.875	0.786	0.939	0.976	0.891	0.971	0.989	3.27	12.64	22.43	0.865	1.000	1.000	0.580	0.686	0.686	0.295	0.295	0.308	
Interim	B01BA	0.029	0.105	0.534	0.016	0.068	0.364	0.248	0.467	0.682	0.460	0.682	0.848	0.87	1.82	2.57	0.833	1.000	1.000	0.233	0.708	1.000	0.000	0.073	0.251	
Original	B01BA	0.035	0.116	0.579	0.022	0.078	0.426	0.286	0.518	0.723	0.552	0.754	0.882	1.05	2.05	2.74	0.833	1.000	1.000	0.203	0.521	0.688	0.281	0.300	0.346	
Interim	B01BB	0.023	0.094	0.463	0.014	0.061	0.313	0.204	0.407	0.634	0.366	0.609	0.809	0.77	1.62	2.40	0.833	1.000	1.000	0.208	0.664	0.997	0.000	0.076	0.266	
Original	B01BB	0.030	0.109	0.552	0.017	0.071	0.375	0.264	0.484	0.695	0.482	0.700	0.859	1.00	1.90	2.60	0.833	1.000	1.000	0.191	0.499	0.686	0.282	0.308	0.359	
Interim	B01CA	0.970	0.984	0.991	0.570	0.699	0.809	0.970	0.984	0.991	0.981	0.992	0.998	0.98	0.99	1.01	0.823	1.000	1.000	0.213	0.663	1.000	0.000	0.103	0.270	
Original	B01CA	0.975	0.986	0.992	0.636	0.756	0.838	0.975	0.986	0.992	0.987	0.994	0.999	0.98	0.99	1.01	0.823	1.000	1.000	0.193	0.483	0.688	0.281	0.300	0.349	
Interim	B01CB	0.949	0.979	0.990	0.427	0.636	0.795	0.949	0.979	0.990	0.959	0.988	0.998	0.998	0.96	0.99	1.01	0.823	1.000	1.000	0.200	0.628	0.997	0.000	0.121	0.281
Original	B01CB	0.965	0.983	0.991	0.566	0.711	0.821	0.965	0.983	0.991	0.975	0.992	0.999	0.97	0.99	1.01	0.823	1.000	1.000	0.188	0.463	0.686	0.282	0.307	0.361	
Interim	B02AA	0.626	0.895	0.967	0.362	0.696	0.874	0.791	0.938	0.976	0.891	0.969	0.989	3.28	12.64	22.46	0.877	1.000	1.000	0.751	1.000	1.000	0.000	0.000	0.054	
Original	B02AA	0.647	0.904	0.972	0.381	0.712	0.890	0.817	0.947	0.980	0.921	0.979	0.993	3.29	12.76	23.06	0.877	1.000	1.000	0.556	0.688	0.688	0.310	0.325	0.327	
Interim	B02AB	0.612	0.885	0.960	0.348	0.672	0.845	0.770	0.925	0.970	0.869	0.958	0.984	3.24	12.49	21.89	0.877	1.000	1.000	0.737	0.997	0.997	0.000	0.000	0.040	
Original	B02AB	0.636	0.897	0.967	0.370	0.702	0.875	0.804	0.940	0.976	0.906	0.972	0.989	3.27	12.70	22.75	0.877	1.000	1.000	0.545	0.686	0.686	0.306	0.318	0.328	
Interim	B02BA	0.034	0.103	0.495	0.020	0.067	0.347	0.255	0.465	0.674	0.489	0.681	0.823	0.96	1.81	2.52	0.861	1.000	1.000	0.248	0.732	1.000	0.000	0.070	0.294	
Original	B02BA	0.039	0.113	0.556	0.025	0.077	0.406	0.293	0.526	0.728	0.607	0.766	0.873	1.12	2.07	2.76	0.861	1.000	1.000	0.212	0.556	0.688	0.312	0.335	0.422	
Interim	B02BB	0.029	0.091	0.468	0.017	0.057	0.313	0.207	0.407	0.625	0.342	0.600	0.794	0.79	1.57	2.37	0.861	1.000	1.000	0.218	0.699	0.997	0.000	0.074	0.296	
Original	B02BB	0.037	0.108	0.519	0.022	0.069	0.368	0.275	0.484	0.693	0.532	0.713	0.846	1.02	1.92	2.61	0.861	1.000	1.000	0.196	0.537	0.686	0.308	0.336	0.455	
Interim	B03AA	0.621	0.894	0.967	0.360	0.691	0.874	0.774	0.936	0.976	0.885	0.968	0.988	3.28	12.59	22.23	1.000	1.000	0.850	1.000	1.000	0.000	0.000	0.068		
Original	B03AA	0.645	0.903	0.971	0.379	0.711	0.889	0.807	0.946	0.980	0.918	0.978	0.992	3.29	12.75	22.82	0.833	0.833	0.538	0.688	0.688	0.267	0.267	0.315		
Interim	B03AB	0.608	0.884	0.960	0.345	0.671	0.845	0.754	0.924	0.970	0.853	0.956	0.983	3.24	12.49	21.84	1.000	1.000	0.844	0.997	0.997	0.000	0.000	0.048		
Original	B03AB	0.634	0.897	0.967	0.370	0.697	0.874	0.790	0.938	0.976	0.902	0.971	0.989	3.27	12.65	22.49	0.833	0.833	0.532	0.686	0.686	0.267	0.267	0.314		
Interim	B03BA	0.034	0.103	0.517	0.021	0.068	0.373	0.242	0.452	0.685	0.464	0.672	0.836	0.95	1.82	2.57	1.000	1.000	0.232	0.724	1.000	0.000	0.082	0.345		
Original	B03BA	0.041	0.117	0.565	0.026	0.078	0.439	0.296	0.513	0.725	0.588	0.760	0.880	1.13	2.07	2.78	0.833	0.833	0.538	0.688	0.688	0.265	0.290	0.345		
Interim	B03BB	0.028	0.091	0.500	0.014	0.059	0.335	0.201	0.403	0.643	0.335	0.608	0.797	0.75	1.62	2.38	1.000	1.000	0.225	0.684	0.997	0.000	0.081	0.345		
Original	B03BB	0.037	0.108	0.530	0.022	0.072	0.391	0.273	0.476	0.695	0.514	0.708	0.859	1.06	1.92	2.63	0.833	0.833	0.518	0.686	0.686	0.267	0.291	0.356		
Interim	B04AA	0.872	0.965	0.983	0.655	0.864	0.930	0.945	0.979	0.990	0.974	0.991	0.995	2.22	7.52	16.04	0.877	1.000	1.000	0.885	1.000	1.000	0.000	0.000	0.029	
Original	B04AA	0.878	0.969	0.985	0.670	0.879	0.939	0.951	0.982	0.991	0.983	0.994	0.997	2.23	7.54	16.13	0.877	1.000	1.000	0.596	0.688	0.688	0.293	0.293	0.300	
Interim	B04AB	0.865	0.960	0.980	0.646	0.847	0.914	0.935	0.975	0.987	0.962	0.986	0.993	2.21	7.48	15.92	0.877	1.000	1.000	0.881	0.997	0.997	0.000	0.000	0.021	

Original	B04AB	0.874	0.965	0.983	0.659	0.865	0.930	0.945	0.980	0.990	0.975	0.991	0.995	2.22	7.52	16.07	0.877	1.000	1.000	0.593	0.686	0.686	0.295	0.295	0.300
Interim	B04BA	0.121	0.312	0.760	0.081	0.225	0.620	0.550	0.720	0.861	0.719	0.841	0.924	1.52	2.65	3.18	0.865	1.000	1.000	0.630	1.000	1.000	0.000	0.000	0.074
Original	B04BA	0.129	0.330	0.785	0.090	0.239	0.655	0.604	0.760	0.888	0.797	0.885	0.949	1.60	2.81	3.30	0.865	1.000	1.000	0.466	0.688	0.688	0.293	0.293	0.319
Interim	B04BB	0.109	0.294	0.725	0.070	0.206	0.574	0.485	0.675	0.828	0.631	0.789	0.892	1.36	2.47	3.05	0.865	1.000	1.000	0.626	0.997	0.997	0.000	0.000	0.052
Original	B04BB	0.121	0.315	0.761	0.083	0.227	0.627	0.564	0.732	0.865	0.738	0.850	0.927	1.54	2.69	3.21	0.865	1.000	1.000	0.460	0.686	0.686	0.295	0.295	0.323
Interim	B05AA	0.794	1.020	1.055	0.500	0.923	1.096	0.844	0.969	0.991	0.917	0.985	0.997	3.52	14.22	28.58	0.853	1.000	1.000	0.727	1.000	1.000	0.000	0.000	0.050
Original	B05AA	0.816	1.023	1.057	0.524	0.946	1.116	0.864	0.973	0.993	0.937	0.990	0.998	3.53	14.25	29.08	0.853	1.000	1.000	0.517	0.688	0.688	0.293	0.293	0.308
Interim	B05AB	0.781	1.011	1.050	0.482	0.894	1.072	0.827	0.963	0.990	0.897	0.979	0.995	3.50	14.16	28.37	0.853	1.000	1.000	0.703	0.997	0.997	0.000	0.000	0.036
Original	B05AB	0.804	1.021	1.054	0.510	0.925	1.096	0.855	0.970	0.991	0.926	0.986	0.997	3.51	14.22	28.77	0.853	1.000	1.000	0.505	0.686	0.686	0.295	0.295	0.315
Interim	B05BA	0.139	0.423	1.076	0.076	0.251	0.906	0.391	0.636	0.960	0.611	0.806	0.979	2.43	6.03	16.88	0.840	1.000	1.000	0.325	0.896	1.000	0.000	0.027	0.190
Original	B05BA	0.155	0.450	1.087	0.089	0.266	0.940	0.457	0.679	0.967	0.706	0.849	0.986	2.50	6.42	17.48	0.840	1.000	1.000	0.249	0.612	0.688	0.293	0.293	0.339
Interim	B05BB	0.122	0.397	1.065	0.068	0.231	0.867	0.334	0.597	0.950	0.524	0.760	0.966	2.24	5.60	16.51	0.840	1.000	1.000	0.292	0.891	0.997	0.000	0.019	0.190
Original	B05BB	0.146	0.433	1.076	0.079	0.257	0.912	0.415	0.650	0.962	0.644	0.819	0.980	2.47	6.17	17.10	0.840	1.000	1.000	0.225	0.605	0.686	0.295	0.295	0.354
Interim	B06AA	0.654	0.888	0.944	0.372	0.697	0.840	0.812	0.953	0.983	0.903	0.977	0.993	3.09	12.37	24.26	0.877	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.035
Original	B06AA	0.666	0.894	0.948	0.383	0.717	0.855	0.834	0.960	0.986	0.925	0.984	0.995	3.10	12.44	24.71	0.877	1.000	1.000	0.591	0.688	0.688	0.293	0.293	0.301
Interim	B06AB	0.637	0.877	0.938	0.361	0.672	0.824	0.793	0.942	0.980	0.880	0.968	0.989	3.05	12.21	23.95	0.877	1.000	1.000	0.872	0.997	0.997	0.000	0.000	0.025
Original	B06AB	0.658	0.889	0.944	0.376	0.700	0.840	0.822	0.954	0.984	0.912	0.978	0.993	3.08	12.38	24.39	0.877	1.000	1.000	0.589	0.686	0.686	0.295	0.295	0.300
Interim	B06BA	0.118	0.342	0.920	0.068	0.195	0.650	0.415	0.638	0.929	0.619	0.804	0.959	1.91	4.89	12.99	0.844	1.000	1.000	0.458	1.000	1.000	0.000	0.000	0.130
Original	B06BA	0.131	0.359	0.930	0.077	0.210	0.681	0.478	0.676	0.940	0.711	0.849	0.975	2.08	5.21	13.38	0.844	1.000	1.000	0.350	0.688	0.688	0.293	0.293	0.333
Interim	B06BB	0.103	0.318	0.894	0.056	0.174	0.608	0.355	0.590	0.907	0.517	0.749	0.941	1.74	4.49	12.67	0.844	1.000	1.000	0.448	0.997	0.997	0.000	0.000	0.130
Original	B06BB	0.120	0.343	0.921	0.070	0.200	0.657	0.440	0.650	0.927	0.652	0.813	0.962	1.96	4.97	13.13	0.844	1.000	1.000	0.343	0.686	0.686	0.295	0.295	0.346
Interim	B07AA	0.642	0.898	0.965	0.376	0.704	0.869	0.801	0.941	0.975	0.889	0.970	0.989	3.26	12.69	22.78	0.873	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.036
Original	B07AA	0.659	0.905	0.970	0.393	0.720	0.887	0.826	0.949	0.979	0.916	0.979	0.993	3.28	12.78	23.34	0.873	1.000	1.000	0.587	0.688	0.688	0.293	0.293	0.302
Interim	B07AB	0.623	0.888	0.958	0.362	0.679	0.845	0.776	0.930	0.969	0.865	0.960	0.983	3.23	12.53	22.32	0.873	1.000	1.000	0.871	0.997	0.997	0.000	0.000	0.025
Original	B07AB	0.650	0.900	0.965	0.383	0.707	0.871	0.814	0.943	0.975	0.901	0.972	0.989	3.26	12.73	23.03	0.873	1.000	1.000	0.585	0.686	0.686	0.295	0.295	0.301
Interim	B07BA	0.029	0.110	0.515	0.017	0.071	0.359	0.267	0.489	0.692	0.447	0.677	0.840	0.96	1.91	2.64	0.834	1.000	1.000	0.263	0.776	1.000	0.000	0.059	0.238
Original	B07BA	0.038	0.123	0.568	0.024	0.082	0.416	0.326	0.544	0.737	0.575	0.755	0.877	1.19	2.17	2.83	0.834	1.000	1.000	0.215	0.589	0.688	0.284	0.300	0.344
Interim	B07BB	0.025	0.098	0.470	0.014	0.060	0.314	0.196	0.426	0.637	0.347	0.591	0.799	0.82	1.65	2.48	0.834	1.000	1.000	0.230	0.747	0.997	0.000	0.066	0.253
Original	B07BB	0.034	0.115	0.542	0.020	0.074	0.374	0.297	0.504	0.706	0.496	0.698	0.849	1.09	1.99	2.68	0.834	1.000	1.000	0.206	0.559	0.686	0.284	0.300	0.358
Interim	B09AA	0.692	0.918	0.977	0.418	0.741	0.897	0.861	0.961	0.984	0.913	0.976	0.990	3.31	12.91	24.33	0.873	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.035
Original	B09AA	0.705	0.923	0.982	0.434	0.756	0.912	0.882	0.969	0.988	0.935	0.983	0.993	3.33	12.98	24.75	0.873	1.000	1.000	0.587	0.688	0.688	0.293	0.293	0.302
Interim	B09AB	0.675	0.909	0.970	0.403	0.715	0.870	0.842	0.952	0.979	0.890	0.966	0.985	3.28	12.81	23.82	0.873	1.000	1.000	0.871	0.997	0.997	0.000	0.000	0.025
Original	B09AB	0.698	0.919	0.977	0.425	0.746	0.898	0.871	0.963	0.985	0.922	0.977	0.990	3.31	12.93	24.52	0.873	1.000	1.000	0.585	0.686	0.686	0.295	0.295	0.301
Interim	B09BA	0.057	0.157	0.679	0.036	0.103	0.511	0.518	0.683	0.830	0.585	0.745	0.874	1.75	2.74	3.26	0.835	1.000	1.000	0.352	0.880	1.000	0.000	0.031	0.198

Original	B09BA	0.066	0.171	0.727	0.044	0.115	0.581	0.609	0.743	0.868	0.692	0.807	0.902	1.93	3.02	3.43	0.835	1.000	1.000	0.280	0.600	0.688	0.293	0.299	0.337
Interim	B09BB	0.052	0.142	0.624	0.030	0.091	0.434	0.437	0.614	0.790	0.486	0.667	0.832	1.50	2.46	3.10	0.835	1.000	1.000	0.319	0.846	0.997	0.000	0.027	0.211
Original	B09BB	0.061	0.161	0.691	0.038	0.108	0.518	0.552	0.699	0.837	0.616	0.761	0.881	1.78	2.82	3.30	0.835	1.000	1.000	0.249	0.593	0.686	0.295	0.300	0.352
Interim	B10AA	0.362	0.755	1.092	0.200	0.468	0.967	0.622	0.818	0.996	0.789	0.905	1.001	2.95	10.80	16.68	0.857	1.000	1.000	0.656	1.000	1.000	0.000	0.000	0.063
Original	B10AA	0.372	0.772	1.094	0.214	0.482	0.981	0.659	0.842	0.999	0.840	0.929	1.000	3.03	11.21	17.14	0.857	1.000	1.000	0.475	0.688	0.688	0.293	0.293	0.317
Interim	B10AB	0.341	0.729	1.084	0.189	0.447	0.945	0.586	0.798	0.996	0.743	0.881	0.999	2.89	10.37	16.19	0.857	1.000	1.000	0.642	0.997	0.997	0.000	0.000	0.049
Original	B10AB	0.361	0.761	1.089	0.206	0.475	0.969	0.636	0.827	0.996	0.810	0.914	0.998	2.97	10.91	16.80	0.857	1.000	1.000	0.471	0.686	0.686	0.295	0.295	0.322
Interim	B10BA	0.193	0.456	0.995	0.112	0.282	0.732	0.523	0.703	0.914	0.715	0.837	0.944	3.02	7.05	9.78	0.855	1.000	1.000	0.624	1.000	1.000	0.000	0.000	0.073
Original	B10BA	0.211	0.482	1.020	0.124	0.302	0.786	0.552	0.737	0.945	0.785	0.879	0.964	3.04	7.42	10.26	0.855	1.000	1.000	0.467	0.688	0.688	0.293	0.293	0.320
Interim	B10BB	0.179	0.428	0.958	0.099	0.261	0.670	0.468	0.665	0.886	0.649	0.794	0.912	2.64	6.67	9.43	0.855	1.000	1.000	0.618	0.997	0.997	0.000	0.000	0.060
Original	B10BB	0.199	0.468	1.002	0.115	0.289	0.740	0.525	0.713	0.922	0.742	0.852	0.950	3.01	7.19	9.96	0.855	1.000	1.000	0.461	0.686	0.686	0.295	0.295	0.332

Table 6

Performance statistics for the trials to compare the performance of the ‘phase out’ (‘original’) and ‘interim allowance’ (‘interim’) options for the West Greenland fin whales based on the partial hypothesis

(a) Case 10-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.288	0.620	0.947	0.268	0.572	0.931	0.866	0.939	0.973	0.866	0.939	0.973	1.26	3.03	3.44	0.866	1.000	1.000	0.807	0.992	1.000	0.000	0.006	0.082
Original	GF01-1A	0.291	0.624	0.949	0.272	0.575	0.935	0.876	0.945	0.976	0.876	0.945	0.976	1.26	3.04	3.47	0.866	1.000	1.000	0.712	0.898	0.906	0.104	0.107	0.176
Interim	GF01-1B	0.278	0.603	0.929	0.254	0.552	0.914	0.824	0.916	0.960	0.824	0.916	0.960	1.23	2.95	3.33	0.840	1.000	1.000	0.695	0.943	1.000	0.000	0.024	0.117
Original	GF01-1B	0.281	0.608	0.935	0.259	0.558	0.921	0.841	0.923	0.965	0.841	0.923	0.965	1.24	2.97	3.37	0.840	1.000	1.000	0.636	0.854	0.906	0.109	0.126	0.201
Interim	GB01-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.891	1.000	1.000	0.000	0.000	0.049
Original	GB01-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	1.15	3.56	7.88	0.886	1.000	1.000	0.807	0.906	0.906	0.104	0.104	0.149
Interim	GB01-2B	0.970	0.987	0.992	0.947	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.859	1.000	1.000	0.819	1.000	1.000	0.000	0.000	0.070
Original	GB01-2B	0.973	0.988	0.993	0.952	0.979	0.989	0.981	0.993	0.996	0.981	0.993	0.996	1.14	3.55	7.86	0.859	1.000	1.000	0.738	0.906	0.906	0.109	0.109	0.163
Interim	GB01-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.947	1.000	1.000	0.000	0.000	0.031
Original	GB01-4A	0.993	0.998	0.999	0.987	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.848	0.906	0.906	0.104	0.104	0.132
Interim	GB01-4B	0.986	0.995	0.997	0.972	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.07	2.46	5.92	0.932	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.053
Original	GB01-4B	0.989	0.996	0.998	0.979	0.992	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.08	2.46	5.93	0.932	1.000	1.000	0.784	0.906	0.906	0.109	0.109	0.153
Interim	GB01-7A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.054
Original	GB01-7A	0.995	0.998	0.999	0.991	0.997	0.999	0.995	0.998	0.999	0.995	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.784	0.906	0.906	0.104	0.104	0.152
Interim	GB01-7B	0.990	0.997	0.998	0.978	0.992	0.997	0.990	0.997	0.998	0.990	0.997	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.745	1.000	1.000	0.000	0.000	0.084
Original	GB01-7B	0.992	0.997	0.999	0.984	0.994	0.997	0.992	0.997	0.999	0.992	0.997	0.999	1.00	1.20	2.62	0.931	1.000	1.000	0.685	0.906	0.906	0.109	0.109	0.174
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.903	1.000	1.000	0.000	0.000	0.046
Original	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.896	1.000	1.000	0.000	0.000	0.047
Interim	GF02-2B	0.970	0.987	0.992	0.944	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.828	1.000	1.000	0.000	0.000	0.069
Original	GF02-2B	0.970	0.987	0.993	0.943	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.826	1.000	1.000	0.000	0.000	0.068
Interim	GF02-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.949	1.000	1.000	0.000	0.000	0.030
Original	GF02-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.945	1.000	1.000	0.000	0.000	0.030
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.943	1.000	1.000	0.871	1.000	1.000	0.000	0.000	0.053
Original	GF02-4B	0.986	0.995	0.997	0.972	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.943	1.000	1.000	0.865	1.000	1.000	0.000	0.000	0.053
Interim	GF03-1A	0.293	0.620	0.948	0.269	0.567	0.932	0.876	0.938	0.973	0.876	0.938	0.973	1.24	3.02	3.43	1.000	1.000	1.000	0.787	0.992	1.000	0.000	0.006	0.091
Original	GF03-1A	0.294	0.622	0.948	0.272	0.569	0.931	0.881	0.941	0.974	0.881	0.941	0.974	1.24	3.04	3.45	0.833	0.833	0.833	0.736	0.961	0.969	0.033	0.035	0.120
Interim	GF03-1B	0.282	0.603	0.929	0.261	0.552	0.907	0.840	0.914	0.961	0.840	0.914	0.961	1.23	2.94	3.33	1.000	1.000	1.000	0.669	0.952	1.000	0.000	0.021	0.112
Original	GF03-1B	0.284	0.605	0.929	0.262	0.555	0.909	0.844	0.917	0.962	0.844	0.917	0.962	1.23	2.96	3.36	0.833	0.833	0.833	0.640	0.912	0.969	0.024	0.043	0.138

Interim	GF03-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.907	1.000	1.000	0.000	0.000	0.078
Original	GF03-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.833	0.833	0.833	0.870	0.969	0.969	0.033	0.033	0.078
Interim	GF03-2B	0.970	0.987	0.992	0.943	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.831	1.000	1.000	0.000	0.000	0.063
Original	GF03-2B	0.970	0.987	0.993	0.942	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.833	0.833	0.833	0.800	0.969	0.969	0.024	0.024	0.085
Interim	GF03-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.938	1.000	1.000	0.000	0.000	0.033
Original	GF03-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	0.833	0.833	0.833	0.903	0.969	0.969	0.033	0.033	0.059
Interim	GF03-4B	0.986	0.995	0.997	0.973	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	1.000	1.000	1.000	0.866	1.000	1.000	0.000	0.000	0.052
Original	GF03-4B	0.986	0.995	0.997	0.972	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.833	0.833	0.833	0.969	0.969	0.969	0.024	0.024	0.081
Interim	GF04-2A	0.983	0.992	0.996	0.970	0.985	0.993	0.987	0.996	0.997	0.987	0.996	0.997	1.19	3.24	6.61	0.921	1.000	1.000	0.930	1.000	1.000	0.000	0.000	0.042
Original	GF04-2A	0.985	0.993	0.996	0.971	0.987	0.994	0.990	0.996	0.998	0.990	0.996	0.998	1.20	3.24	6.61	0.921	1.000	1.000	0.837	0.906	0.906	0.104	0.104	0.144
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.977	0.992	0.995	0.977	0.992	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.865	1.000	1.000	0.000	0.000	0.057
Original	GF04-2B	0.979	0.990	0.994	0.963	0.981	0.991	0.982	0.994	0.996	0.982	0.994	0.996	1.19	3.23	6.60	0.889	1.000	1.000	0.779	0.906	0.906	0.109	0.109	0.156
Interim	GF04-4A	0.993	0.998	0.999	0.984	0.995	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.923	1.000	1.000	0.000	0.000	0.038
Original	GF04-4A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.10	2.34	5.47	0.994	1.000	1.000	0.826	0.906	0.906	0.104	0.104	0.135
Interim	GF04-4B	0.987	0.995	0.997	0.971	0.991	0.995	0.987	0.995	0.997	0.987	0.995	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.849	1.000	1.000	0.000	0.000	0.054
Original	GF04-4B	0.990	0.996	0.998	0.978	0.993	0.996	0.990	0.996	0.998	0.990	0.996	0.998	1.10	2.33	5.47	0.927	1.000	1.000	0.759	0.906	0.906	0.109	0.109	0.154
Interim	GF05-2A	0.970	0.990	0.995	0.941	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.24	3.97	9.17	0.884	1.000	1.000	0.919	1.000	1.000	0.000	0.000	0.041
Original	GF05-2A	0.970	0.991	0.996	0.943	0.984	0.993	0.989	0.996	0.997	0.989	0.996	0.997	1.24	3.97	9.18	0.884	1.000	1.000	0.824	0.906	0.906	0.104	0.104	0.148
Interim	GF05-2B	0.965	0.985	0.992	0.935	0.975	0.987	0.978	0.991	0.995	0.978	0.991	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.851	1.000	1.000	0.000	0.000	0.062
Original	GF05-2B	0.967	0.987	0.993	0.937	0.978	0.989	0.981	0.992	0.995	0.981	0.992	0.995	1.23	3.96	9.16	0.856	1.000	1.000	0.764	0.906	0.906	0.109	0.109	0.161
Interim	GF05-4A	0.991	0.998	0.999	0.982	0.995	0.997	0.991	0.998	0.999	0.991	0.998	0.999	1.09	2.84	6.35	1.000	1.000	1.000	0.926	1.000	1.000	0.000	0.000	0.042
Original	GF05-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.84	6.35	1.000	1.000	1.000	0.836	0.906	0.906	0.104	0.104	0.141
Interim	GF05-4B	0.984	0.995	0.997	0.969	0.991	0.995	0.984	0.995	0.997	0.984	0.995	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.823	1.000	1.000	0.000	0.000	0.071
Original	GF05-4B	0.987	0.996	0.998	0.976	0.993	0.996	0.987	0.996	0.998	0.987	0.996	0.998	1.09	2.83	6.35	0.942	1.000	1.000	0.729	0.906	0.906	0.109	0.109	0.166
Interim	GF06-1A	0.443	0.800	1.120	0.408	0.759	1.166	0.879	0.946	0.978	0.879	0.946	0.978	1.47	3.88	5.12	0.858	1.000	1.000	0.781	0.988	1.000	0.000	0.007	0.090
Original	GF06-1A	0.447	0.804	1.123	0.414	0.763	1.169	0.887	0.950	0.980	0.887	0.950	0.980	1.48	3.89	5.16	0.858	1.000	1.000	0.705	0.894	0.906	0.104	0.109	0.177
Interim	GF06-1B	0.423	0.783	1.102	0.393	0.739	1.142	0.839	0.925	0.966	0.839	0.925	0.966	1.46	3.79	4.95	0.834	1.000	1.000	0.686	0.940	1.000	0.000	0.023	0.118
Original	GF06-1B	0.430	0.791	1.108	0.399	0.745	1.147	0.852	0.932	0.970	0.852	0.932	0.970	1.47	3.82	5.01	0.834	1.000	1.000	0.621	0.848	0.906	0.109	0.129	0.207
Interim	GF06-2A	1.062	1.082	1.091	1.105	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.877	1.000	1.000	0.000	0.000	0.053
Original	GF06-2A	1.063	1.082	1.092	1.107	1.148	1.198	0.992	0.997	0.998	0.992	0.997	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.794	0.906	0.906	0.104	0.104	0.153
Interim	GF06-2B	1.057	1.078	1.088	1.099	1.139	1.186	0.983	0.994	0.996	0.983	0.994	0.996	1.25	3.81	8.53	0.843	1.000	1.000	0.796	1.000	1.000	0.000	0.000	0.072
Original	GF06-2B	1.060	1.079	1.089	1.102	1.142	1.190	0.986	0.995	0.997	0.986	0.995	0.997	1.25	3.81	8.54	0.843	1.000	1.000	0.720	0.906	0.906	0.109	0.109	0.168
Interim	GF06-4A	1.038	1.055	1.060	1.082	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.937	1.000	1.000	0.000	0.000	0.035
Original	GF06-4A	1.039	1.056	1.061	1.086	1.111	1.151	0.995	0.998	0.999	0.995	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.843	0.906	0.906	0.104	0.104	0.133

Interim	GF06-4B	1.036	1.053	1.059	1.076	1.106	1.145	0.989	0.996	0.998	0.989	0.991	0.997	0.998	0.996	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.775	0.906	0.906	0.109	0.109	0.150
Original	GF06-4B	1.037	1.054	1.060	1.082	1.108	1.148	0.991	0.997	0.998	0.991	0.997	0.997	0.998	0.996	0.998	1.13	2.59	6.24	0.925	1.000	1.000	0.775	0.906	0.906	0.109	0.109	0.150
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.985	0.995	0.997	0.985	0.995	0.997	0.998	0.996	0.998	1.12	3.36	8.49	0.820	1.000	1.000	0.883	1.000	1.000	0.000	0.000	0.052
Original	GF07-2A	0.929	0.962	0.965	0.891	0.958	0.966	0.987	0.996	0.997	0.987	0.996	0.997	0.998	0.996	0.998	1.12	3.37	8.50	0.820	1.000	1.000	0.789	0.906	0.906	0.104	0.104	0.153
Interim	GF07-2B	0.924	0.956	0.962	0.883	0.949	0.959	0.973	0.990	0.994	0.973	0.990	0.994	0.997	0.996	0.998	1.12	3.34	8.47	0.800	1.000	1.000	0.806	1.000	1.000	0.000	0.000	0.066
Original	GF07-2B	0.926	0.958	0.963	0.885	0.951	0.961	0.978	0.992	0.995	0.978	0.992	0.995	0.997	0.996	0.998	1.11	3.35	8.48	0.800	1.000	1.000	0.736	0.906	0.906	0.109	0.109	0.165
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.992	0.997	0.999	0.992	0.997	0.999	0.999	0.999	0.998	1.03	2.36	7.23	0.901	1.000	1.000	0.935	1.000	1.000	0.000	0.000	0.035
Original	GF07-4A	0.945	0.967	0.968	0.920	0.965	0.971	0.994	0.998	0.999	0.994	0.998	0.999	0.999	0.999	0.998	1.03	2.36	7.23	0.901	1.000	1.000	0.841	0.906	0.906	0.104	0.104	0.148
Interim	GF07-4B	0.943	0.963	0.967	0.915	0.959	0.968	0.986	0.995	0.997	0.986	0.995	0.997	0.997	0.996	0.998	1.02	2.35	7.22	0.872	1.000	1.000	0.865	1.000	1.000	0.000	0.000	0.054
Original	GF07-4B	0.944	0.964	0.967	0.916	0.961	0.969	0.989	0.996	0.998	0.989	0.996	0.998	0.996	0.998	0.998	1.03	2.36	7.22	0.872	1.000	1.000	0.766	0.906	0.906	0.109	0.109	0.164
Interim	GF08-1A	0.382	0.727	0.973	0.343	0.705	0.922	0.896	0.958	0.981	0.896	0.958	0.981	0.981	0.981	0.981	1.16	2.96	5.07	0.787	1.000	1.000	0.840	0.994	1.000	0.000	0.005	0.077
Original	GF08-1A	0.386	0.730	0.978	0.345	0.708	0.926	0.901	0.962	0.983	0.901	0.962	0.983	0.983	0.983	0.983	1.16	2.97	5.11	0.787	1.000	1.000	0.744	0.900	0.906	0.104	0.107	0.176
Interim	GF08-1B	0.365	0.713	0.951	0.330	0.686	0.901	0.869	0.939	0.969	0.869	0.939	0.969	0.969	0.969	0.969	1.14	2.91	4.90	0.772	1.000	1.000	0.744	0.954	1.000	0.000	0.019	0.099
Original	GF08-1B	0.369	0.718	0.959	0.334	0.695	0.908	0.877	0.944	0.973	0.877	0.944	0.973	0.973	0.973	0.973	1.15	2.92	4.95	0.772	1.000	1.000	0.674	0.864	0.906	0.109	0.124	0.185
Interim	GF08-2A	0.889	1.008	1.095	0.900	0.991	1.072	0.988	0.995	0.998	0.988	0.995	0.998	0.998	0.998	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.917	1.000	1.000	0.000	0.000	0.047
Original	GF08-2A	0.890	1.009	1.096	0.900	0.992	1.073	0.990	0.996	0.998	0.990	0.996	0.998	0.998	0.998	0.998	1.45	3.37	8.01	0.850	1.000	1.000	0.824	0.906	0.906	0.104	0.104	0.147
Interim	GF08-2B	0.885	1.006	1.091	0.893	0.985	1.068	0.981	0.992	0.996	0.981	0.992	0.996	0.996	0.996	0.996	1.45	3.36	7.98	0.827	1.000	1.000	0.832	1.000	1.000	0.000	0.000	0.070
Original	GF08-2B	0.887	1.007	1.092	0.897	0.987	1.070	0.984	0.993	0.997	0.984	0.993	0.997	0.997	0.997	0.997	1.45	3.36	7.98	0.827	1.000	1.000	0.773	0.906	0.906	0.109	0.109	0.158
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.002	1.056	0.991	0.998	0.999	0.991	0.998	0.999	0.999	0.999	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.916	1.000	1.000	0.000	0.000	0.052
Original	GF08-4A	0.956	1.011	1.070	0.937	1.003	1.056	0.993	0.998	0.999	0.993	0.998	0.999	0.999	0.999	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.820	0.906	0.906	0.104	0.104	0.145
Interim	GF08-4B	0.949	1.009	1.069	0.926	0.996	1.053	0.986	0.996	0.998	0.986	0.996	0.998	0.998	0.998	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.821	1.000	1.000	0.000	0.000	0.075
Original	GF08-4B	0.951	1.010	1.070	0.934	1.000	1.054	0.989	0.997	0.998	0.989	0.997	0.998	0.998	0.998	0.998	1.04	2.63	6.48	0.851	1.000	1.000	0.761	0.906	0.906	0.109	0.109	0.156
Interim	GF09-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	0.997	0.997	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.051
Original	GF09-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	0.998	0.998	0.998	1.15	3.56	7.88	0.882	1.000	1.000	0.804	0.906	0.906	0.104	0.104	0.151
Interim	GF09-2B	0.970	0.987	0.992	0.946	0.976	0.987	0.976	0.991	0.995	0.976	0.991	0.995	0.995	0.995	0.995	1.14	3.55	7.85	0.855	1.000	1.000	0.815	1.000	1.000	0.000	0.000	0.071
Original	GF09-2B	0.973	0.988	0.993	0.952	0.979	0.989	0.980	0.993	0.996	0.980	0.993	0.996	0.996	0.996	0.996	1.14	3.55	7.86	0.855	1.000	1.000	0.734	0.906	0.906	0.109	0.109	0.165
Interim	GF10-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	0.997	0.997	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.050
Original	GF10-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	0.998	0.998	0.998	1.15	3.56	7.88	0.891	1.000	1.000	0.807	0.906	0.906	0.104	0.104	0.148
Interim	GF10-2B	0.970	0.986	0.992	0.947	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	0.995	0.995	0.995	1.14	3.55	7.85	0.863	1.000	1.000	0.815	1.000	1.000	0.000	0.000	0.073
Original	GF10-2B	0.973	0.988	0.993	0.952	0.979	0.989	0.981	0.993	0.996	0.981	0.993	0.996	0.996	0.996	0.996	1.14	3.55	7.86	0.863	1.000	1.000	0.734	0.906	0.906	0.109	0.109	0.164

(b) Case 15-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.289	0.619	0.943	0.270	0.570	0.929	0.871	0.939	0.973	0.871	0.939	0.973	1.26	3.02	3.45	0.866	1.000	1.000	0.747	0.990	1.000	0.000	0.005	0.076
Original	GF01-1A	0.294	0.626	0.950	0.276	0.575	0.936	0.887	0.948	0.978	0.887	0.948	0.978	1.27	3.06	3.49	0.866	1.000	1.000	0.638	0.835	0.844	0.185	0.193	0.228
Interim	GF01-1B	0.280	0.603	0.924	0.257	0.556	0.905	0.836	0.916	0.961	0.836	0.916	0.961	1.24	2.94	3.35	0.840	1.000	1.000	0.643	0.940	1.000	0.000	0.019	0.095
Original	GF01-1B	0.289	0.611	0.935	0.265	0.564	0.915	0.857	0.929	0.968	0.857	0.929	0.968	1.24	2.99	3.41	0.840	1.000	1.000	0.552	0.796	0.844	0.190	0.197	0.237
Interim	GB01-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.873	1.000	1.000	0.000	0.000	0.043
Original	GB01-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.88	0.886	1.000	1.000	0.739	0.844	0.844	0.189	0.193	0.221
Interim	GB01-2B	0.972	0.987	0.993	0.949	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.859	1.000	1.000	0.775	1.000	1.000	0.000	0.000	0.057
Original	GB01-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	0.859	1.000	1.000	0.656	0.844	0.844	0.193	0.197	0.224
Interim	GB01-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.914	1.000	1.000	0.000	0.000	0.032
Original	GB01-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.777	0.844	0.844	0.191	0.193	0.206
Interim	GB01-4B	0.984	0.995	0.997	0.970	0.990	0.995	0.984	0.995	0.997	0.984	0.995	0.997	1.08	2.46	5.92	0.932	1.000	1.000	0.833	1.000	1.000	0.000	0.000	0.052
Original	GB01-4B	0.988	0.996	0.998	0.976	0.992	0.996	0.988	0.996	0.998	0.988	0.996	0.998	1.08	2.46	5.93	0.932	1.000	1.000	0.707	0.844	0.844	0.194	0.197	0.213
Interim	GB01-7A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.825	1.000	1.000	0.000	0.000	0.055
Original	GB01-7A	0.996	0.999	0.999	0.989	0.996	0.998	0.996	0.999	0.999	0.996	0.999	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.701	0.844	0.844	0.190	0.193	0.208
Interim	GB01-7B	0.990	0.997	0.998	0.978	0.992	0.997	0.990	0.997	0.998	0.990	0.997	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.726	1.000	1.000	0.000	0.000	0.079
Original	GB01-7B	0.993	0.998	0.999	0.982	0.994	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.00	1.20	2.62	0.931	1.000	1.000	0.620	0.844	0.844	0.193	0.197	0.222
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.887	1.000	1.000	0.000	0.000	0.040
Original	GF02-2A	0.980	0.993	0.996	0.961	0.987	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.57	7.89	0.928	1.000	1.000	0.720	0.813	0.813	0.232	0.232	0.261
Interim	GF02-2B	0.971	0.987	0.993	0.945	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.782	1.000	1.000	0.000	0.000	0.060
Original	GF02-2B	0.976	0.989	0.994	0.953	0.981	0.990	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	0.895	1.000	1.000	0.637	0.813	0.813	0.236	0.236	0.277
Interim	GF02-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.954	1.000	1.000	0.000	0.000	0.022
Original	GF02-4A	0.993	0.998	0.999	0.987	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.780	0.813	0.813	0.232	0.232	0.249
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.07	2.46	5.92	0.943	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.048
Original	GF02-4B	0.989	0.996	0.998	0.980	0.993	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.08	2.46	5.93	0.943	1.000	1.000	0.707	0.813	0.813	0.236	0.236	0.263
Interim	GF03-1A	0.290	0.619	0.947	0.271	0.567	0.930	0.865	0.939	0.973	0.865	0.939	0.973	1.25	3.03	3.45	1.000	1.000	1.000	0.734	0.999	1.000	0.000	0.001	0.080
Original	GF03-1A	0.296	0.627	0.954	0.277	0.574	0.938	0.887	0.950	0.978	0.887	0.950	0.978	1.25	3.06	3.50	0.833	0.833	0.833	0.604	0.813	0.813	0.228	0.232	0.253
Interim	GF03-1B	0.279	0.604	0.928	0.255	0.551	0.909	0.836	0.915	0.963	0.836	0.915	0.963	1.24	2.94	3.35	1.000	1.000	1.000	0.634	0.963	1.000	0.000	0.015	0.104
Original	GF03-1B	0.290	0.614	0.939	0.267	0.562	0.922	0.863	0.931	0.970	0.863	0.931	0.970	1.25	3.00	3.43	0.833	0.833	0.833	0.513	0.784	0.813	0.225	0.230	0.255
Interim	GF03-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.899	1.000	1.000	0.000	0.0041	
Original	GF03-2A	0.979	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.89	0.833	0.833	0.833	0.724	0.813	0.813	0.230	0.232	0.235
Interim	GF03-2B	0.970	0.987	0.993	0.948	0.977	0.988	0.975	0.991	0.995	0.975	0.991	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.806	1.000	1.000	0.000	0.000	0.060

Original	GF03-2B	0.974	0.989	0.994	0.953	0.980	0.990	0.981	0.993	0.996	0.981	0.993	0.996	1.15	3.56	7.86	0.833	0.833	0.650	0.813	0.813	0.229	0.230	0.241	
Interim	GF03-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	0.944	1.000	1.000	0.000	0.000	0.025	
Original	GF03-4A	0.993	0.998	0.999	0.987	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.46	5.93	0.833	0.833	0.770	0.813	0.813	0.232	0.232	0.233	
Interim	GF03-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	1.000	1.000	0.884	1.000	1.000	0.000	0.000	0.038	
Original	GF03-4B	0.989	0.996	0.998	0.978	0.993	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.08	2.46	5.93	0.833	0.833	0.698	0.813	0.813	0.229	0.230	0.237	
Interim	GF04-2A	0.983	0.992	0.996	0.969	0.986	0.993	0.987	0.996	0.997	0.987	0.996	0.997	1.19	3.24	6.61	0.921	1.000	1.000	0.878	1.000	1.000	0.000	0.000	0.043
Original	GF04-2A	0.985	0.993	0.997	0.971	0.988	0.994	0.990	0.997	0.998	0.990	0.997	0.998	1.20	3.24	6.61	0.921	1.000	1.000	0.746	0.844	0.844	0.192	0.193	0.213
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.977	0.992	0.995	0.977	0.992	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.802	1.000	1.000	0.000	0.000	0.057
Original	GF04-2B	0.979	0.990	0.994	0.963	0.982	0.991	0.982	0.994	0.996	0.982	0.994	0.996	1.19	3.23	6.60	0.889	1.000	1.000	0.684	0.844	0.844	0.194	0.197	0.221
Interim	GF04-4A	0.993	0.998	0.999	0.984	0.995	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.039
Original	GF04-4A	0.995	0.998	0.999	0.987	0.996	0.998	0.995	0.998	0.999	0.995	0.998	0.999	1.10	2.34	5.47	0.994	1.000	1.000	0.753	0.844	0.844	0.192	0.193	0.203
Interim	GF04-4B	0.987	0.995	0.997	0.974	0.991	0.995	0.987	0.996	0.997	0.987	0.996	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.819	1.000	1.000	0.000	0.000	0.057
Original	GF04-4B	0.990	0.997	0.998	0.979	0.993	0.996	0.990	0.997	0.998	0.990	0.997	0.998	1.10	2.33	5.47	0.927	1.000	1.000	0.696	0.844	0.844	0.195	0.197	0.216
Interim	GF05-2A	0.970	0.990	0.995	0.942	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.24	3.97	9.17	0.884	1.000	1.000	0.880	1.000	1.000	0.000	0.000	0.045
Original	GF05-2A	0.971	0.992	0.996	0.944	0.985	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.24	3.97	9.18	0.884	1.000	1.000	0.746	0.844	0.844	0.191	0.193	0.219
Interim	GF05-2B	0.964	0.985	0.992	0.935	0.976	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.778	1.000	1.000	0.000	0.000	0.057
Original	GF05-2B	0.967	0.988	0.993	0.939	0.979	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.23	3.96	9.16	0.856	1.000	1.000	0.666	0.844	0.844	0.194	0.197	0.224
Interim	GF05-4A	0.991	0.998	0.999	0.982	0.995	0.997	0.991	0.998	0.999	0.991	0.998	0.999	1.09	2.84	6.35	1.000	1.000	1.000	0.868	1.000	1.000	0.000	0.000	0.045
Original	GF05-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.84	6.35	1.000	1.000	1.000	0.736	0.844	0.844	0.192	0.193	0.204
Interim	GF05-4B	0.985	0.995	0.997	0.970	0.991	0.995	0.985	0.995	0.997	0.985	0.995	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.746	1.000	1.000	0.000	0.000	0.062
Original	GF05-4B	0.988	0.997	0.998	0.976	0.993	0.996	0.988	0.997	0.998	0.988	0.997	0.998	1.09	2.84	6.35	0.942	1.000	1.000	0.637	0.844	0.844	0.194	0.197	0.212
Interim	GF06-1A	0.444	0.801	1.120	0.410	0.756	1.152	0.878	0.946	0.978	0.878	0.946	0.978	1.45	3.86	5.10	0.858	1.000	1.000	0.748	0.982	1.000	0.000	0.007	0.082
Original	GF06-1A	0.450	0.806	1.125	0.423	0.765	1.160	0.894	0.954	0.982	0.894	0.954	0.982	1.46	3.90	5.19	0.858	1.000	1.000	0.640	0.830	0.844	0.185	0.193	0.229
Interim	GF06-1B	0.430	0.783	1.103	0.396	0.738	1.135	0.843	0.926	0.967	0.843	0.926	0.967	1.45	3.79	4.98	0.834	1.000	1.000	0.637	0.933	1.000	0.000	0.022	0.102
Original	GF06-1B	0.439	0.793	1.111	0.409	0.749	1.144	0.865	0.938	0.973	0.865	0.938	0.973	1.45	3.83	5.05	0.834	1.000	1.000	0.555	0.789	0.844	0.191	0.197	0.236
Interim	GF06-2A	1.062	1.081	1.091	1.106	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	1.25	3.82	8.56	0.868	1.000	1.000	0.853	1.000	1.000	0.000	0.000	0.048
Original	GF06-2A	1.063	1.083	1.092	1.108	1.148	1.199	0.992	0.997	0.998	0.992	0.997	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.727	0.844	0.844	0.189	0.193	0.226
Interim	GF06-2B	1.058	1.078	1.088	1.100	1.138	1.187	0.983	0.994	0.996	0.983	0.994	0.996	1.24	3.81	8.53	0.843	1.000	1.000	0.755	1.000	1.000	0.000	0.000	0.063
Original	GF06-2B	1.060	1.080	1.090	1.103	1.142	1.192	0.987	0.995	0.997	0.987	0.995	0.997	1.25	3.81	8.54	0.843	1.000	1.000	0.641	0.844	0.844	0.193	0.197	0.228
Interim	GF06-4A	1.038	1.055	1.060	1.083	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.909	1.000	1.000	0.000	0.000	0.034
Original	GF06-4A	1.039	1.056	1.061	1.086	1.110	1.151	0.995	0.999	0.999	0.995	0.999	0.999	1.13	2.60	6.25	0.987	1.000	1.000	0.767	0.844	0.844	0.192	0.193	0.204
Interim	GF06-4B	1.035	1.053	1.059	1.075	1.105	1.146	0.988	0.996	0.998	0.988	0.996	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.818	1.000	1.000	0.000	0.000	0.051
Original	GF06-4B	1.037	1.054	1.060	1.079	1.107	1.148	0.991	0.997	0.998	0.991	0.997	0.998	1.13	2.59	6.24	0.925	1.000	1.000	0.697	0.844	0.844	0.193	0.197	0.213
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.984	0.995	0.997	0.984	0.995	0.997	1.11	3.36	8.49	0.820	1.000	1.000	0.831	1.000	1.000	0.000	0.000	0.056

Original	GF07-2A	0.929	0.962	0.965	0.893	0.958	0.966	0.987	0.996	0.998	0.987	0.996	0.998	1.12	3.37	8.50	0.820	1.000	1.000	0.709	0.844	0.844	0.188	0.193	0.237
Interim	GF07-2B	0.924	0.956	0.962	0.883	0.949	0.959	0.976	0.990	0.994	0.976	0.990	0.994	1.10	3.34	8.47	0.800	1.000	1.000	0.744	0.999	1.000	0.000	0.000	0.065
Original	GF07-2B	0.926	0.959	0.963	0.887	0.952	0.961	0.981	0.992	0.996	0.981	0.992	0.996	1.11	3.35	8.48	0.800	1.000	1.000	0.635	0.843	0.844	0.191	0.197	0.236
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.990	0.997	0.999	0.990	0.997	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.863	1.000	1.000	0.000	0.000	0.041
Original	GF07-4A	0.945	0.967	0.968	0.920	0.966	0.971	0.993	0.998	0.999	0.993	0.998	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.735	0.844	0.844	0.191	0.193	0.217
Interim	GF07-4B	0.943	0.963	0.967	0.915	0.960	0.968	0.982	0.995	0.997	0.982	0.995	0.997	1.02	2.36	7.22	0.872	1.000	1.000	0.782	1.000	1.000	0.000	0.000	0.055
Original	GF07-4B	0.944	0.964	0.967	0.916	0.961	0.970	0.986	0.996	0.998	0.986	0.996	0.998	1.02	2.36	7.22	0.872	1.000	1.000	0.668	0.844	0.844	0.197	0.197	0.220
Interim	GF08-1A	0.382	0.731	0.973	0.339	0.705	0.938	0.894	0.959	0.981	0.894	0.959	0.981	1.16	2.95	5.06	0.787	1.000	1.000	0.708	0.996	1.000	0.000	0.002	0.085
Original	GF08-1A	0.389	0.735	0.980	0.345	0.710	0.953	0.907	0.965	0.984	0.907	0.965	0.984	1.16	2.97	5.13	0.787	1.000	1.000	0.605	0.840	0.844	0.187	0.193	0.247
Interim	GF08-1B	0.364	0.716	0.947	0.324	0.684	0.936	0.873	0.939	0.971	0.873	0.939	0.971	1.13	2.90	4.88	0.772	1.000	1.000	0.602	0.952	1.000	0.000	0.014	0.093
Original	GF08-1B	0.374	0.723	0.959	0.333	0.695	0.944	0.889	0.949	0.976	0.889	0.949	0.976	1.14	2.93	4.96	0.772	1.000	1.000	0.518	0.806	0.844	0.191	0.197	0.249
Interim	GF08-2A	0.889	1.008	1.095	0.900	0.991	1.072	0.986	0.995	0.998	0.986	0.995	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.882	1.000	1.000	0.000	0.000	0.050
Original	GF08-2A	0.890	1.009	1.097	0.901	0.993	1.073	0.989	0.996	0.998	0.989	0.996	0.998	1.45	3.37	8.01	0.850	1.000	1.000	0.751	0.844	0.844	0.192	0.193	0.231
Interim	GF08-2B	0.885	1.004	1.091	0.891	0.984	1.068	0.981	0.992	0.996	0.981	0.992	0.996	1.43	3.36	7.98	0.827	1.000	1.000	0.821	1.000	1.000	0.000	0.000	0.053
Original	GF08-2B	0.888	1.005	1.093	0.896	0.988	1.070	0.984	0.994	0.997	0.984	0.994	0.997	1.44	3.36	7.99	0.827	1.000	1.000	0.700	0.844	0.844	0.194	0.197	0.230
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.001	1.056	0.991	0.998	0.999	0.991	0.998	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.049
Original	GF08-4A	0.956	1.010	1.070	0.937	1.003	1.056	0.993	0.998	0.999	0.993	0.998	0.999	1.05	2.63	6.49	0.878	1.000	1.000	0.738	0.844	0.844	0.193	0.193	0.222
Interim	GF08-4B	0.949	1.009	1.069	0.932	0.996	1.053	0.984	0.996	0.998	0.984	0.996	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.764	1.000	1.000	0.000	0.000	0.076
Original	GF08-4B	0.951	1.010	1.070	0.934	0.997	1.054	0.988	0.997	0.999	0.988	0.997	0.999	1.04	2.63	6.48	0.851	1.000	1.000	0.649	0.844	0.844	0.195	0.197	0.229
Interim	GF09-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.876	1.000	1.000	0.000	0.000	0.047
Original	GF09-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	1.16	3.56	7.88	0.882	1.000	1.000	0.740	0.844	0.844	0.190	0.193	0.222
Interim	GF09-2B	0.972	0.987	0.992	0.948	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.855	1.000	1.000	0.768	1.000	1.000	0.000	0.000	0.059
Original	GF09-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	0.855	1.000	1.000	0.655	0.844	0.844	0.192	0.197	0.225
Interim	GF10-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.876	1.000	1.000	0.000	0.000	0.041
Original	GF10-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.88	0.891	1.000	1.000	0.745	0.844	0.844	0.189	0.193	0.218
Interim	GF10-2B	0.972	0.987	0.993	0.949	0.977	0.988	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.863	1.000	1.000	0.766	1.000	1.000	0.000	0.000	0.061
Original	GF10-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	0.863	1.000	1.000	0.655	0.844	0.844	0.192	0.197	0.224

(c) Case 20-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.289	0.620	0.943	0.268	0.568	0.931	0.866	0.940	0.973	0.866	0.940	0.973	1.26	3.02	3.45	0.866	1.000	1.000	0.734	0.998	1.000	0.000	0.001	0.071
Original	GF01-1A	0.298	0.631	0.954	0.278	0.581	0.943	0.900	0.956	0.982	0.900	0.956	0.982	1.28	3.08	3.53	0.866	1.000	1.000	0.521	0.688	0.688	0.256	0.262	0.291
Interim	GF01-1B	0.276	0.606	0.926	0.255	0.552	0.911	0.828	0.916	0.961	0.828	0.916	0.961	1.23	2.93	3.35	0.840	1.000	1.000	0.619	0.949	1.000	0.000	0.014	0.091
Original	GF01-1B	0.291	0.620	0.943	0.269	0.569	0.931	0.874	0.942	0.974	0.874	0.942	0.974	1.26	3.03	3.46	0.840	1.000	1.000	0.445	0.661	0.688	0.262	0.275	0.309
Interim	GB01-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.855	1.000	1.000	0.000	0.000	0.042
Original	GB01-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	0.886	1.000	1.000	0.589	0.688	0.688	0.262	0.262	0.285
Interim	GB01-2B	0.971	0.987	0.992	0.947	0.976	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.84	0.859	1.000	1.000	0.756	1.000	1.000	0.000	0.000	0.052
Original	GB01-2B	0.979	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.859	1.000	1.000	0.539	0.688	0.688	0.268	0.275	0.295
Interim	GB01-4A	0.991	0.997	0.999	0.983	0.995	0.997	0.991	0.997	0.999	0.991	0.997	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.936	1.000	1.000	0.000	0.000	0.022
Original	GB01-4A	0.995	0.999	0.999	0.991	0.997	0.999	0.995	0.999	0.999	0.995	0.999	0.999	1.09	2.47	5.94	0.990	1.000	1.000	0.642	0.688	0.688	0.262	0.262	0.264
Interim	GB01-4B	0.986	0.995	0.997	0.970	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.07	2.46	5.92	0.932	1.000	1.000	0.833	1.000	1.000	0.000	0.000	0.044
Original	GB01-4B	0.992	0.997	0.998	0.985	0.995	0.997	0.992	0.997	0.998	0.992	0.997	0.998	1.08	2.46	5.93	0.932	1.000	1.000	0.579	0.688	0.688	0.268	0.275	0.283
Interim	GB01-7A	0.994	0.998	0.999	0.986	0.995	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.880	1.000	1.000	0.000	0.000	0.038
Original	GB01-7A	0.996	0.999	0.999	0.992	0.998	0.999	0.996	0.999	0.999	0.996	0.999	0.999	1.01	1.20	2.62	0.994	1.000	1.000	0.607	0.688	0.688	0.256	0.262	0.264
Interim	GB01-7B	0.990	0.997	0.998	0.977	0.992	0.996	0.990	0.997	0.998	0.990	0.997	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.760	1.000	1.000	0.000	0.000	0.064
Original	GB01-7B	0.993	0.998	0.999	0.988	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.00	1.20	2.62	0.931	1.000	1.000	0.525	0.688	0.688	0.262	0.275	0.286
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.038
Original	GF02-2A	0.981	0.993	0.996	0.962	0.987	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.57	7.89	0.928	1.000	1.000	0.677	0.781	0.781	0.167	0.168	0.192
Interim	GF02-2B	0.971	0.987	0.993	0.945	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.774	1.000	1.000	0.000	0.000	0.057
Original	GF02-2B	0.975	0.990	0.994	0.954	0.981	0.990	0.982	0.994	0.996	0.982	0.994	0.996	1.15	3.56	7.87	0.895	1.000	1.000	0.602	0.781	0.781	0.165	0.165	0.199
Interim	GF02-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.927	1.000	1.000	0.000	0.000	0.023
Original	GF02-4A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.729	0.781	0.781	0.168	0.168	0.185
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.943	1.000	1.000	0.819	1.000	1.000	0.000	0.000	0.045
Original	GF02-4B	0.990	0.997	0.998	0.979	0.993	0.996	0.990	0.997	0.998	0.990	0.997	0.998	1.08	2.46	5.93	0.943	1.000	1.000	0.644	0.781	0.781	0.165	0.165	0.194
Interim	GF03-1A	0.296	0.619	0.949	0.272	0.569	0.932	0.874	0.939	0.973	0.874	0.939	0.973	1.24	3.02	3.44	1.000	1.000	1.000	0.699	1.000	1.000	0.000	0.000	0.067
Original	GF03-1A	0.301	0.628	0.955	0.279	0.577	0.941	0.898	0.950	0.979	0.898	0.950	0.979	1.26	3.06	3.50	0.833	0.833	0.833	0.560	0.781	0.781	0.199	0.201	0.239
Interim	GF03-1B	0.286	0.602	0.930	0.261	0.551	0.912	0.835	0.917	0.961	0.835	0.917	0.961	1.22	2.94	3.36	1.000	1.000	1.000	0.603	0.944	1.000	0.000	0.011	0.087
Original	GF03-1B	0.295	0.614	0.942	0.271	0.565	0.928	0.867	0.934	0.970	0.867	0.934	0.970	1.24	3.00	3.43	0.833	0.833	0.833	0.475	0.741	0.781	0.196	0.200	0.257
Interim	GF03-2A	0.978	0.992	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.884	1.000	1.000	0.000	0.000	0.035
Original	GF03-2A	0.979	0.993	0.996	0.962	0.987	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.57	7.89	0.833	0.833	0.833	0.679	0.781	0.781	0.200	0.201	0.210
Interim	GF03-2B	0.970	0.987	0.993	0.945	0.977	0.988	0.975	0.992	0.995	0.975	0.992	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.792	1.000	1.000	0.000	0.000	0.047

Original	GF03-2B	0.974	0.989	0.994	0.952	0.981	0.990	0.980	0.994	0.996	0.980	0.994	0.996	0.996	1.15	3.56	7.86	0.833	0.833	0.631	0.781	0.781	0.196	0.198	0.225	
Interim	GF03-4A	0.992	0.998	0.999	0.984	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	0.999	1.08	2.46	5.93	1.000	1.000	0.919	1.000	1.000	0.000	0.000	0.022	
Original	GF03-4A	0.993	0.998	0.999	0.987	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	0.999	1.09	2.46	5.93	0.833	0.833	0.722	0.781	0.781	0.201	0.201	0.206	
Interim	GF03-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	0.997	1.08	2.46	5.92	1.000	1.000	0.847	1.000	1.000	0.000	0.000	0.039	
Original	GF03-4B	0.989	0.996	0.998	0.979	0.993	0.996	0.989	0.996	0.998	0.989	0.996	0.998	0.998	1.08	2.46	5.93	0.833	0.833	0.653	0.781	0.781	0.197	0.198	0.213	
Interim	GF04-2A	0.983	0.992	0.996	0.970	0.985	0.993	0.987	0.996	0.997	0.987	0.996	0.997	0.997	1.19	3.24	6.61	0.921	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.041
Original	GF04-2A	0.987	0.995	0.997	0.975	0.990	0.996	0.993	0.997	0.998	0.993	0.997	0.998	0.998	1.20	3.24	6.61	0.921	1.000	1.000	0.605	0.688	0.688	0.262	0.262	0.277
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.978	0.992	0.995	0.978	0.992	0.995	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.778	1.000	1.000	0.000	0.000	0.048
Original	GF04-2B	0.983	0.992	0.996	0.970	0.986	0.993	0.988	0.995	0.997	0.988	0.995	0.997	0.997	1.19	3.23	6.61	0.889	1.000	1.000	0.546	0.688	0.688	0.271	0.275	0.293
Interim	GF04-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.993	0.998	0.999	0.993	0.998	0.999	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.918	1.000	1.000	0.000	0.000	0.031
Original	GF04-4A	0.996	0.999	0.999	0.992	0.997	0.999	0.996	0.999	0.999	0.996	0.999	0.999	0.999	1.10	2.34	5.48	0.994	1.000	1.000	0.624	0.688	0.688	0.262	0.262	0.264
Interim	GF04-4B	0.987	0.995	0.997	0.972	0.991	0.995	0.987	0.995	0.997	0.987	0.995	0.997	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.807	1.000	1.000	0.000	0.000	0.049
Original	GF04-4B	0.992	0.997	0.998	0.986	0.995	0.997	0.992	0.997	0.998	0.992	0.997	0.998	0.998	1.10	2.33	5.47	0.927	1.000	1.000	0.568	0.688	0.688	0.272	0.275	0.287
Interim	GF05-2A	0.970	0.990	0.995	0.942	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	0.997	1.24	3.97	9.17	0.884	1.000	1.000	0.878	1.000	1.000	0.000	0.000	0.038
Original	GF05-2A	0.972	0.993	0.997	0.946	0.988	0.994	0.991	0.997	0.998	0.991	0.997	0.998	0.998	1.24	3.98	9.19	0.884	1.000	1.000	0.605	0.688	0.688	0.262	0.262	0.284
Interim	GF05-2B	0.963	0.985	0.992	0.935	0.975	0.987	0.976	0.991	0.995	0.976	0.991	0.995	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.804	1.000	1.000	0.000	0.000	0.057
Original	GF05-2B	0.970	0.990	0.995	0.942	0.983	0.992	0.987	0.995	0.997	0.987	0.995	0.997	0.997	1.23	3.97	9.17	0.856	1.000	1.000	0.561	0.688	0.688	0.271	0.275	0.297
Interim	GF05-4A	0.990	0.998	0.999	0.982	0.995	0.997	0.990	0.998	0.999	0.990	0.998	0.999	0.999	1.09	2.84	6.35	1.000	1.000	1.000	0.898	1.000	1.000	0.000	0.000	0.035
Original	GF05-4A	0.994	0.999	0.999	0.991	0.998	0.999	0.995	0.999	0.999	0.995	0.999	0.999	0.999	1.10	2.84	6.36	1.000	1.000	1.000	0.619	0.688	0.688	0.262	0.262	0.263
Interim	GF05-4B	0.983	0.995	0.997	0.968	0.991	0.995	0.983	0.995	0.997	0.983	0.995	0.997	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.777	1.000	1.000	0.000	0.000	0.056
Original	GF05-4B	0.991	0.997	0.998	0.984	0.995	0.997	0.991	0.997	0.998	0.991	0.997	0.998	0.998	1.09	2.84	6.35	0.942	1.000	1.000	0.540	0.688	0.688	0.271	0.275	0.285
Interim	GF06-1A	0.444	0.801	1.120	0.410	0.756	1.155	0.879	0.947	0.978	0.879	0.947	0.978	0.978	1.45	3.87	5.13	0.858	1.000	1.000	0.706	0.999	1.000	0.000	0.001	0.079
Original	GF06-1A	0.456	0.813	1.130	0.426	0.771	1.174	0.909	0.961	0.985	0.909	0.961	0.985	0.985	1.46	3.93	5.27	0.858	1.000	1.000	0.514	0.688	0.688	0.256	0.262	0.291
Interim	GF06-1B	0.423	0.785	1.103	0.394	0.738	1.140	0.838	0.926	0.967	0.838	0.926	0.967	0.967	1.44	3.79	4.98	0.834	1.000	1.000	0.602	0.945	1.000	0.000	0.015	0.092
Original	GF06-1B	0.446	0.803	1.120	0.413	0.757	1.164	0.882	0.949	0.979	0.882	0.949	0.979	0.979	1.46	3.88	5.17	0.834	1.000	1.000	0.442	0.655	0.688	0.262	0.275	0.311
Interim	GF06-2A	1.062	1.082	1.091	1.105	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.835	1.000	1.000	0.000	0.000	0.044
Original	GF06-2A	1.064	1.084	1.093	1.110	1.150	1.204	0.994	0.998	0.999	0.994	0.998	0.999	0.999	1.26	3.82	8.57	0.868	1.000	1.000	0.578	0.688	0.688	0.262	0.262	0.290
Interim	GF06-2B	1.058	1.078	1.088	1.099	1.139	1.187	0.981	0.994	0.996	0.981	0.994	0.996	0.996	1.25	3.81	8.53	0.843	1.000	1.000	0.739	1.000	1.000	0.000	0.000	0.059
Original	GF06-2B	1.062	1.082	1.091	1.107	1.147	1.197	0.990	0.996	0.998	0.990	0.996	0.998	0.998	1.26	3.82	8.55	0.843	1.000	1.000	0.531	0.688	0.688	0.269	0.275	0.300
Interim	GF06-4A	1.038	1.055	1.060	1.083	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.917	1.000	1.000	0.000	0.000	0.027
Original	GF06-4A	1.039	1.056	1.061	1.089	1.112	1.153	0.996	0.999	0.999	0.996	0.999	0.999	0.999	1.13	2.60	6.25	0.987	1.000	1.000	0.634	0.688	0.688	0.262	0.262	0.267
Interim	GF06-4B	1.035	1.053	1.059	1.076	1.105	1.146	0.989	0.996	0.998	0.989	0.996	0.998	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.814	1.000	1.000	0.000	0.000	0.042
Original	GF06-4B	1.037	1.055	1.060	1.086	1.110	1.151	0.993	0.998	0.999	0.993	0.998	0.999	0.999	1.13	2.59	6.25	0.925	1.000	1.000	0.563	0.688	0.688	0.269	0.275	0.284
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.985	0.995	0.997	0.985	0.995	0.997	0.997	1.13	3.36	8.49	0.820	1.000	1.000	0.813	1.000	1.000	0.000	0.000	0.052

Original	GF07-2A	0.931	0.964	0.966	0.895	0.961	0.967	0.991	0.997	0.998	0.991	0.997	0.998	1.13	3.37	8.51	0.820	1.000	1.000	0.557	0.688	0.688	0.262	0.262	0.301
Interim	GF07-2B	0.924	0.956	0.962	0.882	0.949	0.959	0.975	0.990	0.994	0.975	0.990	0.994	1.13	3.34	8.47	0.800	1.000	1.000	0.732	1.000	1.000	0.000	0.000	0.060
Original	GF07-2B	0.928	0.961	0.964	0.890	0.956	0.964	0.985	0.994	0.997	0.985	0.994	0.997	1.13	3.36	8.49	0.800	1.000	1.000	0.510	0.688	0.688	0.267	0.275	0.309
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.992	0.997	0.999	0.992	0.997	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.908	1.000	1.000	0.000	0.000	0.023
Original	GF07-4A	0.945	0.967	0.969	0.922	0.967	0.972	0.995	0.998	0.999	0.995	0.998	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.617	0.688	0.688	0.262	0.262	0.281
Interim	GF07-4B	0.943	0.963	0.967	0.914	0.959	0.968	0.987	0.995	0.997	0.987	0.995	0.997	1.02	2.35	7.22	0.872	1.000	1.000	0.794	1.000	1.000	0.000	0.000	0.044
Original	GF07-4B	0.944	0.965	0.968	0.919	0.964	0.971	0.993	0.997	0.998	0.993	0.997	0.998	1.03	2.36	7.22	0.872	1.000	1.000	0.542	0.688	0.688	0.270	0.275	0.297
Interim	GF08-1A	0.382	0.729	0.973	0.345	0.705	0.927	0.893	0.958	0.981	0.893	0.958	0.981	1.16	2.95	5.10	0.787	1.000	1.000	0.770	1.000	1.000	0.000	0.000	0.068
Original	GF08-1A	0.394	0.738	0.983	0.354	0.714	0.957	0.919	0.971	0.987	0.919	0.971	0.987	1.17	2.98	5.22	0.787	1.000	1.000	0.543	0.688	0.688	0.259	0.262	0.306
Interim	GF08-1B	0.365	0.712	0.968	0.340	0.684	0.906	0.855	0.939	0.970	0.855	0.939	0.970	1.12	2.91	4.94	0.772	1.000	1.000	0.633	0.967	1.000	0.000	0.009	0.068
Original	GF08-1B	0.382	0.729	0.978	0.351	0.706	0.947	0.894	0.959	0.980	0.894	0.959	0.980	1.15	2.95	5.13	0.772	1.000	1.000	0.449	0.670	0.688	0.258	0.275	0.325
Interim	GF08-2A	0.889	1.008	1.095	0.900	0.991	1.072	0.988	0.995	0.998	0.988	0.995	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.898	1.000	1.000	0.000	0.000	0.040
Original	GF08-2A	0.891	1.010	1.097	0.902	0.994	1.074	0.993	0.997	0.999	0.993	0.997	0.999	1.45	3.37	8.02	0.850	1.000	1.000	0.606	0.688	0.688	0.262	0.262	0.292
Interim	GF08-2B	0.885	1.005	1.091	0.891	0.984	1.068	0.981	0.992	0.996	0.981	0.992	0.996	1.44	3.36	7.98	0.827	1.000	1.000	0.814	1.000	1.000	0.000	0.000	0.045
Original	GF08-2B	0.889	1.008	1.095	0.899	0.991	1.072	0.989	0.995	0.998	0.989	0.995	0.998	1.45	3.37	8.00	0.827	1.000	1.000	0.563	0.688	0.688	0.273	0.275	0.303
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.001	1.056	0.991	0.998	0.999	0.991	0.998	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.893	1.000	1.000	0.000	0.000	0.036
Original	GF08-4A	0.958	1.011	1.071	0.940	1.005	1.057	0.995	0.999	0.999	0.995	0.999	0.999	1.05	2.63	6.49	0.878	1.000	1.000	0.617	0.688	0.688	0.262	0.262	0.285
Interim	GF08-4B	0.949	1.009	1.069	0.926	0.997	1.050	0.987	0.996	0.998	0.987	0.996	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.836	1.000	1.000	0.000	0.000	0.059
Original	GF08-4B	0.954	1.011	1.070	0.936	1.003	1.056	0.993	0.997	0.999	0.993	0.997	0.999	1.04	2.63	6.48	0.851	1.000	1.000	0.587	0.688	0.688	0.272	0.275	0.296
Interim	GF09-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.851	1.000	1.000	0.000	0.000	0.043
Original	GF09-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	0.882	1.000	1.000	0.584	0.688	0.688	0.262	0.262	0.286
Interim	GF09-2B	0.971	0.987	0.992	0.947	0.977	0.988	0.975	0.991	0.995	0.975	0.991	0.995	1.14	3.55	7.84	0.855	1.000	1.000	0.770	1.000	1.000	0.000	0.000	0.053
Original	GF09-2B	0.979	0.991	0.995	0.958	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.855	1.000	1.000	0.535	0.688	0.688	0.269	0.275	0.296
Interim	GF10-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.861	1.000	1.000	0.000	0.000	0.039
Original	GF10-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	0.891	1.000	1.000	0.587	0.688	0.688	0.261	0.262	0.284
Interim	GF10-2B	0.971	0.987	0.992	0.947	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.84	0.863	1.000	1.000	0.759	1.000	1.000	0.000	0.000	0.056
Original	GF10-2B	0.979	0.991	0.995	0.959	0.985	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.863	1.000	1.000	0.543	0.688	0.688	0.268	0.275	0.294

(d) Case 15-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.288	0.620	0.947	0.268	0.572	0.930	0.866	0.939	0.973	0.866	0.939	0.973	1.26	3.03	3.44	0.866	1.000	1.000	0.807	0.992	1.000	0.000	0.006	0.082
Original	GF01-1A	0.291	0.624	0.951	0.272	0.575	0.935	0.876	0.945	0.976	0.876	0.945	0.976	1.26	3.04	3.46	1.000	1.000	1.000	0.722	0.901	0.906	0.104	0.108	0.171
Interim	GF01-1B	0.278	0.603	0.929	0.254	0.552	0.914	0.824	0.916	0.960	0.824	0.916	0.960	1.23	2.95	3.32	0.840	1.000	1.000	0.695	0.943	1.000	0.000	0.024	0.117
Original	GF01-1B	0.282	0.608	0.936	0.258	0.558	0.922	0.835	0.923	0.964	0.835	0.923	0.964	1.24	2.97	3.36	1.000	1.000	1.000	0.641	0.860	0.906	0.109	0.129	0.197
Interim	GB01-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.891	1.000	1.000	0.000	0.000	0.049
Original	GB01-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	1.15	3.56	7.88	1.000	1.000	1.000	0.814	0.906	0.906	0.104	0.104	0.147
Interim	GB01-2B	0.970	0.986	0.992	0.947	0.977	0.987	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.859	1.000	1.000	0.820	1.000	1.000	0.000	0.000	0.070
Original	GB01-2B	0.973	0.988	0.993	0.952	0.979	0.989	0.981	0.993	0.996	0.981	0.993	0.996	1.14	3.55	7.86	1.000	1.000	1.000	0.742	0.906	0.906	0.109	0.109	0.166
Interim	GB01-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.947	1.000	1.000	0.000	0.000	0.031
Original	GB01-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.874	0.906	0.906	0.104	0.104	0.130
Interim	GB01-4B	0.986	0.995	0.997	0.972	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.07	2.46	5.92	0.932	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.053
Original	GB01-4B	0.989	0.996	0.998	0.979	0.992	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.08	2.46	5.93	1.000	1.000	1.000	0.795	0.906	0.906	0.109	0.109	0.155
Interim	GB01-7A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.052
Original	GB01-7A	0.995	0.998	0.999	0.991	0.997	0.999	0.995	0.998	0.999	0.995	0.998	0.999	1.00	1.20	2.62	1.000	1.000	1.000	0.788	0.906	0.906	0.104	0.104	0.148
Interim	GB01-7B	0.990	0.997	0.998	0.978	0.992	0.997	0.990	0.997	0.998	0.990	0.997	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.745	1.000	1.000	0.000	0.000	0.084
Original	GB01-7B	0.992	0.997	0.999	0.984	0.994	0.997	0.992	0.997	0.999	0.992	0.997	0.999	1.00	1.20	2.62	1.000	1.000	1.000	0.691	0.906	0.906	0.109	0.109	0.176
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.903	1.000	1.000	0.000	0.000	0.046
Original	GF02-2A	0.979	0.992	0.996	0.960	0.985	0.992	0.987	0.996	0.998	0.987	0.996	0.998	1.15	3.56	7.88	0.928	1.000	1.000	0.843	0.938	0.938	0.069	0.069	0.115
Interim	GF02-2B	0.970	0.987	0.992	0.944	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.828	1.000	1.000	0.000	0.000	0.069
Original	GF02-2B	0.972	0.988	0.993	0.945	0.978	0.988	0.978	0.992	0.996	0.978	0.992	0.996	1.14	3.55	7.85	0.895	1.000	1.000	0.782	0.938	0.938	0.069	0.069	0.128
Interim	GF02-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.949	1.000	1.000	0.000	0.000	0.030
Original	GF02-4A	0.993	0.998	0.999	0.985	0.995	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.886	0.938	0.938	0.069	0.069	0.099
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.943	1.000	1.000	0.871	1.000	1.000	0.000	0.000	0.053
Original	GF02-4B	0.988	0.996	0.998	0.975	0.991	0.996	0.988	0.996	0.998	0.988	0.996	0.998	1.08	2.46	5.93	0.943	1.000	1.000	0.812	0.938	0.938	0.069	0.069	0.114
Interim	GF03-1A	0.293	0.620	0.948	0.269	0.567	0.932	0.876	0.938	0.973	0.876	0.938	0.973	1.24	3.02	3.43	1.000	1.000	1.000	0.787	0.992	1.000	0.000	0.006	0.091
Original	GF03-1A	0.296	0.624	0.950	0.274	0.571	0.936	0.888	0.945	0.976	0.888	0.945	0.976	1.25	3.05	3.47	0.833	0.833	0.833	0.699	0.899	0.906	0.108	0.109	0.170
Interim	GF03-1B	0.282	0.603	0.929	0.261	0.552	0.907	0.840	0.914	0.961	0.840	0.914	0.961	1.23	2.94	3.33	1.000	1.000	1.000	0.669	0.952	1.000	0.000	0.021	0.112
Original	GF03-1B	0.286	0.609	0.934	0.264	0.557	0.916	0.855	0.923	0.964	0.855	0.923	0.964	1.23	2.97	3.38	0.833	0.833	0.833	0.606	0.857	0.906	0.096	0.109	0.197
Interim	GF03-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.907	1.000	1.000	0.000	0.000	0.042
Original	GF03-2A	0.979	0.992	0.996	0.960	0.985	0.992	0.987	0.996	0.998	0.987	0.996	0.998	1.15	3.56	7.88	0.833	0.833	0.833	0.817	0.906	0.906	0.108	0.108	0.143
Interim	GF03-2B	0.970	0.987	0.992	0.943	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.831	1.000	1.000	0.000	0.000	0.063

Original	GF03-2B	0.973	0.988	0.993	0.946	0.978	0.988	0.978	0.992	0.996	0.978	0.992	0.996	1.14	3.55	7.86	0.833	0.833	0.746	0.906	0.906	0.096	0.096	0.154	
Interim	GF03-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	1.000	1.000	0.938	1.000	1.000	0.000	0.000	0.033	
Original	GF03-4A	0.993	0.998	0.999	0.984	0.995	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.46	5.93	0.833	0.833	0.844	0.906	0.906	0.108	0.108	0.124	
Interim	GF03-4B	0.986	0.995	0.997	0.973	0.990	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	1.000	1.000	0.866	1.000	1.000	0.000	0.000	0.052	
Original	GF03-4B	0.988	0.996	0.998	0.975	0.991	0.996	0.988	0.996	0.998	0.988	0.996	0.998	1.08	2.46	5.93	0.833	0.833	0.780	0.906	0.906	0.096	0.096	0.145	
Interim	GF04-2A	0.983	0.992	0.996	0.970	0.985	0.993	0.987	0.996	0.997	0.987	0.996	0.997	1.19	3.24	6.61	0.921	1.000	0.930	1.000	1.000	0.000	0.000	0.042	
Original	GF04-2A	0.985	0.993	0.996	0.971	0.987	0.994	0.990	0.996	0.998	0.990	0.996	0.998	1.20	3.24	6.61	1.000	1.000	0.853	0.906	0.906	0.104	0.104	0.143	
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.977	0.992	0.995	0.977	0.992	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.866	1.000	1.000	0.000	0.000	0.057
Original	GF04-2B	0.979	0.990	0.994	0.963	0.981	0.991	0.982	0.994	0.996	0.982	0.994	0.996	1.19	3.23	6.60	1.000	1.000	0.787	0.906	0.906	0.109	0.109	0.157	
Interim	GF04-4A	0.993	0.998	0.999	0.984	0.995	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.923	1.000	1.000	0.000	0.000	0.038
Original	GF04-4A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.10	2.34	5.47	1.000	1.000	0.842	0.906	0.906	0.104	0.104	0.132	
Interim	GF04-4B	0.987	0.995	0.997	0.971	0.991	0.995	0.987	0.995	0.997	0.987	0.995	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.849	1.000	1.000	0.000	0.000	0.054
Original	GF04-4B	0.990	0.996	0.998	0.978	0.993	0.996	0.990	0.996	0.998	0.990	0.996	0.998	1.10	2.33	5.47	1.000	1.000	0.777	0.906	0.906	0.109	0.109	0.159	
Interim	GF05-2A	0.970	0.990	0.995	0.941	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.24	3.97	9.17	0.884	1.000	1.000	0.919	1.000	1.000	0.000	0.000	0.041
Original	GF05-2A	0.970	0.991	0.996	0.942	0.984	0.993	0.989	0.996	0.997	0.989	0.996	0.997	1.24	3.97	9.18	1.000	1.000	0.838	0.906	0.906	0.104	0.104	0.143	
Interim	GF05-2B	0.965	0.985	0.992	0.935	0.975	0.987	0.978	0.991	0.995	0.978	0.991	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.851	1.000	1.000	0.000	0.000	0.062
Original	GF05-2B	0.967	0.987	0.993	0.937	0.978	0.989	0.981	0.992	0.995	0.981	0.992	0.995	1.23	3.96	9.15	1.000	1.000	0.768	0.906	0.906	0.109	0.109	0.165	
Interim	GF05-4A	0.991	0.998	0.999	0.982	0.995	0.997	0.991	0.998	0.999	0.991	0.998	0.999	1.09	2.84	6.35	1.000	1.000	0.926	1.000	1.000	0.000	0.000	0.042	
Original	GF05-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.84	6.35	1.000	1.000	0.842	0.906	0.906	0.104	0.104	0.138	
Interim	GF05-4B	0.984	0.995	0.997	0.969	0.991	0.995	0.984	0.995	0.997	0.984	0.995	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.823	1.000	1.000	0.000	0.000	0.071
Original	GF05-4B	0.988	0.996	0.998	0.976	0.993	0.996	0.988	0.996	0.998	0.988	0.996	0.998	1.09	2.83	6.35	1.000	1.000	0.743	0.906	0.906	0.109	0.109	0.168	
Interim	GF06-1A	0.443	0.800	1.120	0.408	0.759	1.166	0.879	0.946	0.978	0.879	0.946	0.978	1.47	3.88	5.12	0.858	1.000	1.000	0.781	0.988	1.000	0.000	0.007	0.089
Original	GF06-1A	0.447	0.804	1.124	0.412	0.763	1.173	0.887	0.950	0.980	0.887	0.950	0.980	1.48	3.89	5.16	1.000	1.000	0.711	0.897	0.906	0.104	0.109	0.176	
Interim	GF06-1B	0.423	0.783	1.102	0.393	0.739	1.142	0.839	0.925	0.966	0.839	0.925	0.966	1.46	3.79	4.95	0.834	1.000	1.000	0.686	0.940	1.000	0.000	0.023	0.118
Original	GF06-1B	0.430	0.791	1.108	0.397	0.745	1.145	0.853	0.931	0.970	0.853	0.931	0.970	1.46	3.82	5.01	1.000	1.000	0.620	0.850	0.906	0.109	0.131	0.200	
Interim	GF06-2A	1.062	1.082	1.091	1.105	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.877	1.000	1.000	0.000	0.000	0.053
Original	GF06-2A	1.063	1.082	1.092	1.107	1.148	1.198	0.992	0.997	0.998	0.992	0.997	0.998	1.26	3.82	8.56	1.000	1.000	0.801	0.906	0.906	0.104	0.104	0.152	
Interim	GF06-2B	1.057	1.078	1.088	1.099	1.139	1.186	0.983	0.994	0.996	0.983	0.994	0.996	1.25	3.81	8.53	0.843	1.000	1.000	0.796	1.000	1.000	0.000	0.000	0.072
Original	GF06-2B	1.060	1.079	1.089	1.102	1.141	1.190	0.986	0.995	0.997	0.986	0.995	0.997	1.25	3.81	8.54	1.000	1.000	0.735	0.906	0.906	0.109	0.109	0.171	
Interim	GF06-4A	1.038	1.055	1.060	1.082	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.937	1.000	1.000	0.000	0.000	0.035
Original	GF06-4A	1.039	1.056	1.061	1.086	1.111	1.151	0.995	0.998	0.999	0.995	0.998	0.999	1.13	2.59	6.25	1.000	1.000	0.866	0.906	0.906	0.104	0.104	0.135	
Interim	GF06-4B	1.036	1.053	1.059	1.076	1.106	1.145	0.989	0.996	0.998	0.989	0.996	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.866	1.000	1.000	0.000	0.000	0.053
Original	GF06-4B	1.037	1.054	1.060	1.082	1.108	1.148	0.991	0.997	0.998	0.991	0.997	0.998	1.13	2.59	6.24	1.000	1.000	0.781	0.906	0.906	0.109	0.109	0.151	
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.985	0.995	0.997	0.985	0.995	0.997	1.12	3.36	8.49	0.820	1.000	1.000	0.883	1.000	1.000	0.000	0.000	0.052

Original	GF07-2A	0.929	0.962	0.965	0.891	0.958	0.966	0.987	0.996	0.997	0.987	0.996	0.997	1.12	3.37	8.50	1.000	1.000	1.000	0.807	0.906	0.906	0.104	0.104	0.149
Interim	GF07-2B	0.924	0.956	0.962	0.883	0.949	0.959	0.973	0.990	0.994	0.973	0.990	0.994	1.12	3.34	8.47	0.800	1.000	1.000	0.806	1.000	1.000	0.000	0.000	0.066
Original	GF07-2B	0.926	0.958	0.963	0.885	0.951	0.961	0.978	0.992	0.995	0.978	0.992	0.995	1.11	3.35	8.48	1.000	1.000	1.000	0.742	0.906	0.906	0.109	0.109	0.164
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.992	0.997	0.999	0.992	0.997	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.935	1.000	1.000	0.000	0.000	0.035
Original	GF07-4A	0.945	0.967	0.968	0.920	0.965	0.971	0.994	0.998	0.999	0.994	0.998	0.999	1.03	2.36	7.23	1.000	1.000	1.000	0.858	0.906	0.906	0.104	0.104	0.142
Interim	GF07-4B	0.943	0.963	0.967	0.915	0.959	0.968	0.986	0.995	0.997	0.986	0.995	0.997	1.02	2.35	7.22	0.872	1.000	1.000	0.865	1.000	1.000	0.000	0.000	0.054
Original	GF07-4B	0.944	0.964	0.967	0.916	0.961	0.969	0.989	0.996	0.998	0.989	0.996	0.998	1.03	2.36	7.22	1.000	1.000	1.000	0.777	0.906	0.906	0.109	0.109	0.162
Interim	GF08-1A	0.382	0.727	0.973	0.343	0.705	0.922	0.896	0.958	0.981	0.896	0.958	0.981	1.16	2.96	5.07	0.787	1.000	1.000	0.842	0.994	1.000	0.000	0.005	0.077
Original	GF08-1A	0.386	0.729	0.978	0.345	0.708	0.926	0.903	0.962	0.983	0.903	0.962	0.983	1.16	2.97	5.11	1.000	1.000	1.000	0.764	0.903	0.906	0.104	0.107	0.168
Interim	GF08-1B	0.365	0.713	0.951	0.330	0.686	0.901	0.869	0.939	0.969	0.869	0.939	0.969	1.14	2.91	4.90	0.772	1.000	1.000	0.754	0.954	1.000	0.000	0.019	0.097
Original	GF08-1B	0.369	0.717	0.958	0.334	0.694	0.908	0.880	0.944	0.973	0.880	0.944	0.973	1.15	2.93	4.95	1.000	1.000	1.000	0.695	0.871	0.906	0.109	0.125	0.193
Interim	GF08-2A	0.889	1.009	1.095	0.900	0.991	1.072	0.988	0.995	0.998	0.988	0.995	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.917	1.000	1.000	0.000	0.000	0.047
Original	GF08-2A	0.890	1.009	1.096	0.900	0.992	1.073	0.990	0.996	0.998	0.990	0.996	0.998	1.45	3.37	8.01	1.000	1.000	1.000	0.846	0.906	0.906	0.104	0.104	0.148
Interim	GF08-2B	0.885	1.006	1.091	0.893	0.985	1.068	0.981	0.992	0.996	0.981	0.992	0.996	1.45	3.36	7.98	0.827	1.000	1.000	0.841	1.000	1.000	0.000	0.000	0.070
Original	GF08-2B	0.887	1.007	1.092	0.897	0.987	1.070	0.984	0.993	0.997	0.984	0.993	0.997	1.45	3.36	7.98	1.000	1.000	1.000	0.780	0.906	0.906	0.109	0.109	0.159
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.002	1.056	0.991	0.998	0.999	0.991	0.998	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.916	1.000	1.000	0.000	0.000	0.052
Original	GF08-4A	0.956	1.011	1.070	0.937	1.003	1.056	0.993	0.998	0.999	0.993	0.998	0.999	1.04	2.63	6.48	1.000	1.000	1.000	0.855	0.906	0.906	0.104	0.104	0.140
Interim	GF08-4B	0.949	1.009	1.069	0.926	0.996	1.053	0.986	0.996	0.998	0.986	0.996	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.821	1.000	1.000	0.000	0.000	0.075
Original	GF08-4B	0.951	1.010	1.070	0.934	1.000	1.054	0.989	0.997	0.998	0.989	0.997	0.998	1.04	2.63	6.48	1.000	1.000	1.000	0.751	0.906	0.906	0.109	0.109	0.153
Interim	GF09-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.051
Original	GF09-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	1.15	3.56	7.88	1.000	1.000	1.000	0.810	0.906	0.906	0.104	0.104	0.148
Interim	GF09-2B	0.970	0.986	0.992	0.946	0.976	0.987	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.855	1.000	1.000	0.817	1.000	1.000	0.000	0.000	0.071
Original	GF09-2B	0.973	0.988	0.993	0.952	0.979	0.989	0.980	0.993	0.996	0.980	0.993	0.996	1.14	3.55	7.86	1.000	1.000	1.000	0.745	0.906	0.906	0.109	0.109	0.165
Interim	GF10-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.050
Original	GF10-2A	0.979	0.992	0.996	0.960	0.986	0.993	0.988	0.996	0.998	0.988	0.996	0.998	1.15	3.56	7.88	1.000	1.000	1.000	0.812	0.906	0.906	0.104	0.104	0.147
Interim	GF10-2B	0.970	0.986	0.992	0.947	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.863	1.000	1.000	0.817	1.000	1.000	0.000	0.000	0.072
Original	GF10-2B	0.974	0.988	0.993	0.952	0.979	0.989	0.981	0.993	0.996	0.981	0.993	0.996	1.14	3.55	7.86	1.000	1.000	1.000	0.739	0.906	0.906	0.109	0.109	0.165

(e) Case 20-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.289	0.619	0.943	0.270	0.570	0.929	0.871	0.939	0.973	0.871	0.939	0.973	1.26	3.02	3.45	0.866	1.000	1.000	0.747	0.990	1.000	0.000	0.005	0.076
Original	GF01-1A	0.295	0.626	0.950	0.275	0.575	0.936	0.887	0.948	0.978	0.887	0.948	0.978	1.27	3.06	3.49	1.000	1.000	1.000	0.649	0.836	0.844	0.193	0.193	0.239
Interim	GF01-1B	0.280	0.603	0.924	0.257	0.556	0.905	0.836	0.916	0.961	0.836	0.916	0.961	1.24	2.94	3.35	0.840	1.000	1.000	0.643	0.940	1.000	0.000	0.019	0.095
Original	GF01-1B	0.289	0.612	0.935	0.265	0.565	0.917	0.861	0.928	0.968	0.861	0.928	0.968	1.24	2.99	3.41	1.000	1.000	1.000	0.558	0.796	0.844	0.197	0.205	0.259
Interim	GB01-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.873	1.000	1.000	0.000	0.000	0.043
Original	GB01-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.88	1.000	1.000	1.000	0.739	0.844	0.844	0.193	0.193	0.225
Interim	GB01-2B	0.972	0.987	0.993	0.949	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.859	1.000	1.000	0.775	1.000	1.000	0.000	0.000	0.057
Original	GB01-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	1.000	1.000	1.000	0.669	0.844	0.844	0.197	0.197	0.236
Interim	GB01-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.914	1.000	1.000	0.000	0.000	0.032
Original	GB01-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.786	0.844	0.844	0.193	0.193	0.211
Interim	GB01-4B	0.984	0.995	0.997	0.970	0.990	0.995	0.984	0.995	0.997	0.984	0.995	0.997	1.08	2.46	5.92	0.932	1.000	1.000	0.833	1.000	1.000	0.000	0.000	0.052
Original	GB01-4B	0.988	0.996	0.998	0.976	0.992	0.996	0.988	0.996	0.998	0.988	0.996	0.998	1.08	2.46	5.93	1.000	1.000	1.000	0.707	0.844	0.844	0.197	0.197	0.227
Interim	GB01-7A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.825	1.000	1.000	0.000	0.000	0.055
Original	GB01-7A	0.996	0.999	0.999	0.989	0.996	0.998	0.996	0.999	0.999	0.996	0.999	0.999	1.00	1.20	2.62	1.000	1.000	1.000	0.719	0.844	0.844	0.193	0.193	0.229
Interim	GB01-7B	0.990	0.997	0.998	0.978	0.992	0.997	0.990	0.997	0.998	0.990	0.997	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.726	1.000	1.000	0.000	0.000	0.079
Original	GB01-7B	0.993	0.998	0.999	0.982	0.994	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.00	1.20	2.62	1.000	1.000	1.000	0.636	0.844	0.844	0.197	0.197	0.251
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.887	1.000	1.000	0.000	0.000	0.040
Original	GF02-2A	0.981	0.993	0.996	0.962	0.987	0.994	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	0.928	1.000	1.000	0.667	0.750	0.750	0.248	0.251	0.269
Interim	GF02-2B	0.971	0.987	0.993	0.945	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.782	1.000	1.000	0.000	0.000	0.060
Original	GF02-2B	0.977	0.990	0.995	0.955	0.982	0.991	0.984	0.994	0.997	0.984	0.994	0.997	1.15	3.56	7.87	0.895	1.000	1.000	0.598	0.750	0.750	0.254	0.257	0.282
Interim	GF02-4A	0.991	0.998	0.999	0.983	0.995	0.997	0.991	0.998	0.999	0.991	0.998	0.999	1.08	2.46	5.93	1.000	1.000	1.000	0.954	1.000	1.000	0.000	0.000	0.022
Original	GF02-4A	0.995	0.998	0.999	0.988	0.996	0.998	0.995	0.998	0.999	0.995	0.998	0.999	1.09	2.47	5.94	1.000	1.000	1.000	0.718	0.750	0.750	0.249	0.251	0.252
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.07	2.46	5.92	0.943	1.000	1.000	0.867	1.000	1.000	0.000	0.000	0.048
Original	GF02-4B	0.991	0.997	0.998	0.982	0.994	0.997	0.991	0.997	0.998	0.991	0.997	0.998	1.08	2.46	5.93	0.943	1.000	1.000	0.656	0.750	0.750	0.254	0.257	0.271
Interim	GF03-1A	0.290	0.619	0.947	0.271	0.567	0.930	0.865	0.939	0.973	0.865	0.939	0.973	1.25	3.03	3.45	1.000	1.000	1.000	0.738	0.999	1.000	0.000	0.001	0.079
Original	GF03-1A	0.296	0.627	0.954	0.277	0.574	0.938	0.887	0.950	0.978	0.887	0.950	0.978	1.25	3.06	3.50	0.833	0.833	0.833	0.604	0.813	0.813	0.228	0.232	0.253
Interim	GF03-1B	0.279	0.603	0.928	0.255	0.551	0.909	0.833	0.915	0.963	0.833	0.915	0.963	1.24	2.94	3.35	1.000	1.000	1.000	0.637	0.963	1.000	0.000	0.015	0.104
Original	GF03-1B	0.290	0.614	0.939	0.267	0.562	0.922	0.863	0.931	0.970	0.863	0.931	0.970	1.25	3.00	3.43	0.833	0.833	0.833	0.513	0.784	0.813	0.225	0.230	0.255
Interim	GF03-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.899	1.000	1.000	0.000	0.0041	
Original	GF03-2A	0.979	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.89	0.833	0.833	0.833	0.724	0.813	0.813	0.230	0.232	0.235
Interim	GF03-2B	0.970	0.987	0.993	0.948	0.977	0.988	0.975	0.991	0.995	0.975	0.991	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.806	1.000	1.000	0.000	0.000	0.056

Original	GF03-2B	0.974	0.989	0.994	0.953	0.980	0.990	0.981	0.993	0.996	0.981	0.993	0.996	1.15	3.56	7.86	0.833	0.833	0.650	0.813	0.813	0.229	0.230	0.241	
Interim	GF03-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	0.944	1.000	1.000	0.000	0.000	0.025	
Original	GF03-4A	0.993	0.998	0.999	0.987	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.46	5.93	0.833	0.833	0.770	0.813	0.813	0.232	0.232	0.233	
Interim	GF03-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	1.000	1.000	0.884	1.000	1.000	0.000	0.000	0.038	
Original	GF03-4B	0.989	0.996	0.998	0.978	0.993	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.08	2.46	5.93	0.833	0.833	0.698	0.813	0.813	0.229	0.230	0.237	
Interim	GF04-2A	0.983	0.992	0.996	0.969	0.986	0.993	0.987	0.996	0.997	0.987	0.996	0.997	1.19	3.24	6.61	0.921	1.000	1.000	0.878	1.000	1.000	0.000	0.000	0.043
Original	GF04-2A	0.985	0.993	0.997	0.971	0.988	0.994	0.990	0.997	0.998	0.990	0.997	0.998	1.20	3.24	6.61	1.000	1.000	0.763	0.844	0.844	0.193	0.193	0.225	
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.977	0.992	0.995	0.977	0.992	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.802	1.000	1.000	0.000	0.000	0.057
Original	GF04-2B	0.979	0.990	0.994	0.962	0.982	0.991	0.983	0.994	0.996	0.983	0.994	0.996	1.19	3.23	6.60	1.000	1.000	0.702	0.844	0.844	0.197	0.197	0.236	
Interim	GF04-4A	0.993	0.998	0.999	0.984	0.995	0.997	0.993	0.998	0.999	0.993	0.998	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.892	1.000	1.000	0.000	0.000	0.039
Original	GF04-4A	0.995	0.998	0.999	0.987	0.996	0.998	0.995	0.998	0.999	0.995	0.998	0.999	1.10	2.34	5.47	1.000	1.000	0.770	0.844	0.844	0.193	0.193	0.215	
Interim	GF04-4B	0.987	0.995	0.997	0.974	0.991	0.995	0.987	0.996	0.997	0.987	0.996	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.819	1.000	1.000	0.000	0.000	0.057
Original	GF04-4B	0.990	0.997	0.998	0.979	0.993	0.996	0.990	0.997	0.998	0.990	0.997	0.998	1.10	2.33	5.47	1.000	1.000	0.712	0.844	0.844	0.197	0.197	0.230	
Interim	GF05-2A	0.970	0.990	0.995	0.942	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.24	3.97	9.17	0.884	1.000	1.000	0.880	1.000	1.000	0.000	0.000	0.045
Original	GF05-2A	0.971	0.992	0.996	0.944	0.985	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.24	3.97	9.18	1.000	1.000	0.748	0.844	0.844	0.193	0.193	0.225	
Interim	GF05-2B	0.964	0.985	0.992	0.935	0.976	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.778	1.000	1.000	0.000	0.000	0.057
Original	GF05-2B	0.967	0.988	0.993	0.939	0.979	0.989	0.983	0.993	0.996	0.983	0.993	0.996	1.23	3.96	9.16	1.000	1.000	0.679	0.844	0.844	0.197	0.197	0.236	
Interim	GF05-4A	0.991	0.998	0.999	0.982	0.995	0.997	0.991	0.998	0.999	0.991	0.998	0.999	1.09	2.84	6.35	1.000	1.000	0.868	1.000	1.000	0.000	0.000	0.045	
Original	GF05-4A	0.993	0.998	0.999	0.986	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.09	2.84	6.35	1.000	1.000	0.735	0.844	0.844	0.193	0.193	0.218	
Interim	GF05-4B	0.985	0.995	0.997	0.970	0.991	0.995	0.985	0.995	0.997	0.985	0.995	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.746	1.000	1.000	0.000	0.000	0.062
Original	GF05-4B	0.988	0.997	0.998	0.976	0.993	0.996	0.988	0.997	0.998	0.988	0.997	0.998	1.09	2.84	6.35	1.000	1.000	0.658	0.844	0.844	0.197	0.197	0.241	
Interim	GF06-1A	0.444	0.801	1.120	0.410	0.756	1.152	0.878	0.946	0.978	0.878	0.946	0.978	1.45	3.86	5.10	0.858	1.000	1.000	0.748	0.982	1.000	0.000	0.007	0.082
Original	GF06-1A	0.450	0.806	1.125	0.421	0.765	1.160	0.895	0.953	0.982	0.895	0.953	0.982	1.46	3.90	5.18	1.000	1.000	0.652	0.832	0.844	0.193	0.193	0.239	
Interim	GF06-1B	0.430	0.783	1.103	0.396	0.738	1.135	0.843	0.926	0.967	0.843	0.926	0.967	1.45	3.79	4.98	0.834	1.000	1.000	0.637	0.933	1.000	0.000	0.022	0.102
Original	GF06-1B	0.441	0.793	1.111	0.407	0.750	1.142	0.868	0.937	0.973	0.868	0.937	0.973	1.45	3.83	5.08	1.000	1.000	0.559	0.789	0.844	0.197	0.208	0.261	
Interim	GF06-2A	1.062	1.081	1.091	1.106	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	1.25	3.82	8.56	0.868	1.000	1.000	0.853	1.000	1.000	0.000	0.048	
Original	GF06-2A	1.063	1.083	1.092	1.108	1.148	1.199	0.992	0.997	0.998	0.992	0.997	0.998	1.26	3.82	8.56	1.000	1.000	0.733	0.844	0.844	0.193	0.193	0.225	
Interim	GF06-2B	1.058	1.078	1.088	1.100	1.138	1.187	0.983	0.994	0.996	0.983	0.994	0.996	1.24	3.81	8.53	0.843	1.000	1.000	0.755	1.000	1.000	0.000	0.063	
Original	GF06-2B	1.060	1.080	1.090	1.102	1.142	1.192	0.987	0.995	0.997	0.987	0.995	0.997	1.25	3.81	8.54	1.000	1.000	0.661	0.844	0.844	0.197	0.197	0.239	
Interim	GF06-4A	1.038	1.055	1.060	1.083	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.909	1.000	1.000	0.000	0.034	
Original	GF06-4A	1.039	1.056	1.061	1.086	1.110	1.151	0.995	0.999	0.999	0.995	0.999	0.999	1.13	2.60	6.25	1.000	1.000	0.784	0.844	0.844	0.193	0.193	0.213	
Interim	GF06-4B	1.035	1.053	1.059	1.075	1.105	1.146	0.988	0.996	0.998	0.988	0.996	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.818	1.000	1.000	0.000	0.051	
Original	GF06-4B	1.037	1.054	1.060	1.079	1.107	1.148	0.991	0.997	0.998	0.991	0.997	0.998	1.13	2.59	6.24	1.000	1.000	0.702	0.844	0.844	0.197	0.197	0.233	
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.984	0.995	0.997	0.984	0.995	0.997	1.11	3.36	8.49	0.820	1.000	1.000	0.831	1.000	1.000	0.000	0.056	

Original	GF07-2A	0.929	0.962	0.965	0.893	0.958	0.966	0.987	0.996	0.998	0.987	0.996	0.998	1.12	3.37	8.50	1.000	1.000	1.000	0.700	0.844	0.844	0.193	0.193	0.230
Interim	GF07-2B	0.924	0.956	0.962	0.883	0.949	0.959	0.976	0.990	0.994	0.976	0.990	0.994	1.10	3.34	8.47	0.800	1.000	1.000	0.744	0.999	1.000	0.000	0.000	0.065
Original	GF07-2B	0.926	0.959	0.963	0.887	0.952	0.961	0.982	0.992	0.996	0.982	0.992	0.996	1.11	3.35	8.48	1.000	1.000	1.000	0.663	0.843	0.844	0.197	0.197	0.243
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.990	0.997	0.999	0.990	0.997	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.863	1.000	1.000	0.000	0.000	0.041
Original	GF07-4A	0.945	0.967	0.968	0.920	0.966	0.971	0.993	0.998	0.999	0.993	0.998	0.999	1.03	2.36	7.23	1.000	1.000	1.000	0.731	0.844	0.844	0.193	0.193	0.222
Interim	GF07-4B	0.943	0.963	0.967	0.915	0.960	0.968	0.982	0.995	0.997	0.982	0.995	0.997	1.02	2.36	7.22	0.872	1.000	1.000	0.782	1.000	1.000	0.000	0.000	0.055
Original	GF07-4B	0.944	0.964	0.967	0.916	0.961	0.970	0.986	0.996	0.998	0.986	0.996	0.998	1.02	2.36	7.22	1.000	1.000	1.000	0.686	0.844	0.844	0.197	0.197	0.235
Interim	GF08-1A	0.382	0.731	0.973	0.339	0.705	0.938	0.894	0.959	0.981	0.894	0.959	0.981	1.16	2.95	5.06	0.787	1.000	1.000	0.708	0.996	1.000	0.000	0.002	0.085
Original	GF08-1A	0.389	0.734	0.980	0.344	0.710	0.953	0.911	0.965	0.984	0.911	0.965	0.984	1.16	2.97	5.14	1.000	1.000	1.000	0.634	0.841	0.844	0.191	0.193	0.245
Interim	GF08-1B	0.364	0.716	0.947	0.324	0.684	0.936	0.873	0.939	0.971	0.873	0.939	0.971	1.13	2.90	4.88	0.772	1.000	1.000	0.602	0.952	1.000	0.000	0.014	0.093
Original	GF08-1B	0.374	0.724	0.959	0.332	0.697	0.944	0.893	0.950	0.976	0.893	0.950	0.976	1.14	2.93	4.97	1.000	1.000	1.000	0.532	0.808	0.844	0.197	0.200	0.261
Interim	GF08-2A	0.889	1.008	1.095	0.900	0.991	1.072	0.986	0.995	0.998	0.986	0.995	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.882	1.000	1.000	0.000	0.000	0.050
Original	GF08-2A	0.890	1.009	1.097	0.901	0.993	1.073	0.989	0.996	0.998	0.989	0.996	0.998	1.45	3.37	8.01	1.000	1.000	1.000	0.756	0.844	0.844	0.193	0.193	0.227
Interim	GF08-2B	0.885	1.004	1.091	0.891	0.984	1.068	0.981	0.992	0.996	0.981	0.992	0.996	1.43	3.36	7.98	0.827	1.000	1.000	0.821	1.000	1.000	0.000	0.000	0.053
Original	GF08-2B	0.888	1.005	1.093	0.896	0.988	1.070	0.984	0.994	0.997	0.984	0.994	0.997	1.44	3.36	7.99	1.000	1.000	1.000	0.707	0.844	0.844	0.197	0.197	0.243
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.001	1.056	0.991	0.998	0.999	0.991	0.998	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.049
Original	GF08-4A	0.956	1.010	1.070	0.937	1.003	1.056	0.993	0.998	0.999	0.993	0.998	0.999	1.05	2.63	6.49	1.000	1.000	1.000	0.769	0.844	0.844	0.193	0.193	0.223
Interim	GF08-4B	0.949	1.009	1.069	0.932	0.996	1.053	0.984	0.996	0.998	0.984	0.996	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.764	1.000	1.000	0.000	0.000	0.076
Original	GF08-4B	0.951	1.010	1.070	0.934	0.997	1.054	0.988	0.997	0.999	0.988	0.997	0.999	1.04	2.63	6.48	1.000	1.000	1.000	0.646	0.844	0.844	0.197	0.197	0.237
Interim	GF09-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.876	1.000	1.000	0.000	0.000	0.047
Original	GF09-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.88	1.000	1.000	1.000	0.736	0.844	0.844	0.193	0.193	0.226
Interim	GF09-2B	0.972	0.987	0.992	0.948	0.977	0.987	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.855	1.000	1.000	0.768	1.000	1.000	0.000	0.000	0.059
Original	GF09-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	1.000	1.000	1.000	0.664	0.844	0.844	0.197	0.197	0.236
Interim	GF10-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.876	1.000	1.000	0.000	0.000	0.041
Original	GF10-2A	0.980	0.993	0.996	0.961	0.986	0.993	0.989	0.996	0.998	0.989	0.996	0.998	1.16	3.56	7.88	1.000	1.000	1.000	0.741	0.844	0.844	0.193	0.193	0.223
Interim	GF10-2B	0.972	0.987	0.993	0.949	0.977	0.988	0.977	0.991	0.995	0.977	0.991	0.995	1.14	3.55	7.85	0.863	1.000	1.000	0.766	1.000	1.000	0.000	0.000	0.061
Original	GF10-2B	0.976	0.989	0.994	0.953	0.980	0.989	0.982	0.993	0.996	0.982	0.993	0.996	1.15	3.56	7.86	1.000	1.000	1.000	0.671	0.844	0.844	0.197	0.197	0.235

(f) Case 20-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF01-1A	0.289	0.620	0.943	0.268	0.568	0.931	0.866	0.940	0.973	0.866	0.940	0.973	1.26	3.02	3.45	0.866	1.000	1.000	0.734	0.998	1.000	0.000	0.001	0.071
Original	GF01-1A	0.298	0.631	0.954	0.278	0.580	0.943	0.901	0.956	0.982	0.901	0.956	0.982	1.28	3.09	3.53	1.000	1.000	1.000	0.530	0.688	0.688	0.262	0.262	0.288
Interim	GF01-1B	0.276	0.606	0.926	0.255	0.552	0.911	0.829	0.916	0.961	0.829	0.916	0.961	1.23	2.93	3.35	0.840	1.000	1.000	0.619	0.949	1.000	0.000	0.014	0.091
Original	GF01-1B	0.291	0.620	0.943	0.269	0.570	0.932	0.874	0.941	0.974	0.874	0.941	0.974	1.26	3.03	3.46	1.000	1.000	1.000	0.465	0.660	0.688	0.275	0.279	0.318
Interim	GB01-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.886	1.000	1.000	0.855	1.000	1.000	0.000	0.000	0.042
Original	GB01-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	1.000	1.000	1.000	0.610	0.688	0.688	0.262	0.262	0.277
Interim	GB01-2B	0.971	0.987	0.992	0.947	0.976	0.987	0.975	0.991	0.995	0.975	0.991	0.995	1.14	3.55	7.84	0.859	1.000	1.000	0.756	1.000	1.000	0.000	0.000	0.052
Original	GB01-2B	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.542	0.688	0.688	0.275	0.275	0.297
Interim	GB01-4A	0.991	0.997	0.998	0.983	0.995	0.997	0.991	0.997	0.999	0.991	0.997	0.999	1.08	2.46	5.93	0.990	1.000	1.000	0.936	1.000	1.000	0.000	0.000	0.022
Original	GB01-4A	0.995	0.999	0.999	0.991	0.997	0.999	0.995	0.999	0.999	0.995	0.999	0.999	1.09	2.47	5.94	1.000	1.000	1.000	0.642	0.688	0.688	0.262	0.262	0.270
Interim	GB01-4B	0.985	0.995	0.997	0.970	0.990	0.995	0.985	0.995	0.997	0.985	0.995	0.997	1.07	2.46	5.92	0.932	1.000	1.000	0.833	1.000	1.000	0.000	0.000	0.044
Original	GB01-4B	0.992	0.997	0.998	0.986	0.995	0.997	0.992	0.997	0.998	0.992	0.997	0.998	1.08	2.46	5.93	1.000	1.000	1.000	0.573	0.688	0.688	0.275	0.275	0.292
Interim	GB01-7A	0.994	0.998	0.999	0.986	0.995	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.00	1.20	2.62	0.994	1.000	1.000	0.880	1.000	1.000	0.000	0.000	0.038
Original	GB01-7A	0.996	0.999	0.999	0.992	0.998	0.999	0.996	0.999	0.999	0.996	0.999	0.999	1.01	1.20	2.62	1.000	1.000	1.000	0.618	0.688	0.688	0.262	0.262	0.275
Interim	GB01-7B	0.989	0.996	0.998	0.976	0.992	0.996	0.989	0.996	0.998	0.989	0.996	0.998	1.00	1.20	2.62	0.931	1.000	1.000	0.760	1.000	1.000	0.000	0.000	0.064
Original	GB01-7B	0.993	0.998	0.999	0.988	0.996	0.998	0.993	0.998	0.999	0.993	0.998	0.999	1.00	1.20	2.62	1.000	1.000	1.000	0.530	0.688	0.688	0.275	0.275	0.300
Interim	GF02-2A	0.978	0.991	0.995	0.959	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.928	1.000	1.000	0.879	1.000	1.000	0.000	0.000	0.038
Original	GF02-2A	0.981	0.993	0.996	0.962	0.987	0.994	0.990	0.996	0.998	0.990	0.996	0.998	1.16	3.57	7.89	0.928	1.000	1.000	0.632	0.719	0.719	0.227	0.229	0.249
Interim	GF02-2B	0.971	0.987	0.993	0.945	0.977	0.988	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.85	0.895	1.000	1.000	0.774	1.000	1.000	0.000	0.000	0.058
Original	GF02-2B	0.976	0.990	0.994	0.956	0.982	0.990	0.983	0.994	0.996	0.983	0.994	0.996	1.15	3.56	7.87	0.895	1.000	1.000	0.563	0.719	0.719	0.231	0.237	0.260
Interim	GF02-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.927	1.000	1.000	0.000	0.000	0.023
Original	GF02-4A	0.994	0.998	0.999	0.987	0.996	0.998	0.994	0.998	0.999	0.994	0.998	0.999	1.09	2.46	5.93	1.000	1.000	1.000	0.670	0.719	0.719	0.227	0.229	0.230
Interim	GF02-4B	0.986	0.995	0.997	0.973	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	0.943	1.000	1.000	0.819	1.000	1.000	0.000	0.000	0.045
Original	GF02-4B	0.990	0.997	0.998	0.979	0.993	0.996	0.990	0.997	0.998	0.990	0.997	0.998	1.08	2.46	5.93	0.943	1.000	1.000	0.606	0.719	0.719	0.229	0.237	0.253
Interim	GF03-1A	0.296	0.619	0.949	0.272	0.569	0.932	0.874	0.939	0.973	0.874	0.939	0.973	1.24	3.02	3.44	1.000	1.000	1.000	0.699	1.000	1.000	0.000	0.000	0.067
Original	GF03-1A	0.303	0.631	0.961	0.283	0.580	0.947	0.907	0.956	0.982	0.907	0.956	0.982	1.27	3.08	3.53	0.833	0.833	0.833	0.531	0.719	0.719	0.251	0.262	0.273
Interim	GF03-1B	0.286	0.603	0.931	0.261	0.551	0.913	0.835	0.917	0.962	0.835	0.917	0.962	1.22	2.95	3.36	1.000	1.000	1.000	0.603	0.944	1.000	0.000	0.011	0.087
Original	GF03-1B	0.300	0.620	0.950	0.275	0.572	0.937	0.883	0.943	0.976	0.883	0.943	0.976	1.24	3.03	3.47	0.833	0.833	0.833	0.447	0.683	0.719	0.246	0.256	0.287
Interim	GF03-2A	0.978	0.992	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.884	1.000	1.000	0.000	0.000	0.035
Original	GF03-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.993	0.997	0.999	0.993	0.997	0.999	1.16	3.57	7.89	0.833	0.833	0.833	0.629	0.719	0.719	0.252	0.262	0.263
Interim	GF03-2B	0.970	0.987	0.993	0.945	0.977	0.988	0.975	0.992	0.995	0.975	0.992	0.995	1.14	3.55	7.85	1.000	1.000	1.000	0.792	1.000	1.000	0.000	0.000	0.047

Original	GF03-2B	0.979	0.992	0.996	0.959	0.985	0.993	0.988	0.996	0.998	0.988	0.996	0.998	0.998	1.15	3.56	7.88	0.833	0.833	0.574	0.719	0.719	0.247	0.256	0.264
Interim	GF03-4A	0.992	0.998	0.999	0.984	0.995	0.998	0.992	0.998	0.999	0.992	0.998	0.999	1.08	2.46	5.93	1.000	1.000	0.919	1.000	1.000	0.000	0.000	0.022	
Original	GF03-4A	0.997	0.999	1.000	0.992	0.997	0.999	0.997	0.999	1.000	0.997	0.999	1.000	1.09	2.47	5.94	0.833	0.833	0.663	0.719	0.719	0.262	0.262	0.263	
Interim	GF03-4B	0.986	0.995	0.997	0.974	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.08	2.46	5.92	1.000	1.000	0.847	1.000	1.000	0.000	0.000	0.039	
Original	GF03-4B	0.995	0.998	0.999	0.986	0.995	0.998	0.995	0.998	0.999	0.995	0.998	0.999	1.09	2.47	5.94	0.833	0.833	0.617	0.719	0.719	0.255	0.256	0.263	
Interim	GF04-2A	0.982	0.992	0.996	0.970	0.985	0.993	0.987	0.996	0.997	0.987	0.996	0.997	1.19	3.24	6.61	0.921	1.000	1.000	0.874	1.000	1.000	0.000	0.000	0.041
Original	GF04-2A	0.987	0.995	0.997	0.975	0.990	0.996	0.993	0.997	0.998	0.993	0.997	0.998	1.20	3.24	6.61	1.000	1.000	0.620	0.688	0.688	0.262	0.262	0.276	
Interim	GF04-2B	0.975	0.988	0.993	0.958	0.979	0.989	0.978	0.992	0.995	0.978	0.992	0.995	1.18	3.22	6.59	0.889	1.000	1.000	0.778	1.000	1.000	0.000	0.000	0.048
Original	GF04-2B	0.983	0.992	0.996	0.970	0.986	0.993	0.988	0.995	0.997	0.988	0.995	0.997	1.19	3.23	6.60	1.000	1.000	0.560	0.688	0.688	0.275	0.275	0.296	
Interim	GF04-4A	0.992	0.998	0.999	0.983	0.995	0.997	0.992	0.998	0.999	0.992	0.998	0.999	1.10	2.33	5.47	0.994	1.000	1.000	0.918	1.000	1.000	0.000	0.000	0.031
Original	GF04-4A	0.996	0.999	0.999	0.992	0.997	0.999	0.996	0.999	0.999	0.996	0.999	0.999	1.10	2.34	5.48	1.000	1.000	0.641	0.688	0.688	0.262	0.262	0.273	
Interim	GF04-4B	0.986	0.995	0.997	0.972	0.991	0.995	0.986	0.995	0.997	0.986	0.995	0.997	1.10	2.33	5.47	0.927	1.000	1.000	0.807	1.000	1.000	0.000	0.000	0.049
Original	GF04-4B	0.992	0.997	0.998	0.987	0.995	0.997	0.992	0.997	0.998	0.992	0.997	0.998	1.10	2.33	5.47	1.000	1.000	0.579	0.688	0.688	0.275	0.275	0.294	
Interim	GF05-2A	0.970	0.990	0.995	0.942	0.983	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.23	3.97	9.17	0.884	1.000	1.000	0.878	1.000	1.000	0.000	0.000	0.038
Original	GF05-2A	0.972	0.993	0.997	0.946	0.988	0.994	0.991	0.997	0.998	0.991	0.997	0.998	1.24	3.98	9.19	1.000	1.000	0.620	0.688	0.688	0.262	0.262	0.278	
Interim	GF05-2B	0.963	0.985	0.992	0.934	0.975	0.987	0.976	0.991	0.995	0.976	0.991	0.995	1.22	3.95	9.15	0.856	1.000	1.000	0.804	1.000	1.000	0.000	0.000	0.057
Original	GF05-2B	0.970	0.990	0.995	0.942	0.983	0.992	0.987	0.995	0.997	0.987	0.995	0.997	1.23	3.97	9.17	1.000	1.000	0.563	0.688	0.688	0.275	0.275	0.298	
Interim	GF05-4A	0.990	0.997	0.999	0.981	0.995	0.997	0.990	0.998	0.999	0.990	0.998	0.999	1.09	2.84	6.35	1.000	1.000	0.898	1.000	1.000	0.000	0.000	0.035	
Original	GF05-4A	0.994	0.999	0.999	0.991	0.998	0.999	0.995	0.999	0.999	0.995	0.999	0.999	1.10	2.84	6.36	1.000	1.000	0.620	0.688	0.688	0.262	0.262	0.272	
Interim	GF05-4B	0.983	0.995	0.997	0.968	0.991	0.995	0.983	0.995	0.997	0.983	0.995	0.997	1.09	2.83	6.34	0.942	1.000	1.000	0.777	1.000	1.000	0.000	0.000	0.056
Original	GF05-4B	0.991	0.997	0.998	0.984	0.995	0.997	0.991	0.997	0.998	0.991	0.997	0.998	1.09	2.84	6.35	1.000	1.000	0.546	0.688	0.688	0.275	0.275	0.296	
Interim	GF06-1A	0.444	0.801	1.120	0.410	0.756	1.155	0.879	0.947	0.978	0.879	0.947	0.978	1.45	3.87	5.13	0.858	1.000	1.000	0.706	0.999	1.000	0.000	0.001	0.079
Original	GF06-1A	0.456	0.813	1.130	0.426	0.771	1.174	0.909	0.960	0.985	0.909	0.960	0.985	1.46	3.93	5.26	1.000	1.000	0.513	0.688	0.688	0.262	0.262	0.292	
Interim	GF06-1B	0.423	0.785	1.103	0.394	0.738	1.140	0.838	0.926	0.967	0.838	0.926	0.967	1.44	3.79	4.98	0.834	1.000	1.000	0.602	0.945	1.000	0.000	0.015	0.092
Original	GF06-1B	0.447	0.802	1.120	0.412	0.757	1.161	0.881	0.948	0.978	0.881	0.948	0.978	1.46	3.88	5.17	1.000	1.000	0.436	0.655	0.688	0.275	0.280	0.320	
Interim	GF06-2A	1.062	1.082	1.091	1.105	1.146	1.197	0.989	0.996	0.998	0.989	0.996	0.998	1.26	3.82	8.56	0.868	1.000	1.000	0.835	1.000	1.000	0.000	0.000	0.044
Original	GF06-2A	1.064	1.084	1.093	1.109	1.150	1.204	0.994	0.998	0.999	0.994	0.998	0.999	1.26	3.82	8.57	1.000	1.000	0.594	0.688	0.688	0.262	0.262	0.281	
Interim	GF06-2B	1.058	1.078	1.088	1.099	1.139	1.187	0.981	0.994	0.996	0.981	0.994	0.996	1.25	3.81	8.53	0.843	1.000	1.000	0.739	1.000	1.000	0.000	0.000	0.059
Original	GF06-2B	1.062	1.082	1.091	1.106	1.147	1.197	0.990	0.996	0.998	0.990	0.996	0.998	1.26	3.82	8.55	1.000	1.000	0.532	0.688	0.688	0.275	0.275	0.299	
Interim	GF06-4A	1.038	1.055	1.060	1.083	1.109	1.150	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	0.987	1.000	1.000	0.917	1.000	1.000	0.000	0.000	0.027
Original	GF06-4A	1.039	1.056	1.061	1.089	1.112	1.153	0.996	0.999	0.999	0.996	0.999	0.999	1.13	2.60	6.25	1.000	1.000	0.639	0.688	0.688	0.262	0.262	0.271	
Interim	GF06-4B	1.034	1.053	1.059	1.075	1.105	1.146	0.988	0.996	0.998	0.988	0.996	0.998	1.12	2.59	6.24	0.925	1.000	1.000	0.814	1.000	1.000	0.000	0.000	0.042
Original	GF06-4B	1.037	1.055	1.060	1.086	1.110	1.151	0.993	0.998	0.999	0.993	0.998	0.999	1.13	2.59	6.25	1.000	1.000	0.563	0.688	0.688	0.275	0.275	0.292	
Interim	GF07-2A	0.928	0.961	0.965	0.890	0.956	0.964	0.985	0.995	0.997	0.985	0.995	0.997	1.13	3.36	8.49	0.820	1.000	1.000	0.813	1.000	1.000	0.000	0.000	0.052

Original	GF07-2A	0.931	0.964	0.966	0.895	0.961	0.967	0.991	0.997	0.998	0.991	0.997	0.998	1.13	3.37	8.51	1.000	1.000	1.000	0.584	0.688	0.688	0.262	0.262	0.285
Interim	GF07-2B	0.924	0.956	0.962	0.882	0.949	0.959	0.975	0.990	0.994	0.975	0.990	0.994	1.13	3.34	8.47	0.800	1.000	1.000	0.732	1.000	1.000	0.000	0.000	0.060
Original	GF07-2B	0.928	0.961	0.964	0.890	0.956	0.964	0.986	0.994	0.997	0.986	0.994	0.997	1.13	3.36	8.49	1.000	1.000	1.000	0.530	0.688	0.688	0.275	0.275	0.304
Interim	GF07-4A	0.944	0.966	0.968	0.919	0.964	0.971	0.992	0.997	0.999	0.992	0.997	0.999	1.03	2.36	7.23	0.901	1.000	1.000	0.908	1.000	1.000	0.000	0.000	0.023
Original	GF07-4A	0.945	0.967	0.969	0.922	0.967	0.972	0.995	0.998	0.999	0.995	0.998	0.999	1.03	2.36	7.23	1.000	1.000	1.000	0.642	0.688	0.688	0.262	0.262	0.273
Interim	GF07-4B	0.943	0.963	0.967	0.914	0.959	0.968	0.987	0.994	0.997	0.987	0.994	0.997	1.02	2.35	7.22	0.872	1.000	1.000	0.794	1.000	1.000	0.000	0.000	0.044
Original	GF07-4B	0.944	0.965	0.968	0.919	0.964	0.971	0.993	0.997	0.998	0.993	0.997	0.998	1.03	2.36	7.22	1.000	1.000	1.000	0.574	0.688	0.688	0.275	0.275	0.293
Interim	GF08-1A	0.382	0.729	0.973	0.345	0.705	0.927	0.893	0.958	0.981	0.893	0.958	0.981	1.16	2.95	5.10	0.787	1.000	1.000	0.770	1.000	1.000	0.000	0.000	0.068
Original	GF08-1A	0.394	0.738	0.983	0.353	0.714	0.957	0.919	0.971	0.987	0.919	0.971	0.987	1.17	2.98	5.21	1.000	1.000	1.000	0.561	0.688	0.688	0.262	0.262	0.290
Interim	GF08-1B	0.365	0.712	0.967	0.340	0.684	0.906	0.855	0.939	0.970	0.855	0.939	0.970	1.12	2.91	4.94	0.772	1.000	1.000	0.633	0.967	1.000	0.000	0.009	0.068
Original	GF08-1B	0.382	0.729	0.978	0.350	0.705	0.943	0.895	0.959	0.980	0.895	0.959	0.980	1.15	2.95	5.09	1.000	1.000	1.000	0.466	0.668	0.688	0.273	0.276	0.319
Interim	GF08-2A	0.889	1.008	1.095	0.900	0.991	1.072	0.988	0.995	0.998	0.988	0.995	0.998	1.45	3.37	8.00	0.850	1.000	1.000	0.898	1.000	1.000	0.000	0.000	0.040
Original	GF08-2A	0.891	1.010	1.097	0.902	0.994	1.074	0.993	0.997	0.999	0.993	0.997	0.999	1.45	3.37	8.02	1.000	1.000	1.000	0.636	0.688	0.688	0.262	0.262	0.282
Interim	GF08-2B	0.885	1.005	1.091	0.891	0.984	1.068	0.981	0.992	0.996	0.981	0.992	0.996	1.44	3.36	7.98	0.827	1.000	1.000	0.814	1.000	1.000	0.000	0.000	0.045
Original	GF08-2B	0.889	1.008	1.095	0.899	0.991	1.072	0.989	0.995	0.998	0.989	0.995	0.998	1.45	3.37	8.00	1.000	1.000	1.000	0.580	0.688	0.688	0.275	0.275	0.301
Interim	GF08-4A	0.954	1.010	1.070	0.936	1.001	1.056	0.991	0.998	0.999	0.991	0.998	0.999	1.04	2.63	6.48	0.878	1.000	1.000	0.893	1.000	1.000	0.000	0.000	0.036
Original	GF08-4A	0.958	1.011	1.071	0.940	1.005	1.057	0.995	0.999	0.999	0.995	0.999	0.999	1.05	2.63	6.49	1.000	1.000	1.000	0.639	0.688	0.688	0.262	0.262	0.277
Interim	GF08-4B	0.949	1.009	1.069	0.926	0.997	1.050	0.987	0.996	0.998	0.987	0.996	0.998	1.04	2.62	6.48	0.851	1.000	1.000	0.836	1.000	1.000	0.000	0.000	0.059
Original	GF08-4B	0.954	1.011	1.070	0.936	1.003	1.056	0.993	0.997	0.999	0.993	0.997	0.999	1.04	2.63	6.48	1.000	1.000	1.000	0.591	0.688	0.688	0.275	0.275	0.294
Interim	GF09-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.882	1.000	1.000	0.851	1.000	1.000	0.000	0.000	0.043
Original	GF09-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.991	0.997	0.998	0.991	0.997	0.998	1.16	3.57	7.89	1.000	1.000	1.000	0.607	0.688	0.688	0.262	0.262	0.279
Interim	GF09-2B	0.970	0.987	0.992	0.947	0.976	0.987	0.975	0.991	0.995	0.975	0.991	0.995	1.14	3.55	7.84	0.855	1.000	1.000	0.770	1.000	1.000	0.000	0.000	0.053
Original	GF09-2B	0.978	0.991	0.995	0.958	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.542	0.688	0.688	0.275	0.275	0.297
Interim	GF10-2A	0.978	0.991	0.995	0.958	0.984	0.992	0.985	0.995	0.997	0.985	0.995	0.997	1.15	3.56	7.88	0.891	1.000	1.000	0.861	1.000	1.000	0.000	0.000	0.039
Original	GF10-2A	0.981	0.994	0.997	0.963	0.989	0.995	0.992	0.997	0.998	0.992	0.997	0.998	1.16	3.57	7.89	1.000	1.000	1.000	0.613	0.688	0.688	0.262	0.262	0.276
Interim	GF10-2B	0.971	0.987	0.992	0.947	0.976	0.987	0.976	0.991	0.995	0.976	0.991	0.995	1.14	3.55	7.84	0.863	1.000	1.000	0.759	1.000	1.000	0.000	0.000	0.056
Original	GF10-2B	0.978	0.991	0.995	0.959	0.984	0.992	0.986	0.995	0.997	0.986	0.995	0.997	1.15	3.56	7.88	1.000	1.000	1.000	0.538	0.688	0.688	0.275	0.275	0.297

Table 7

Performance statistics for the trials to compare the performance of the ‘phase out’ (‘original’) and ‘interim allowance’ (‘interim’) options for the West Greenland fin whales based on the influx hypothesis

(a) Case 10-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.407	0.709	0.849	0.368	0.658	0.817	0.591	0.772	0.876	0.591	0.772	0.876	0.92	1.67	2.07	0.898	1.000	1.000	0.787	0.987	1.000	0.000	0.009	0.076
Original	GF34-1A	0.431	0.732	0.860	0.388	0.684	0.830	0.623	0.799	0.892	0.623	0.799	0.892	0.95	1.72	2.15	0.898	1.000	1.000	0.721	0.897	0.906	0.104	0.107	0.159
Interim	GF34-1B	0.312	0.601	0.778	0.283	0.553	0.740	0.453	0.670	0.806	0.453	0.670	0.806	0.79	1.44	1.82	0.864	1.000	1.000	0.652	0.903	1.000	0.000	0.037	0.119
Original	GF34-1B	0.352	0.639	0.802	0.319	0.590	0.766	0.512	0.708	0.829	0.512	0.708	0.829	0.86	1.50	1.90	0.864	1.000	1.000	0.595	0.826	0.906	0.109	0.132	0.195
Interim	GB35-2A	0.931	0.968	0.979	0.885	0.945	0.965	0.931	0.969	0.979	0.931	0.969	0.979	1.05	1.76	3.26	0.978	1.000	1.000	0.929	1.000	1.000	0.000	0.000	0.030
Original	GB35-2A	0.942	0.973	0.982	0.900	0.954	0.971	0.943	0.974	0.983	0.943	0.974	0.983	1.07	1.77	3.27	0.978	1.000	1.000	0.842	0.906	0.906	0.104	0.104	0.130
Interim	GB35-2B	0.874	0.940	0.959	0.803	0.901	0.936	0.874	0.940	0.960	0.874	0.940	0.960	1.00	1.71	3.16	0.915	1.000	1.000	0.829	1.000	1.000	0.000	0.000	0.060
Original	GB35-2B	0.896	0.949	0.967	0.832	0.917	0.948	0.896	0.950	0.968	0.896	0.950	0.968	1.02	1.73	3.20	0.915	1.000	1.000	0.745	0.906	0.906	0.109	0.109	0.147
Interim	GB36-2A	0.939	0.973	0.983	0.893	0.954	0.973	0.940	0.975	0.984	0.940	0.975	0.984	1.13	2.21	4.58	1.000	1.000	1.000	0.964	1.000	1.000	0.000	0.000	0.022
Original	GB36-2A	0.947	0.977	0.986	0.908	0.960	0.977	0.947	0.979	0.987	0.947	0.979	0.987	1.15	2.22	4.59	1.000	1.000	1.000	0.874	0.906	0.906	0.104	0.104	0.120
Interim	GB36-2B	0.892	0.951	0.969	0.817	0.919	0.952	0.892	0.952	0.971	0.892	0.952	0.971	1.05	2.16	4.52	0.956	1.000	1.000	0.871	1.000	1.000	0.000	0.000	0.052
Original	GB36-2B	0.903	0.959	0.975	0.848	0.931	0.960	0.904	0.961	0.976	0.904	0.961	0.976	1.09	2.19	4.54	0.956	1.000	1.000	0.798	0.906	0.906	0.109	0.109	0.140

(b) Case 15-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.409	0.708	0.850	0.370	0.661	0.817	0.589	0.776	0.876	0.589	0.776	0.876	0.92	1.67	2.07	0.898	1.000	1.000	0.762	0.987	1.000	0.000	0.006	0.064
Original	GF34-1A	0.451	0.745	0.873	0.405	0.702	0.846	0.653	0.818	0.901	0.653	0.818	0.901	0.97	1.76	2.20	0.898	1.000	1.000	0.660	0.835	0.844	0.184	0.193	0.217
Interim	GF34-1B	0.336	0.606	0.781	0.302	0.558	0.739	0.454	0.678	0.808	0.454	0.678	0.808	0.79	1.44	1.87	0.864	1.000	1.000	0.622	0.898	1.000	0.000	0.033	0.099
Original	GF34-1B	0.391	0.665	0.822	0.352	0.617	0.786	0.547	0.742	0.848	0.547	0.742	0.848	0.88	1.58	2.04	0.864	1.000	1.000	0.542	0.763	0.844	0.185	0.197	0.223
Interim	GB35-2A	0.935	0.968	0.979	0.888	0.945	0.965	0.935	0.969	0.979	0.935	0.969	0.979	1.06	1.76	3.26	0.978	1.000	1.000	0.934	1.000	1.000	0.000	0.000	0.025
Original	GB35-2A	0.950	0.975	0.984	0.910	0.955	0.972	0.950	0.975	0.984	0.950	0.975	0.984	1.07	1.78	3.27	0.978	1.000	1.000	0.789	0.844	0.844	0.191	0.193	0.196
Interim	GB35-2B	0.880	0.940	0.961	0.810	0.902	0.938	0.880	0.940	0.961	0.880	0.940	0.961	1.01	1.71	3.16	0.915	1.000	1.000	0.814	0.997	1.000	0.000	0.000	0.052
Original	GB35-2B	0.905	0.953	0.970	0.843	0.920	0.950	0.905	0.953	0.971	0.905	0.953	0.971	1.04	1.73	3.20	0.915	1.000	1.000	0.697	0.842	0.844	0.193	0.197	0.210
Interim	GB36-2A	0.934	0.973	0.983	0.890	0.954	0.973	0.935	0.975	0.984	0.935	0.975	0.984	1.14	2.21	4.58	1.000	1.000	1.000	0.959	1.000	1.000	0.000	0.000	0.015
Original	GB36-2A	0.950	0.979	0.986	0.914	0.962	0.978	0.951	0.980	0.988	0.951	0.980	0.988	1.15	2.22	4.59	1.000	1.000	1.000	0.811	0.844	0.844	0.192	0.193	0.193
Interim	GB36-2B	0.889	0.951	0.969	0.815	0.919	0.952	0.889	0.953	0.971	0.889	0.953	0.971	1.06	2.16	4.52	0.956	1.000	1.000	0.845	1.000	1.000	0.000	0.000	0.038
Original	GB36-2B	0.913	0.961	0.976	0.855	0.934	0.962	0.913	0.963	0.978	0.913	0.963	0.978	1.08	2.18	4.55	0.956	1.000	1.000	0.723	0.844	0.844	0.194	0.197	0.207

(c) Case 20-2

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.410	0.709	0.852	0.376	0.662	0.820	0.591	0.780	0.880	0.591	0.780	0.880	0.92	1.68	2.07	0.898	1.000	1.000	0.746	0.982	1.000	0.000	0.007	0.068
Original	GF34-1A	0.478	0.774	0.899	0.439	0.734	0.875	0.711	0.856	0.924	0.711	0.856	0.924	1.03	1.87	2.33	0.898	1.000	1.000	0.524	0.680	0.688	0.252	0.262	0.283
Interim	GF34-1B	0.327	0.609	0.792	0.285	0.563	0.755	0.417	0.685	0.818	0.417	0.685	0.818	0.77	1.44	1.91	0.864	1.000	1.000	0.579	0.886	1.000	0.000	0.029	0.095
Original	GF34-1B	0.429	0.722	0.863	0.397	0.672	0.838	0.601	0.796	0.888	0.601	0.796	0.888	0.96	1.72	2.19	0.864	1.000	1.000	0.425	0.627	0.688	0.257	0.275	0.302
Interim	GB35-2A	0.933	0.968	0.979	0.887	0.944	0.965	0.933	0.969	0.979	0.933	0.969	0.979	1.06	1.76	3.26	0.978	1.000	1.000	0.911	1.000	1.000	0.000	0.000	0.026
Original	GB35-2A	0.961	0.981	0.988	0.935	0.969	0.981	0.961	0.981	0.989	0.961	0.981	0.989	1.08	1.79	3.29	0.978	1.000	1.000	0.629	0.688	0.688	0.262	0.262	0.266
Interim	GB35-2B	0.876	0.940	0.960	0.812	0.902	0.936	0.876	0.941	0.961	0.876	0.941	0.961	1.00	1.71	3.17	0.915	1.000	1.000	0.760	0.995	1.000	0.000	0.000	0.051
Original	GB35-2B	0.932	0.965	0.979	0.889	0.945	0.967	0.932	0.966	0.980	0.932	0.966	0.980	1.05	1.76	3.25	0.915	1.000	1.000	0.550	0.687	0.688	0.266	0.275	0.290
Interim	GB36-2A	0.942	0.973	0.983	0.895	0.954	0.973	0.942	0.975	0.984	0.942	0.975	0.984	1.13	2.21	4.58	1.000	1.000	1.000	0.931	1.000	1.000	0.000	0.000	0.023
Original	GB36-2A	0.965	0.984	0.991	0.939	0.973	0.985	0.965	0.985	0.992	0.965	0.985	0.992	1.15	2.23	4.61	1.000	1.000	1.000	0.649	0.688	0.688	0.260	0.262	0.263
Interim	GB36-2B	0.896	0.951	0.969	0.817	0.919	0.952	0.897	0.953	0.970	0.897	0.953	0.970	1.04	2.16	4.53	0.956	1.000	1.000	0.777	1.000	1.000	0.000	0.000	0.041
Original	GB36-2B	0.937	0.972	0.984	0.899	0.954	0.975	0.937	0.974	0.985	0.937	0.974	0.985	1.11	2.21	4.58	0.956	1.000	1.000	0.547	0.688	0.688	0.266	0.275	0.286

(d) Case 10-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.408	0.709	0.849	0.369	0.659	0.817	0.589	0.772	0.876	0.589	0.772	0.876	0.92	1.67	2.07	0.898	1.000	1.000	0.787	0.987	1.000	0.000	0.009	0.076
Original	GF34-1A	0.431	0.732	0.860	0.388	0.684	0.832	0.621	0.798	0.893	0.621	0.798	0.893	0.95	1.72	2.14	1.000	1.000	1.000	0.732	0.896	0.906	0.104	0.107	0.158
Interim	GF34-1B	0.312	0.599	0.779	0.283	0.551	0.740	0.452	0.670	0.807	0.452	0.670	0.807	0.80	1.44	1.82	0.864	1.000	1.000	0.652	0.903	1.000	0.000	0.037	0.119
Original	GF34-1B	0.342	0.632	0.802	0.311	0.585	0.763	0.502	0.706	0.829	0.502	0.706	0.829	0.85	1.50	1.91	1.000	1.000	1.000	0.614	0.823	0.906	0.109	0.135	0.199
Interim	GB35-2A	0.931	0.968	0.979	0.885	0.945	0.965	0.931	0.969	0.979	0.931	0.969	0.979	1.05	1.76	3.26	0.978	1.000	1.000	0.929	1.000	1.000	0.000	0.000	0.030
Original	GB35-2A	0.942	0.973	0.982	0.900	0.954	0.971	0.943	0.974	0.983	0.943	0.974	0.983	1.07	1.77	3.27	1.000	1.000	1.000	0.851	0.906	0.906	0.104	0.104	0.128
Interim	GB35-2B	0.873	0.940	0.959	0.807	0.901	0.936	0.873	0.940	0.960	0.873	0.940	0.960	1.00	1.71	3.16	0.915	1.000	1.000	0.829	1.000	1.000	0.000	0.000	0.060
Original	GB35-2B	0.896	0.949	0.967	0.834	0.916	0.948	0.896	0.950	0.968	0.896	0.950	0.968	1.02	1.73	3.20	1.000	1.000	1.000	0.761	0.906	0.906	0.109	0.109	0.148
Interim	GB36-2A	0.939	0.973	0.983	0.893	0.954	0.973	0.940	0.975	0.984	0.940	0.975	0.984	1.13	2.21	4.58	1.000	1.000	1.000	0.964	1.000	1.000	0.000	0.000	0.022
Original	GB36-2A	0.947	0.977	0.986	0.908	0.960	0.977	0.947	0.979	0.987	0.947	0.979	0.987	1.15	2.22	4.59	1.000	1.000	1.000	0.874	0.906	0.906	0.104	0.104	0.119
Interim	GB36-2B	0.892	0.951	0.969	0.814	0.919	0.952	0.892	0.952	0.971	0.892	0.952	0.971	1.05	2.16	4.52	0.956	1.000	1.000	0.871	1.000	1.000	0.000	0.000	0.052
Original	GB36-2B	0.903	0.959	0.975	0.838	0.930	0.960	0.904	0.961	0.976	0.904	0.961	0.976	1.09	2.19	4.54	1.000	1.000	1.000	0.796	0.906	0.906	0.109	0.109	0.143

(e) Case 15-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.409	0.708	0.850	0.370	0.661	0.817	0.589	0.776	0.876	0.589	0.776	0.876	0.92	1.67	2.07	0.898	1.000	1.000	0.762	0.987	1.000	0.000	0.006	0.064
Original	GF34-1A	0.449	0.744	0.873	0.404	0.701	0.846	0.650	0.817	0.901	0.650	0.817	0.901	0.97	1.76	2.20	1.000	1.000	1.000	0.662	0.836	0.844	0.193	0.193	0.226
Interim	GF34-1B	0.336	0.606	0.781	0.302	0.558	0.739	0.454	0.678	0.808	0.454	0.678	0.808	0.79	1.44	1.87	0.864	1.000	1.000	0.622	0.898	1.000	0.000	0.033	0.099
Original	GF34-1B	0.392	0.666	0.818	0.349	0.616	0.785	0.545	0.741	0.847	0.545	0.741	0.847	0.88	1.58	2.02	1.000	1.000	1.000	0.552	0.765	0.844	0.197	0.207	0.251
Interim	GB35-2A	0.935	0.968	0.979	0.888	0.945	0.965	0.935	0.969	0.979	0.935	0.969	0.979	1.06	1.76	3.26	0.978	1.000	1.000	0.934	1.000	1.000	0.000	0.000	0.025
Original	GB35-2A	0.950	0.975	0.984	0.910	0.955	0.972	0.950	0.975	0.984	0.950	0.975	0.984	1.07	1.78	3.27	1.000	1.000	1.000	0.794	0.844	0.844	0.193	0.193	0.208
Interim	GB35-2B	0.880	0.940	0.961	0.810	0.902	0.938	0.880	0.940	0.961	0.880	0.940	0.961	1.01	1.71	3.16	0.915	1.000	1.000	0.814	0.997	1.000	0.000	0.000	0.052
Original	GB35-2B	0.907	0.953	0.970	0.842	0.921	0.950	0.907	0.953	0.971	0.907	0.953	0.971	1.03	1.73	3.20	1.000	1.000	1.000	0.692	0.840	0.844	0.197	0.197	0.226
Interim	GB36-2A	0.934	0.973	0.983	0.890	0.954	0.973	0.935	0.975	0.984	0.935	0.975	0.984	1.14	2.21	4.58	1.000	1.000	1.000	0.959	1.000	1.000	0.000	0.000	0.015
Original	GB36-2A	0.950	0.979	0.986	0.914	0.962	0.978	0.951	0.980	0.988	0.951	0.980	0.988	1.15	2.22	4.59	1.000	1.000	1.000	0.812	0.844	0.844	0.193	0.193	0.200
Interim	GB36-2B	0.889	0.951	0.969	0.815	0.919	0.952	0.889	0.953	0.971	0.889	0.953	0.971	1.06	2.16	4.52	0.956	1.000	1.000	0.845	1.000	1.000	0.000	0.000	0.038
Original	GB36-2B	0.914	0.961	0.976	0.856	0.934	0.962	0.914	0.963	0.978	0.914	0.963	0.978	1.09	2.18	4.55	1.000	1.000	1.000	0.722	0.844	0.844	0.197	0.197	0.217

(f) Case 20-3

Option	Trial	D1 (Fin Dep) (1+)			D1 (Fin Dep) (fem)			D8 (Rescale Fin Dep-0)			D8 (Rescale Fin Dep-i)			D10 (Rel Recov)			N9 (Ave need Sat: 20)			N9 (Ave need Sat: 100)			N12 (Mean Down Step)		
		5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%	5%	Med	95%
Interim	GF34-1A	0.411	0.708	0.851	0.376	0.664	0.818	0.593	0.780	0.881	0.593	0.780	0.881	0.93	1.68	2.07	0.898	1.000	1.000	0.746	0.982	1.000	0.000	0.007	0.068
Original	GF34-1A	0.477	0.774	0.900	0.442	0.733	0.875	0.703	0.857	0.924	0.703	0.857	0.924	1.03	1.87	2.32	1.000	1.000	1.000	0.509	0.682	0.688	0.262	0.263	0.281
Interim	GF34-1B	0.329	0.611	0.791	0.290	0.564	0.758	0.421	0.687	0.818	0.421	0.687	0.818	0.78	1.44	1.91	0.864	1.000	1.000	0.579	0.883	1.000	0.000	0.029	0.095
Original	GF34-1B	0.427	0.721	0.863	0.391	0.671	0.838	0.597	0.799	0.887	0.597	0.799	0.887	0.96	1.71	2.20	1.000	1.000	1.000	0.426	0.630	0.688	0.269	0.282	0.314
Interim	GB35-2A	0.931	0.967	0.979	0.892	0.944	0.965	0.931	0.968	0.979	0.931	0.968	0.979	1.06	1.76	3.26	0.978	1.000	1.000	0.911	1.000	1.000	0.000	0.000	0.026
Original	GB35-2A	0.961	0.981	0.988	0.935	0.969	0.981	0.962	0.981	0.989	0.962	0.981	0.989	1.08	1.79	3.29	1.000	1.000	1.000	0.643	0.688	0.688	0.262	0.262	0.272
Interim	GB35-2B	0.878	0.940	0.960	0.812	0.902	0.937	0.878	0.941	0.961	0.878	0.941	0.961	1.00	1.71	3.17	0.915	1.000	1.000	0.760	0.995	1.000	0.000	0.000	0.051
Original	GB35-2B	0.933	0.965	0.980	0.891	0.945	0.967	0.934	0.966	0.980	0.934	0.966	0.980	1.06	1.76	3.25	1.000	1.000	1.000	0.550	0.687	0.688	0.274	0.275	0.299
Interim	GB36-2A	0.942	0.973	0.983	0.894	0.954	0.973	0.942	0.975	0.984	0.942	0.975	0.984	1.12	2.21	4.58	1.000	1.000	1.000	0.931	1.000	1.000	0.000	0.000	0.023
Original	GB36-2A	0.965	0.984	0.991	0.938	0.973	0.985	0.965	0.985	0.992	0.965	0.985	0.992	1.15	2.23	4.61	1.000	1.000	1.000	0.656	0.688	0.688	0.262	0.262	0.266
Interim	GB36-2B	0.893	0.950	0.969	0.826	0.918	0.951	0.894	0.952	0.970	0.894	0.952	0.970	1.04	2.16	4.52	0.956	1.000	1.000	0.777	1.000	1.000	0.000	0.000	0.041
Original	GB36-2B	0.937	0.972	0.984	0.897	0.954	0.975	0.937	0.974	0.985	0.937	0.974	0.985	1.12	2.21	4.58	1.000	1.000	1.000	0.554	0.688	0.688	0.275	0.275	0.292




Figure 1. Differences in four key performance metrics for West Greenland bowhead whales (interim – original) for the 228 trials.




Figure 2. Differences in four key performance metrics for West Greenland fin whales (interim – original) for the 276 trials based on the Partial Hypothesis.




Figure 3. Differences in four key performance metrics for West Greenland fin whales (interim – original) for the 36 trials based on the Influx Hypothesis.