## SC/69A/IST/02

Sub-committees/working group name: IST

Ship strikes and entanglements of gray whales in the North Pacific Ocean, 1924-2021

Jonathan Scordino, Gen Nakamura, Hyun Woo Kim, Jorge Urban, And Paul Cottrell



Papers submitted to the IWC are produced to advance discussions within that meeting; they may be preliminary or exploratory.

It is important that if you wish to cite this paper outside the context of an IWC meeting, you notify the author at least six weeks before it is cited to ensure that it has not been superseded or found to contain errors.

# Ship strikes and entanglements of gray whales in the North Pacific Ocean, 1924-2021

Jonathan Scordino, Gen Nakamura, Hyun Woo Kim, Jorge Urban, and Paul Cottrell

#### ABSTRACT

Non-hunting, human-caused injuries and mortalities (NHHCIM) can have significant impacts on cetacean populations. Gray whales are likely more vulnerable than most whale populations to interactions with humans due to their nearshore migratory and feeding behavior. We compiled all known sources of data on NHHCIM of gray whales in the North Pacific to document the frequency and source of NHHCIM. Data was compiled from national stranding and human-interaction databases, published reports, and newspaper articles. We documented 513 reports of NHHCIM of gray whales for the time period of 1924 through 2021. The majority of reports were from the time period of 1980 through 2021 when stranding networks were established along the US west coast. Of the 513 reports, 194 documented whale deaths. The remaining 319 reports were assessed using the policy developed by NOAA for distinguishing serious from non-serious injuries and prorating a probability of death to seriously injured whales and found that 250 documented serious injuries and 69 were non-serious injuries. Responders in the USA, Canada, and Mexico successfully disentangled 50 whales which resulted in the whale receiving non-serious injury. The sum of serious injuries and mortalities was 388.44 gray whales. The primary regions for reports were California (58%) and Northern California through Northern British Columbia (24%). The most common form of NHHCIM in gray whales was entanglement in net fisheries in the 1980s and 1990s. In the 2000s and 2010s the most common cause of NHHCIM was entanglement were pot fishery gear and entanglements of an unknown source. During the 2020s, unknown entanglements and ship strikes were the most common source of NHHCIM. During the five most recent years of data collection (2017-2021) there was an average of 14.3 NHHCIM per year which was substantially more than the previous five-year period of 2012-2016 which had 9.9 NHHCIM per year. This report represents a minimum estimate of the number of NHHCIM because it is difficult to definitively determine the cause of death of stranded whales, stranding networks had poor spatial coverage during all or part of the reporting time period, and because injured or killed whales not documented at sea may not wash to shore or be reported at-sea.

#### INTRODUCTION

The International Whaling Commission (IWC) carefully evaluates the potential impacts of permitted whale hunts through a management strategy evaluation (MSE) process called an implementation review (Punt and Donovan, 2007). The implementation review incorporates known and estimated parameters to forecast the future trajectory of hunted whale populations for 100 years modeling period. Multiple trials are run to account for uncertainty in parameters used in the modeling to allow evaluation of hunt impacts under a variety of plausible scenarios. Some parameters, such as removals due to hunting, are easily incorporated into the modeling because hunters and government agencies that oversee the hunts keep records of removals. Other parameters, such as the rate of growth at the maximum sustainable yield level, have more uncertainty and a range of plausible values for the growth rate must be modeled.

One parameter that is hard to estimate is the amount of mortality in the population due to non-hunting activities of humans. Non-hunting, human-caused injuries and mortality (NHHCIM) can have significant impacts on whale populations (Moore, 2014). Gray whales are likely at greater risk of interaction with fishing gear than other great whales in North Pacific due to their nearshore migratory and feeding behavior (Ford et al., 2013). The IWC incorporated estimates of NHHCIM into an *Implementation Reviews* (IR) that were completed in 2013 (International Whaling Commission, 2014) and 2020 (International Whaling Commission, 2020) and in a range wide review of gray whale stock structure and status (International Whaling Commission, 2018). The 2020 IR utilized data on NHHCIM from Scordino et al. (2020). The IR modeled mortalities from NHHCIM multiplied by 4 in the base case to increase

the number of observed mortalities to a plausible amount accounting for under reporting based on recovery rates of bottlenose dolphins (Carretta et al., 2016a). The IR also included trials with the number of observed mortalities multiplied by ten and 20 and trials with the observed mortalities and serious injuries.

The objective of this paper is to provide an update to Scordino et al. (2020) with three additional years of data (2019-2021) of known records of NHHCIM of gray whales throughout the North Pacific Ocean.

#### **METHODS**

Methods for compiling NHHCIM data is described in Scordino et al. (2017, 2020). To update Scordino et al. (2020) with data from 2019 through 2021, we sent inquiries to government officials and university researchers that maintain marine mammal stranding and human interaction databases from countries that border the range of gray whales in the North Pacific Ocean. Reports of NHHCIM were provided for this updated analysis for all gray whale range states with the exceptions of Russia and China.

Each event causing an injury, or having the potential to cause an injury, to a whale with an unknown outcome on the whale's survival was analyzed using a classification procedure developed by NOAA (2012) to account for the uncertainty in outcome of injuries to large whales due to entanglements and ship strikes. This procedure makes it possible to prorate mortality values for injuries based on the known fates of individual whales observed with similar injuries in the past. The full list of classifications used are listed in appendix 1.

Data was summarized by season, year, and region for the number of serious injuries, non-serious injuries, and deaths due to non-hunting human interactions. Data was also examined for trends in interaction types through time and by regions.

All NHHCIM reports used in this paper are listed in appendix 2.

#### **RESULTS AND DISCUSSIONS**

We documented 513 reported incidents of NHHCIM with gray whales from 1924 through 2021 with the majority of records occurring after 1980 when most gray whale range states had developed stranding networks. Of the 513 reports, 194 involved incidents where the whale was known to have died, 250 resulted in serious injuries in which the fate of the whale was not known, and 69 resulted in non-significant injuries which were not expected to cause the whale's death. Using the methodology developed by NMFS, we determined that the serious injuries likely resulted in an additional 194.44 mortalities resulting in a total estimate of 388.44 mortalities due to non-hunting human interactions. During the five most recent years of data collection (2017-2021) there was an average of 14.3 NHHCIM per year which was substantially more than the previous five-year period of 2012-2016 which had 9.9 NHHCIM per year. By season, 393 reports of NHHCIM were during the migratory season, 109 were during the feeding season, and 11 did not have enough information to assess season. NHHCIM was most commonly reported in the modeling regions of California (58%) and Northern California through Northern British Columbia (24%). The fact that the majority of reports occurred along the US west coast may in part be an artifact of the region establishing a stranding network sooner and having more complete reporting than other regions.

The number of NHHCIM mortalities (deaths plus prorated serious injuries) was dynamic by year (Figure 1). The number of NHHCIM mortalities per year had peak occurrences from 1985-1988 and 2017-2019. The primary causes of NHHCIM of gray whales were net fisheries (36.2%), unknown entanglements (23.2%), ship strikes (20.8%), and pot fisheries (16.9%). Many of the unknown entanglements were described as ropes and sometimes included descriptions of attached buoys and were likely from pot fisheries, but lacked enough detail in reporting to classify as a pot fishery. We found that the relative contribution of mortalities by interaction type changed by decade (Figure 2). Prior to 1980 through the 1990s, entanglement in net fisheries were the most commonly reported source of NHHCIM. In the 2000s and 2010s, the primary cause of NHHCIM shifted to pot fisheries and unknown entanglements. The unknown entanglements were from pot fisheries that could not be definitively assigned to a pot fishery. In the 2020s, the two most common sources of NHHCIM were unknown entanglements and ship strikes. As noted previously, the unknown entanglements likely include pot fisheries. The large increase in the proportion of whales documented as ship strike may be due to the extra diligence in performing necropsies of dead gray whales due

to the unusual mortality event from 2019 through present (Fauquier et al., 2022) resulting in improved documentation of ship strike injuries. In the data set there were a couple of odd NHHCIM reported including whales trapping themselves under docks (2 cases) and being entangled in a bed frame.

The shift in primary contributing factor of NHHCIM from net fisheries to pot fisheries could be caused by a variety of reasons. One possible reason is that gillnet fishing effort declined. Barlow et al. (1994) reported that almost all gillnet fisheries on the west coast of the United States and Canada had declined in effort from the 1980s. Changes in regulations in the California halibut and white seabass set-net fishery were also instrumental in reducing gray whale entanglements in nets. In 1990, rules were put in place to prohibit fishing in state waster south of Point Arguello and within 70 fathoms or one mile, whichever is less, around the Channel Islands (Barlow et al., 1994). In 2002, the California Department of Fish and Game added additional regulations and prohibited the set-net fishery in ocean waters less than 60 fathoms from Point Reyes to Point Arguello (Caretta et al., 2015b).

The number of reports, and expected mortalities, represents a minimum estimate of number of non-hunting, humancaused mortality of gray whales in the North Pacific during the duration of time this analysis covers. Stranding networks were not well established in the United States until the 1980s and were not established in Canada until 2007. Without dedicated effort prior to establishment of stranding networks to find strandings and determine cause of death of whales, it is likely that many NHHCIM were not recorded. Some areas, like Alaska, are logistically challenging for stranding network operations due to the extensive coastline, sparse population, and extensive regions that are not easily accessible (Heyning and Dahlheim, 1995). It is often difficult for responders to determine the cause of death of a stranded whale. Heyning and Lewis (1990) noted that whales that were observed at sea entangled sometimes stranded with no signs of entanglement. The challenge also occurs for ship struck whales because the stranding responders can often determine that trauma has occurred, but cannot determine if the trauma happened antemortem or postmortem or if the trauma observed could be confidently identified as caused by a ship or entanglement (Douglas et al., 2008). Last, an unknown portion of the whales that die at sea due to human interactions do not wash to shore (Punt and Wade, 2012, Williams et al., 2011, Carretta et al., 2016).

#### **ACKNOWLEDGEMENTS**

This paper would not be possible without the dedicated efforts of many individuals to collect and record NHHCIM data.

#### Literature Cited

- Baird, R.W., Stacey, P.J., Duffus, D.A., and Langelier, K.M. 2002. An evaluation of gray whale (*Eschrichtius robustus*) mortality incidental to fishing operations in British Columbia, Canada. Journal of Cetacean Research and Management, 4(3), 289-296.
- Barlow, J., Baird, R.W., Heyning, J.E., Wynne, K.A., Manville II, M., Lowry, L.F., Hanan, D., Sease, J. and Burkanov, V.N. 1994. A review of cetacean and pinniped mortality in coastal fisheries along the west coast of the USA and Canada and the east coast of the Russian Federation. Rept. Int. Whaling Comm., Special Issue 15:405-425.
- Brownell, R.L. Jr. 1971. Whales, Dolphins, and Oil Pollution. In: Biological and Oceanographic Survey of the Santa Barbara Channel Oil Spill, 1969-1970, Vol. 1, D. Straughan, ed. Allen Hancock Foundation, University of Southern California, pp 255-266.
- Burkanov, V.N., Lowry, L.F., Weller, D.W. and Reeves, R.R. 2017. Entanglement risk to western gray whales in Russian Far East fisheries. Unpublished manuscript submitted to the International Union for Conservation of Nature, Western Gray Whale Advisory Panel. Gland, Switzerland. 36 pp.
- Carretta, J.V., J. Greenman, K. Wilkinson, L. Saez, D. Lawson, and Viezbicke, J. 2023. Sources of Human-Related Injury and Mortality for U.S. Pacific West Coast Marine Mammal Stock Assessments, 2017-2021. Document PSRG-2023-01, presented to the Pacific Scientific Review Group, March 2023.
- Carretta J.V., Greenman J, Wilkinson K, Saez L, Lawson D, Viezbicke J. 2022. Sources of human-related injury and mortality of U.S. Pacific West Coast marine mammal stock assessments, 2007-2011. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-670. DOI: https://doi.org/10.25923/d79a-kg51.
- Carretta J.V., Helker, V., Muto, M.M., Greenman, J., Wilkinson, K.D., Lawson, Viezbicke, J. and Jannot, J. 2019. Sources of Human-related Injury and Mortality for U.S. Pacific West Coast Marine Mammal Stock Assessments, 2013-2017. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-616. 150 p.

- Carretta, J.V., Muto, M.M., Greenman, J., Wilkinson, K., Lawson, D., Viezbicke, J. and Jannot, J. 2017. Sources of human-related injury and mortality for U.S. Pacific west coast marine mammal stock assessments, 2011-2015. U.S. Department of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-579. 126 p.
- Carretta, J.V., Danil, K., Chivers, S.J., Weller, D.W., Janiger, D.S., Berman-Kowalewski, M., Hernandez, K.M., Harvey, J.T., Dunkin, R.C., Casper, D.R. and Stoudt, S. 2016a. Recovery rates of bottlenose dolphin (*Tursiops truncatus*) carcasses estimated from stranding and survival rate data. Marine Mammal Science, 32(1), pp.349-362
- Carretta, J.V., Muto, M.M., Greenman, J., Wilkinson, K., Viezbicke, J. and Jannot, J. 2016b. Sources of human-related injury and mortality for U.S. Pacific west coast marine mammal stock assessments, 2010-2014. U.S. Department of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-554. 102 p.
- Carretta, J.V., Muto, M.M., Wilkin, S. Greenman, J., Wilkinson, K., DeAngelis, M. Viezbicke, J., Lawson, D., Rusin, J. and Jannot, J. 2015. Sources of human-related injury and mortality for U.S. Pacific west coast marine mammal stock assessments, 2009-2013. U.S. Department of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-548. 108 p.
- Carretta, J.V., Wilkin, S.M., Muto, M.M., Wilkinson, K. and Rusin, J. 2014. Sources of human-related injury and mortality for U.S. Pacific west coast marine mammal stock assessments, 2008-2012. NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-533. 110 p.
- Carretta, J.V., Wilkin, S., Muto, M.M. and Wilkinson, K. 2013. Sources of human-related injury and mortality for U.S. Pacific west coast marine mammal stock assessments, 2007-2011. NOAA-TM-NMFS-SWFSC-514. 91 p.
- Douglas, A.B., Calambokidis, J., Raverty, S., Jeffries, S.J., Lambourn, D.M. and Norman, S.A., 2008. Incidence of ship strikes of large whales in Washington State. Journal of the Marine Biological Association of the UK, 88(06), pp.1121-1132.
- Fauquier D, Raverty S, Cottrell P, MacConnachie S, Urbán-R. J, Viloria-Gómora L, Martínez-Aguilar S, Swartz S, Huggins JL, Rice J, Halaska B, Flannery M, Danil K, Savage K, Garner M, Duignan P, Huntington KB, Weller D, Stewart J, Lefebvre K, Gulland F, Goldstein T, Calambokidis J, Moore S, Goley PD, Lui A, Baker J, Wilkinson K, Viezbicke J, Greenman J, Keogh M, Greig D, Wilkin S, Rowles T. 2022. Update on the Eastern North Pacific Gray Whale (*Eschrichtius robustus*) 2019-2022 Unusual Mortality Event. Paper SC/68D/CMP/14 presented to the IWC Scientific Committee (unpublished). 6pp. [Available from the Office of this Journal].
- Ford, J.K.B., Durban, J.W., Ellis, G.M., Towers, J.R., Pilkington, J.F., Barrett-Lennard, L.G. and Andrews, R.D. 2013. New insights into the northward migration route of gray whales between Vancouver Island, British Columbia, and southeastern Alaska. Mar. Mammal Sci. 29, 325–337. <u>https://doi.org/10.1111/j.1748-7692.2012.00572.x</u>
- Heyning, J.E. and Dahlheim, M.E., 1995. Strandings, incidental kills and mortality rates of gray whales. Reports Int. Whal. Comm. Spec. Issue 17.
- Heyning, J.E. and Lewis, T.D. 1990. Entanglements of baleen whales in fishing gear off southern California. Report of the International Whaling Commission, 40:427-431.
- International Whaling Commission. 2014. Report of the Scientific Committee. J. Cetacean Res. Manag. 15 (Suppl), 1–72.
- International Whaling Commission. 2018. Fifth rangewide workshop on the status of North Pacific gray whales. Paper SC/67B/REP/07 Rev1 presented to the IWC Scientific Committee (unpublished). 6pp. [Available from the Office of this Journal].
- International Whaling Commission. 2020. Report of the Scientific Committee 1–133.
- Kato, H., Nakamura, G., Yoshida, H., Kishiro, T., Okazoe, N., Ito, K., Bando, T. Mogoe, T. and Miyashita, T. 2016. Status Report of Conservation and Researches on the Western North Pacific Gray Whales in Japan, May 2015 -April 2016. Paper SC/66b/ presented to the IWC Scientific Committee, June 2016 (unpublished). 6pp. [Available from the Office of this Journal].Moore, M.J., 2014. How we all kill whales. ICES Journal of Marine Science : Journal du Conseil, 71(4): 760-763.
- NOAA. 2012. Federal Register 77:3233. National Policy for Distinguishing Serious From Non-Serious Injuries of Marine Mammals. http://www.nmfs.noaa.gov/op/pds/documents/02/238/02-238-01.pdf
- Punt, A.E. and Donovan, G.P., 2007. Developing management procedures that are robust to uncertainty: lessons from the International Whaling Commission. ICES J. Mar. Sci. 64, 603–612. https://doi.org/doi:10.1093/icesjms/fsm035
- Punt, A.E. and Wade, P.R. 2012. Population status of the eastern North Pacific stock of gray whales in 2009. J. Cetacean Res. Manage. 12(1): 15-28.

- Rugh, D.J., Muto, M.M., Moore, S.E. and DeMaster, D.P. 1999. Status review of the eastern north Pacific stock of gray whales. NOAA Technical Memorandum NMFS-AFSC, 103, p.96.
- Saez L, Lawson D and Deangelis, M. 2020. Large whale entanglements off the U.S. West Coast, from 1982-2017. NOAA Technical Memorandum NMFS-OPR-63.
- Scordino, J., Carretta, J., Cottrell, P., Greenman, J., Savage, K. and Wilkinson, K., 2017. Ship Strikes and Entanglements of Gray Whales in the North Pacific Ocean, 1924-2015. Paper SC/67A/HIM/06 presented to the IWC Scientific Committee (unpublished). [Available from the Office of this Journal].
- Scordino, J., Litovka, D., Kim, H.W., Urbán, J. and Cottrell, P., 2020. Ship strikes and entanglements of gray whales in the North Pacific Ocean, 1924-2018: Revised. Paper SC/68B/IST/08 presented to the IWC Scientific Committee (unpublished). [Available from the Office of this Journal].
- Williams, R., Gero, S., Bejder, L., Calambokidis, J., Kraus, S.D., Lusseau, D., Read, A.J. and Robbins, J., 2011. Underestimating the damage: interpreting cetacean carcass recoveries in the context of the Deepwater Horizon/BP incident. Conservation Letters, 4(3): 228-233.

### **Tables and Figures**

Region Name	Acronym	Description
Mexico	Μ	All waters adjacent to Mexico including the wintering lagoons
California	CA	Waters adjacent to California from the Mexico border north to 41° N.
British Columbia to Northern California	NBNC	Waters from 41° N to 52° with the exception of waters of the Puget Sound
Puget Sound	PS	Waters of the Puget Sound and eastern Strait of Juan de Fuca.
Southeast Alaska	SEA	Waters from 52° N to the north and west to the Gul of Alaska
Kodiak Island	К	Waters adjacent to Kodiak Island
Alaska	AK	Alaska not specified to specific area
Far North Feeding Grounds	FN	Northern feeding grounds of gray whales including the Gulf of Alaska, Alaska Peninsula, Bering Sea, Bering Strait, Bristol Bay, Chukchi Sea, and Beaufort Sea
East Kamchatka and Kuril Islands	ЕККК	East Kamchatka and the Kuril Islands
Okhotsk Sea	OS	Areas of the Okhotsk Sea excluding waters adjacent to Sakhalin Island
Sakhalin Island	SI	Waters adjacent to Sakhalin Island
Eastern side of the Sea of Japan and Pacific coast of Japan	EJPJ	Waters adjacent to eastern side of the Sea of Japan and the Pacific coast of Japan
Korea and western side of Sea of Japan	KWSJ	Waters adjacent to Korea and western side of Sea o Japan
Vietnam to South China Sea	VSCS	Waters of Asia south of Korea and the Sea of Japan

Table 1: Regions representing frequently used feeding grounds and migratory coordinators of gray whales.




Figure 1: The observed number of non-hunting human-caused deaths and prorated serious injuries of gray whales in the North Pacific based on available reports from 1974 through 2021.




Figure 2: The proportion of observed mortalities plus serious injury due to net fisheries, pot fisheries, hook and line fisheries, other sources, unknown entanglements, and ship strikes by decade for gray whales in the North Pacific Ocean. The 2020s include 2020 and 2021 whereas other decades include data for all ten years. The period 'Prior to 1980' contains data collected prior to the establishment of nationwide stranding networks and is mostly informed by news reports and regional publications and was not collected as systematically as subsequent decades.

Appendix 1: Summary of Large Cetacean Injury Categories and Criteria (Table 1 from NOAA 2012)

Instructions: Each large cetacean injury event is recorded to the appropriate injury/information category using all available information and scientific judgment, as described in the Procedural Directive. Criteria L10 - L12 accommodate events that lack details necessary for assignment to a more specific category. For a single injury event to which several categories apply, the injury determination with the highest level of severity is assigned. More detailed information or extended observation on an individual case/animal may justify a determination differing from the guidance of this table. An animal that is fully disentangled would generally be considered not seriously injured, unless there is additional evidence of a serious injury. Any injury leading to apparent significant health decline (e.g., skin discoloration, lesions near the nares, fat loss, increased cyamid loads) is a serious injury.

	Injury/ Information	Injury Determination	Criteria
Category			
L1	Ingested gear or hook(s)	SI 3	Swallowed, not simply
10			draped through mouth
L2	Constricting wrap	SI	Tightly wrapped line
			anywhere on body that
			indents the skin or does
			not shift with whale's
			movement, or line that is
			likely to become
			constricting as the whale
			grows. Indication that a
			whale that is heavily
			weighted, anchored or has
			a discolored appendage is
			sufficient evidence of
10	X 1 1 1		constricting gear
L3	Loose wrap, bridled or	NSI4	Loosely wrapped gear
	draped gear		that moves or shifts freely
			with whale's movement.
			Absence of constricting
T 4	External hook	NCL	gear must be confirmed
L4	External nook	NSI	Fishing hook of any size
			on any part of the body
1.5.	Due le setter 5	CT.	(i.e., not ingested)
L5a	Deep laceration5	SI	Laceration with the
			potential to affect major
			artery (e.g., laceration or
			severing at insertion of flipper/fluke), penetrating
			body cavity, or cutting
			bone
L5b	Superficial laceration	NSI	Laceration not deeper
L30	Supernetariaceration	1931	than blubber layer, does
			not affect major artery, or
			cut bone
L6a	Vessel much greater in	SI	Struck by vessel much
Lou	size than whale or vessel		greater in size than the
	$\geq 65'$ and $\geq 10$ knots		whale and traveling
			greater than 10 knots, or
			struck by vessel equal or
			greater than 65' and
			traveling greater than 10
			knots, and no information
			on injury to the whale

L6b	Vessel smaller in size than whale or vessel <65' and >10 knots	Prorate6: 0.20	Struck by vessel smaller in size than the whale and traveling greater than 10 knots, or struck by vessel less than 65' and traveling greater than 10 knots, and no information on injury to the whale. A strike to a calf by a vessel of any size and traveling greater than 10 knots will be considered a serious injury
L6c	Vessel any size ≤10 knots	NSI	Struck by vessel of any size traveling at equal or less than 10 knots and no information on injury to the whale
L7a	Vessel much greater in size than whale or vessel ≥65' and speed unknown	Prorate: 0.56	Struck by vessel much greater in size than the whale traveling at an unknown speed, or struck by vessel equal or greater than 65' and traveling at unknown speed, and no information on injury to the whale. A strike to a calf by a vessel of any size when speed is unknown will be considered a serious injury
L7b	Vessel smaller in size than whale or vessel <65' and speed unknown	Prorate: 0.14	Struck by vessel smaller than the whale traveling at an unknown speed, or struck by vessel less than 65' and traveling at unknown speed, and no information on injury to the whale. A strike to a calf by a vessel of any size when speed is unknown will be considered a serious injury
L8	Dependent7	SI	Dependent calf of a dead or seriously injured mother
L9	Brought on deck	SI	Whale removed from water and brought on deck
L10	Evidence of entanglement	Prorate: 0.75	Confirmed entanglement but insufficient information available to

			place in any of the L1-L4 criteria with a high degree of certainty
L11	Vessel strike laceration	Prorate: 0.52	Whale confirmed with non-entanglement related laceration but lacking details to place in either criteria L5a or L5b with a high degree of certainty. Includes observation of blood in water
L12	Vessel strike observed	Prorate: 0.36	Confirmed vessel strike report where there is insufficient detail to assign event to criteriaL6a – L7b with a high degree of certainty. A strike to a calf by a vessel of unknown size traveling at an unknown speed will be considered a serious injury

Appendix 2. All known reports of NHHCIM of gray whales in the North Pacific Ocean. Rows with orange highlight depict cases that were documented for the current analysis that were not included in Scordino et al. (2017). Injury determinations are SI – Serious Injury, NSI – Non Serious Injury, and Dead. SI are assigned a prorated chance of mortality as reported in appendix 1. Highlighted rows present data that were not included in Scordino et al. (2020) including all records from 2019 to 2021 and some records prior to 2019.

Data	Lesstian	Model	<b>6</b>	luto un sti ou	Fisher	Demode	<b>C</b>	Final Assessment	SI Proration
Date	Location	Region	Season	Interaction	Fishery	Remarks	Source	and Criteria	Value
						A young California gray whale reported to enter a sardine net. Whale broke through net but much of the net went with the	Oakland		
28-Oct-24	Monterey, CA	CA	Feedina	Net Fishery	Sardine Net	whale, draped over the whale's head.	Tribune	SI - L10	0.75
20-001-24	Toyama (Toyama	04	recurry	Netristiery	Saluine Net	whale, draped over the whale's head.	THDUITE	01-110	0.75
16-Mar-55	Bay) 36 41N, 137 12'E	EJPJ	Migratory	Unknown Entanglement	Unknown		Kato et al. 2016	Dead	1
				0		Whale entrapped itself in a dock between pilings. Whale			
						injured itself against the ocean liner President Hayes in trying to			
						escape. The whale was still stuck after the ocean liner was	Pottstown		
					Dock	pulled away from dock. The whale was shot and killed by a	Mercury, 12		
9-Jan-61	San Francisco, CA	CA	Migratory	Other	Entrainment	humane officer.	January 1961	Dead	1
	San Diego County, Silverstand State								
1-Mar-61	Park	CA	Migratory	Net Fishery	Net Unknown	Stranded in some nets and exhibited injury	Brownell, 1971	Dead	1
						Whale caught in net, net caught propeller of vessel,	The Daily		
						sharpshooters fired eight rifle shots to kill the whale. Boat	Herald, Provo,		
10 1.1 00	Hermosa Beach,	~	E e e dire e	Net Fishers	Nat Halvanova	became entangled when fisherman tried to rescue whale.	Utah, 16 July 1962	Deed	4
13-Jul-62	CA	CA	Feeding	Net Fishery	Net Unknown	[According to Brownell, 1971 event occurred on 13 Jun 1962]	LA Times - 28	Dead	<u> </u>
	Imperial Beach,					Stranded. "Deep gash in its back and side indicated the	Jan 1963:		
27-Jan-63	CA	CA	Migratory	Ship Strike		possible cause of whale's death.	Brownell, 1971	Dead	1
15-Jun-63	La Jolla	CA	Feedina	Net Fishery	Net Unknown	Whale caught in net and shot	Brownell, 1971	Dead	1
10 0011 00	Portuguese Bend,	0/1	rooung	Not Honory			Brownon, Tor T	2000	· ·
	Los Angeles								
1-Aug-63	County	CA	Feeding	Net Fishery	Net Unknown	Stranded after being caught in net	Brownell, 1971	Dead	1
	,			,		Whale was presumably one that drowned in a fisherman's net	,		
						two-weeks ago (April 2, 1967 according to LA Times; whale	Independent		
	Pales Verdes					released from net after having been in net for more than 15	(Long Beach)		
19-Apr-67	Peninsula, CA	CA	Migratory	Net Fishery	Net Unknown	hours)	19 April 1967	Dead	1
							NOAA NWR -		
							Joe Scordino		
31-Mar-70	Hoh Head	NBNC	Migratory	Pot Fishery	Crab Pot	Live report. Crab float on flukes.	files	SI - L10	0.75
	Toyama (Toyama								
4.4 -0	Bay) 36 41N, 137			Unknown				<b>D</b> 1	
1-Apr-70	12'E	EJPJ	Migratory	Entanglement	Unknown		Kato et al. 2016	Dead	1
						Calf captured by Sea World for research and display. Whale	The Burlington		
	100 miles south of				Dessert	was freed in March of 1972. 1977 article in Pittsburg Press	Free Press, 19		
19-Mar-71	400 miles south of San Diego	М	Migratory	Other	Research Hoop Net	suggests Gigi was confirmed alive based on photographs at the	Mar 1971, main edition	SI - L9	1
19-11/11-11	Sall Diego	IVI	wigratory	Ullei	noop wet	lagoon.	CULLION	01 - L9	1

2-Oct-74	San Clemente, CA	CA	Feeding	Net Fishery	Net Unknown	Gray whale caught in net but managed to struggle free	The Greenville News, main edition, 6 Oct 1974	NSI - Self- released	0
23-Jan-75	San Diego, CA	CA	Migratory	Ship Strike		USCG 72-ton hydrofoil hit whale while traveling 50 mph. The tail was almost severed and the fin was badly cut. Whale died and towed out to sea. Vessel was considerably damaged.	The Indiana Gazette, 24 Jan 1975, page 14	Dead	1
15-Jul-75	Pt. Vincent, CA	CA	Feeding	Net Fishery	Net Unknown	28 foot gray whale washed ashore and will be dissected. It may have drowned after becoming entangled in a fishing net. On dissection noted parts of net embedded in tail.	Independent (Long Beach) 18 July 1975	Dead	1
6-Mar-76	Cape Mears	NBNC	Migratory	Ship Strike		Deep propeller cuts laterally extending into peritoneal.	NOAA NWR - Joe Scordino files	Dead	1
17-Feb-77	Neskowin	NBNC	Migratory	Ship Strike		Fractured tail stock; large abrading wound. Unknown if caused by vessel collision. Strand numbers SEAN 2075, OSU MM77-3 Fractured skull, propeller slash on peduncle and flukes severed	NOAA NWR - Joe Scordino files NOAA NWR -	Dead	1
20-Feb-77	North Cove	NBNC	Migratory	Ship Strike		suggesting collision. Lactating. Strand numbers SJJ-076, SEAN 2076 Lifeguard Pierce said the huge body bore many wounds, and	Joe Scordino files	Dead	1
16-Mar-77	Huntington Beach	CA	Migratory	Ship Strike		photographs showed marks similar to those that might have been made by a big ship's propellers	LA Times, 16 Mar 1977 The Statesman	Dead	1
18-Mar-78	Winchester Bay, OR	NBNC	Migratory	Pot Fishery	Pot Gear	Barnacle encrusted whale caught in crap pot line, sighted by USCG. Could not find later.	Journal, Salem 18 May 1978 NOAA NWR -	SI - L10	0.75
14-Sep-78	Neah Bay	NBNC	Feeding	Net Fishery	Gillnet	entangled in gillnet; skeleton curated by UPS museum. Strand number SJJ-144, UPS-26811, SEAN 3358, MMD-78-003	Joe Scordino files NOAA NWR -	Dead	1
29-May-79	Neah Bay	NBNC	Migratory	Net Fishery	Gillnet	tangled in gillnet and released [most likely a salmon set net]	Joe Scordino files	NSI - Released	0
1-Mar-80	Halfmoon Bay, CA	CA	Migratory	Ship Strike		The huge whale was killed when struck by a freighter this weekend. Could have been Feb 29th.	Santa Cruz Sentinel, 7 Mar 1980 page 42	Dead	1
2-Apr-80	Cabrillo Beach, CA	CA	Migratory	Unknown Entanglement	Unknown	Lifeguard dove with whale to disentangle it from a bundle of rope wrapped around tail of whale. Whale was disentangled.	Argus Leader (Sioux Falls, SD), 4 Apr 198-	NSI - Released	0
15-Apr-80	Cape Lookout	NBNC	Migratory	Pot Fishery	Pot Gear	caught on crab pot line. Live, status unknown. Report number SEAN 5182	NOAA NWR - Joe Scordino files	SI - L10	0.75
14-Sep-80	Cape Flattery	NBNC	Feeding	Net Fishery	Net Unknown	live report, tangled in net. Reported by NMML	NOAA NWR - Joe Scordino files	SI - L10	0.75
1980-1982	Willapa Bay	NBNC		Pot Fishery	Crab Pot	Status unknown	NOAA NWR - Joe Scordino files	SI - L10	0.75
1981	Columbia River	NBNC		Net Fishery	Gillnet	Released.	NOAA NWR - Joe Scordino files	NSI - Released	0

						live, self released. Ripped through salmon gillnet. [may be	NOAA NWR - Joe Scordino	NSI - Self-	
1-Feb-81	Columbia River	NBNC	Migratory	Net Fishery	Gillnet	same as 1981 gillnet report]	files	released	0
14-Mar-81	Santa Barbara, CA	CA	Migratory	Net Fishery	Gillnet	stranding. gillnet on caudal peduncle	Heyning and Lewis, 1990	Dead	1
5-May-81	Yaquina Bay	NBNC	Migratory	Pot Fishery	Crab Pot	live; caught in crab pot line; released. Strand number SEAN 6171 [not mention if self release or with assistance]	NOAA NWR - Joe Scordino files	NSI - Released	0
15-May-81	Seguim Bay	PS	Migratory	Net Fishery	Gillnet	Live report. Sighted with gillnet on flukes. Strand report SEAN 6173	NOAA NWR - Joe Scordino files	SI - L10	0.75
19-May-81	San Francisco, CA	CA	Migratory	Net Fishery	Net Unknown	30 foot gray whale ensnared in loose fishing net, visible from bridge during rush hour. Biologist from UC Berkley called to help free whale - no note on whether successful.	The Des Moines Register, 20 May 1981	SI - L10	0.75
30-May-81	Neah Bay	NBNC	Migratory	Net Fishery	Set Gillnet	Live, released. Caught in tribal set net; released. Strand number SEAN 6175	NOAA NWR - Joe Scordino files	NSI - Released	0
4-Jun-81	Palix River	NBNC	Feeding	Net Fishery	Shark Gillnet	Shark gillnet draped on whale; 37 pounds of net on flukes, tangled on bridge pilings, asphyxiated and died. Whale was seen alive on 5/31/81 at Willapa.	NOAA NWR - Joe Scordino files	Dead	1
15-Jun-81	Seattle	PS	Feeding	Other	Entrainment	Live, release. Ballard Locks; swam out [not entirely sure what report means but I am guessing whale swam into one of the locks for boats and got out]	NOAA NWR - Joe Scordino files	NSI - Self- released	0
22-Jun-81	Wauna	PS	Feeding	Hook and line	Hook and Line	Fishline and hooks in tongue; emaciated. Weight estimated at 3500 kg	NOAA NWR - Joe Scordino files	Dead	1
1-Aug-81	Newport	NBNC	Feeding	Net Fishery	Gillnet	Monofilament gillnet cut off flukes. [I assume this is 'cut off of flukes']	NOAA NWR - Joe Scordino files	NSI - Released	0
23-Dec-81	Everett	PS	Migratory	Net Fishery	Gillnet	unconfirmed report - caught in gillnet and released.	NOAA NWR - Joe Scordino files	NSI - Released	0
23-Mar-82	La Conchita, BEACH SOUTH OF RINCON POINT, VENTURA	СА	Migratory	Net Fishery	Gillnet	GILLNET WRAPPED AROUND TAIL [874 cm length according to Heyning and Lewis, 1990]	SWR Entanglement Database	Dead	1
1983	Alaska	AK	mgratory	Net Fishery	Gillnet	Whale passed through net 4 times, several whales ripped net.	Northwest Regional Office - Joe Scordino files	SI - L10	0.75
1983	Alaska	AK		Net Fishery	Gillnet	whale was in net and scared off with seal bombs. No note on whether the whale kept gear after leaving. Martin's net.	Northwest Regional Office - Joe Scordino files	SI - L10	0.75
1983	Alaska	AK		Net Fishery	Gillnet	Thru net; ripped net; Soresen's net	Northwest Regional Office - Joe Scordino files	SI - L10	0.75

31-Jan-83	San Diego, CA	CA	Migratory	Unknown Entanglement	Unknown	Floating. Possible rope marks at axilla and on right side.	Heyning and Lewis, 1990	Dead	1
		0/1	mgratory	Entanglomont	Children	In lagoons a tour group was watching a gray whale calf when a	Press and Sun	Doud	•
	Guerrero Negro,					larger whale struck their boat. At least two passengers died.	Bulletin, 2 Mar		
2-Mar-83	Mexico	М	Migratory	Ship Strike		The report on the status of the whale.	1983	NSI - L6C	0
				Unknown			Baird et al.		
1-Apr-83	China Beach, BC	NBNC	Migratory	Entanglement	Unknown	Unknown entanglement, Dead	2002	DEAD	1
							Baird et al.		
17-May-83	Estevan Point, BC	NBNC	Migratory	Net Fishery	Gillnet	Gillnet, Dead	2002	DEAD	1
							NOAA NWR -		
00 1 00	Area 4B, Neah		E l'a	No. Charles	0	On a buller tells at a standard	Joe Scordino	Deed	4
28-Jun-83	Вау	NBNC	Feeding	Net Fishery	Set Gillnet	Caught in tribal set net; died.	files	Dead	1
1 Nov 92	Santa Maniaa CA	CA	Fooding	Other	Steel Wire	Gray whale was disentangled from steel wire by two CDFG wardens but later washed in dead	LA Times 14	Dood	1
1-Nov-83	Santa Monica, CA	UA	Feeding	Uller			Jul 1984 SWR	Dead	1
	Rancho Palos						Entanglement		
9-Dec-83	Verdes	CA	Migratory	Net Fishery	Gillnet	Portions of gillnet on carcass	Database	Dead	1
20000	101000	011	migratory	Hot Fionory			Northwest	2000	
							Regional Office		
							- Joe Scordino		
1984	Alaska	AK		Net Fishery	Gillnet	Gillnet destroyed. Sorensen's net.	files	SI - L10	0.75
				,			Northwest		
							Regional Office		
							- Joe Scordino		
1984	Alaska	AK		Net Fishery	Gillnet	thru net; webster's net.	files	SI - L10	0.75
							NOAA NWR -		
							Joe Scordino		
1984	Columbia River	NBNC		Net Fishery	Gillnet	dead	files	Dead	1
							NOAA NWR -		
						In Cheeka's net. Gear damaged; Makah set net. Status of	Joe Scordino		
1984	Neah Bay	NBNC		Net Fishery	Gillnet	whale not reported.	files	SI - L10	0.75
				Ustan			NOAA NWR -	NO	
0.1	O's Hashas	DO	Manada	Unknown	I I al a su a s	lands d'a serve selected. Ober describes MME 20004	Joe Scordino	NSI -	0
2-Jan-84	Gig Harbor	PS	Migratory	Entanglement	Unknown	tangled in ropes, released. Strand number MME 00884.	files	Released	0
11 Eak 01	HUNTINGTON BEACH	CA	Migrator	Chin Ctrilica		LEFT PECTORAL BROKEN OUT OF SOCKET; BACK BROKEN BEHIND BLOWHOLE	SWR CA 1983- 87 datasheet	Dead	1
11-Feb-84		UA	Migratory	Ship Strike		ENTANGLED IN SET GILLNET; 10 FT OF HEMP ROPE	or ualasheet	Dead	I
						TRAILING FROM ANIMAL; CONSIDERED A SUCCESSFUL	SWR		
	Rancho Palos					DISENTANGLEMENT BECAUSE THOUGHT ROPE WOULD	Entanglement		
18-Feb-84	Verdes	CA	Migratory	Net Fishery	Set Gillnet	'ROT OFF.',	Database	SI - L10	0.75
10-1 60-04	v GIUGO	UΠ	iviigiatui y	NGLI ISHCIY		NOT 011.,	NOAA NWR -	01-110	0.15
						6 fathoms of 8" gillnet around tail. WA State Parks buried	Joe Scordino		
3-Mar-84	Fort Canby	NBNC	Migratory	Net Fishery	Gillnet	carcass. [same as 1984 Columbia River entanglement?]	files	Dead	1
							SWR		•
							Entanglement		
21-Mar-84	Huntington Beach	CA	Migratory	Net Fishery	Gillnet	Gillnet around tail.	Database	Dead	1
	- 0	-	<u> </u>				NOAA NWR -		
				Unknown			Joe Scordino		
11-Apr-84	Keyport	PS	Migratory	Entanglement	Unknown	tangled on ropes anchored to bottom. Asphyxiated.	files	Dead	1

24-Apr-84	Boundary Bay, BC	NBNC	Migratory	Unknown Entanglement	Unknown	Unknown entanglement, Dead	Baird et al. 2002	DEAD	1
	ž •			2			SWR		
4.1404	0	~	Manada	Not Eicher	0''''''''''''''''''''''''''''''''''''''	O is the sillest encoded and so the	Entanglement	Deed	4
4-May-84	Cayucos	CA	Migratory	Net Fishery	Gillnet	8 inch gillnet around peduncle,	Database NOAA NWR -	Dead	1
Feb-Mar							Joe Scordino		
1984	Columbia River	NBNC	Migratory	Net Fishery	Gillnet	Thru net. Johnson's net.	files	SI - L10	0.75
4-Jan-85	13 MILES OFFSHORE DANA POINT	СА	Migratory	Net Fishery	Gillnet	COMPLETELY WRAPPED IN MONOFILAMENT GILLNET SEVERAL TIMES; 1/2 INCH POLYPRO LINE, NORWEGIAN FLOATS ATTACHED TO FLUKES; RIGHT PECTORAL FIN BADLY ABRAIDED; SIGNIFICANT BLEEDING [Heyning and Lewis recorded that it was alive and partially released by B. Talbot and resignted of Santa Barbara Island]	SWR Entanglement Database	SI - L10	0.75
+-0011-00	20 MILES	UA	Migratory	Nethistery	Gilliot		Database		0.75
10-Jan-85	SOUTHWEST OF SANTA BARBARA ISLAND	CA	Migratory	Net Fishery	Gillnet	Entangled in gillnet,	SWR Entanglement Database	Dead	1
							Saez et al.		
14-Jan-85	Santa Barbara	CA	Migratory	Net Fishery	Gillnet		2020 SWR	DEAD	1
27-Jan-85	Camp Pendleton	CA	Migratory	Hook and Line	Hook and Line	FISHING LINE AROUND FLIPPERS; SLITTING ONE EYE; AND HOLDING WAD OF SEAWEED IN THROAT;,	SWR Entanglement Database	Dead	1
	SOUTH OF	0,1	ingratory				SWR	2000	·
	SANTA CRUZ						Entanglement	NSI -	
28-Jan-85	ISLAND	CA	Migratory	Net Fishery	Set Gillnet	Entangled in gillnet, described as set net,	Database	Released	0
29-Jan-85	Mexico	М	Migratory	Net Fishery	Gillnet	ENTANGLED IN GILLNET; Status Unknown	SWR database	SI - L10	0.75
7-Feb-85	Port Hueneme, SPOTTED OFFSHORE PORT HUENEME AND OFFSHORE POINT MUGU	СА	Migratory	Net Fishery	Net Unknown	ANIMAL TOWING 1/4 MILE OF GILLNET; SPOTTED BY NEWS HELICOPTER,	SWR Entanglement Database	SI - L10	0.75
	Vendenheur Air			Unknown			SWR		
11-Feb-85	Vandenberg Air Force Base	CA	Migratory	Unknown Entanglement	Unknown	TAIL ENTANGLED BY UNIDENTIFIED ROPE AND A POLYSTYRENE FLOAT.	Entanglement Database	Dead	1
15-Feb-85	Huntington Beach, OFFSHORE, HUNTINGTON BEACH	CA	Migratory	Net Fishery	Gillnet	Entangled in gillnet [alive according to Heyning and Lewis, 1990]	SWR Entanglement Database	SI - L10	0.75
	Anacapa Island, 5 MILES NORTH OF ANACAPA					TOWING LOBSTER TRAP LINE AND FLOAT FROM TAIL,	SWR Entanglement		
21-Feb-85	ISLAND	CA	Migratory	Pot Fishery	Lobster Pot	ANIMAL APPEARED TO BE HAVING DIFFICULTY DIVING	Database	SI - L2	1
	Huntington Beach, OFFSHORE BOLSA CHICA STATE BEACH, HUNTINGTON						SWR Entanglement		
23-Feb-85	BEACH	CA	Migratory	Net Fishery	Gillnet	Entangled in gillnet,	Database	SI - L10	0.75

							You Tube (Canal 9 La		
1-Mar-85	Bahía de La Paz	М	Breeding	Net fishery	Gillnet	fishing net around the head, stranded near to La Paz, BCS	paz)	Dead	1
40 Max 05	San Diego, OFFSHORE POINT LOMA,	0.1	Minister	NetFisher	0.1.0"		SWR Entanglement	Dead	4
12-Mar-85	SAN DIEGO Seal Beach,	CA	Migratory	Net Fishery	Set Gillnet	Entangled in gillnet, described as set net,	Database SWR	Dead	1
12-Mar-85	OFFSHORE SEAL BEACH PIER	CA	Migratory	Unknown Entanglement	Unknown	Entangled, swimming towards beach	Entanglement Database	Dead	1
	San Pedro, LOS ANGELES HARBOR; CABRILLO					Entangled in gillnet, described as set net [self released	SWR Entanglement	NSI - Self-	
25-Mar-85	BEACH PIER	CA	Migratory	Net Fishery	Set Gillnet	according to Heyning and Lewis, 1990]	Database	released	0
							SWR Entanglement		
30-Mar-85	Oxnard	CA	Migratory	Net Fishery	Gillnet	Entangled in unknown net,	Database	Dead	1
	Avalon, 10 MILES NORTHEAST OF AVALON, CATALINA						SWR Entanglement		
30-Mar-85	ISLAND	CA	Migratory	Net Fishery	Gillnet	Entangled in unknown net,	Database	SI - L10	0.75
30-Mar-85	Ventura	CA	Migratory	Net Fishery	Gillnet		Saez et al. 2020	DEAD	1
31-Mar-85	Ventura	CA	Migratory	Net Fishery	Gillnet		Saez et al. 2020	DEAD	1
	Rosarito Beach.					During sail boat race a 41 foot sloop hit a whale while being pushed by a gentle southeasterly one mile off Rosario Beach. The whale became enraged and rammed the boat three times and hit it with its tail on the transom. [website for race says it is	LA Times. 14		
1-Apr-85	CA	CA	Migratory	Ship Strike		in April for 2017, not sure on timing in 1985]	Aug 1985	SI - L7b	0.14
2-Apr-85	Sunset Cliffs, CA	CA	Migratory	Net Fishery	Halibut Gillnet	Stranding. Halibut gillnet entangled in mouth, around blowhole and wrapped around right flipper, photo in Leatherwood et al. 1987:6	Heyning and Lewis, 1990	Dead	1
			<u> </u>	, , , , , , , , , , , , , , , , , , ,		CARCASS WRAPPED IN GILLNET; DESCRIBED AS SET NET; CARCASS TRANSPORTED TO LANDFILL (MIRAMAR DUMP) & BURIED BY CITY OF SAN DIEGO; GILLNET COLLECTED & TAKEN TO SOUTHWEST FISHERIES	SWR Entanglement		
4-Apr-85	Ocean Beach	CA	Migratory	Net Fishery	Set Gillnet	CENTER,	Database	SI - L10	0.75
8-Apr-85	La Jolla, IN SURF ZONE, LA JOLLA	CA	Migratory	Net Fishery	Set Gillnet	GILLNET ENTANGLING NEONATE; DESCRIBED AS SET NET, Swimming	SWR Entanglement Database	SI - L10	1
11-Apr-85	Long Beach Peninsula, WA	NBNC	Migratory	Ship Strike		Hit by a large vessel, unknown if the live when hit. 3 slashes. Flukes cut off; back broken, props severed the vertebrae; posterior to ventral prop slash. Length from Douglas et al. 2008	NWR-stranding database	Dead	1
17-Apr-85	San Diego, CORONADO ISLAND	CA	Migratory	Net Fishery	Set Gillnet	Entangled in gillnet, described as set net, Swimming	SWR Entanglement Database	SI - L10	0.75

23-Apr-85	Eureka, OFFSHORE EUREKA	NBNC	Migratory	Pot Fishery	Dungeness Crab	ENTANGLED IN CRAB POT LINES; ANIMAL SUCCESSFULLY RELEASED ALIVE BUT LIMITED INFORMATION AS TO HOW, ,	SWR Entanglement Database	NSI - Released	0
12-May-85	Pigeon Point, 100 YARDS DIRECTLY OFF PIGEON POINT, SAN MATEO	CA	Migratory	Unknown Entanglement	Unknown	TAIL APPEARS TO BE ENTANGLED IN SOME KIND OF LINE; APPEARS TEATHERED TO THE OCEAN BOTTOM WITH LINE,	SWR Entanglement Database	Dead	1
14-Jul-85	San Pedro, IN KELP OFF WHITE'S POINT, SAN PEDRO	CA	Feeding	Net Fishery	Set Gillnet	DEAD STRANDING ON SUNSET BEACH; GILLNET CUTS ON MANY PARTS OF EPIDERMIS; SET NET; ANIMAL WRAPPED IN GILLNET; DESCRIBED AS SET GILLNET,	SWR Entanglement Database	Dead	1
29-Jan-86	Point Loma, OFFSHORE POINT LOMA, SAN DIEGO	СА	Migratory	Net Fishery	Set Gillnet	Entangled in gillnet, described as set net,	SWR Entanglement Database	SI - L10	0.75
	Malibu, OFFSHORE ZUMA BEACH,			,			SWR Entanglement		
11-Feb-86 24-Feb-86	MALIBU Malibu, POINT DUME, MALIBU	CA	Migratory Migratory	Net Fishery Net Fishery	Set Gillnet Gillnet	Entangled in gillnet, described as set net, ENTANGLED IN GILLNET, POSSIBLY HALIBUT GILLNET; DISENTANGLEMENT BY A LIFEGUARD WHO WAS ABLE TO CUT ANCHOR ROPE OFF NET; ANIMAL THEN SWAM AWAY; TRAILING THE REMAINDER OF THE NET,	Database SWR Entanglement Database	<u>SI - L10</u> SI - L10	0.75
28-Feb-86	Pt. Loma, CA	CA	Migratory	Net Fishery	Gillnet	Alive. Neonate wrapped in gillnet [date was recorded inaccurately as 29 Feb 1986 in Heyning and Lewis, JS changed to 28 Feb 1986]	Heyning and Lewis, 1990	SI - L10	1
4-Mar-86	OFF BALBOA PIER, NEWPORT BEACH	CA	Migratory	Pot Fishery	Pot Gear	TANGLED IN TRAP LINE/TRAP GEAR, Swimming normally	SWR Entanglement Database	SI - L10	0.75
10-Mar-86	OFF HORSESHOE KELP, HUNTINGTON BEACH	СА	Migratory	Net Fishery	Gillnet	ENTANGLED IN GILLNET; RELEASED WITH 30 FT OF NET,	SWR Entanglement Database	SI - L10	0.75
22-Mar-86	NEAR MONTEREY HARBOR ENTRANCE	СА	Migratory	Net Fishery	Gillnet	TOWING ABOUT 20 'BASEBALL SIZED' FLOATS AND NETTING.	SWR Entanglement Database	SI - L10	0.75
31-Mar-86	OUTSIDE OF SANTA BARBARA HARBOR	CA	Migratory	Net Fishery	Halibut Gillnet	ENTANGLED IN GILLNET; CAUGHT IN ACTIVE HALIBUT GILLNET,	SWR Entanglement Database	SI - L10	0.75
1-Apr-86	Santa Barbara	CA	Migratory	Unknown Entanglement	Unknown		Saez et al. 2020	SI - L10	0.75
2-Apr-86	OFFSHORE OCEANSIDE	CA	Migratory	Unknown Entanglement	Unknown	ENTANGLED; ANIMAL DISENTANGLED, NO NOTES ON DISENTANGLEMENT [Heyning thought partial release]	SWR Entanglement Database	SI - L10	0.75
2-Apr-86	Santa Barbara	CA	Migratory	Net Fishery	Unknown		Saez et al. 2020	SI - L10	0.75

							NOAA NWR - Joe Scordino		
3-Apr-86	Newport	NBNC	Migratory	Pot Fishery	Crab Pot	live. Sighted tangled in crab line. OSU report	files	SI - L10	0.75
			<b>J J J J</b>				SWR		
	SANTA BARBARA			Unknown		ENTANGLED; DISENTANGLED, UNCERTAIN ABOUT	Entanglement		
10-Apr-86	COUNTY	CA	Migratory	Entanglement	Unknown	RESPONSE [HEYNING THOUGHT PARTIAL RELEASE]	Database	SI - L10	0.75
				U		FRESH CUTS ON LEFT FRONT FLIPPER & LEADING			
	Gaviota, GAVIOTA					EDGES OF BOTH SIDES OF FLUKES; POSSIBLE NET/ROPE	SWR		
	STATE BEACH,			Unknown		, BUT NOT PRESENT ON CARCASS, SUSPECT	Entanglement		
15-Apr-86	SANTA BARBARA	CA	Migratory	Entanglement	Unknown	ENTANGLEMENT,	Database	Dead	1
	OFF BELMONT					ENTANGLED AROUND CAUDAL PEDUNCLE AND FLUKE	SWR		
	OIL ISLAND,					BY SYNTHETIC YELLOW LINE AND MONOFILAMENT	Entanglement		
25-Apr-86	LONG BEACH	CA	Migratory	Net Fishery	Set Gillnet	GILLNETTING, BLACK FLAGS ON FLOATS; SET NET,	Database	SI - L10	0.75
						EITHER MOTHER OR CALF ENTANGLED IN TRAPLINE;	SWR		
	Malibu,					UNCLEAR WHICH ONE IS ENTANGLED; SUSPECT	Entanglement		
25-Apr-86	PARADISE COVE	CA	Migratory	Net Fishery	Gillnet	HALIBUT GEAR, Swimming	Database	SI - L10	0.75
	Encinitas,						SWR		
	ENCINITAS, SAN						Entanglement		
27-Apr-86	DIEGO	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN UNIDENTIFIED NET,	Database	SI - L10	0.75
	OFFSHORE								
	REFUGIO STATE						SWR		
	BEACH, SANTA						Entanglement		
27-Apr-86	BARBARA	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN UNIDENTIFIED NET,	Database	SI - L10	0.75
	Off Los Angeles,			Unknown			Heyning and		
29-Apr-86	CA	CA	Migratory	Entanglement	Unknown	Alive. Released (probably only partial release)	Lewis, 1990	SI - L10	0.75
							NOAA NWR -		
							Joe Scordino		
28-May-86	Bellingham Bay	PS	Migratory	Pot Fishery	Pot Gear	Live. Sighted with rope/line/buoy on tail.	files	SI - L10	0.75
	San Pedro,						SWR		
	ALONG					ENTANGLED IN MONOFILLAMENT SET GILLNET, Swimming	Entanglement		
28-Dec-86	BREAKWATER	CA	Migratory	Net Fishery	Set Gillnet	south	Database	SI - L10	0.75
						ANCHORED TO OCEAN FLOOR WITH MONOFILAMENT			
	San Pedro, 1000					SET NET, 2-3 INCH STRETCH OPENING MESH, YELLOW			
	YARDS					POLYPRO LINES ON CAUDAL PEDUNCLE, Swam away after	SWR		
	OFFSHORE					entanglement removed [Heyning reports that net remained on	Entanglement		
31-Dec-86	POINT FERMIN	CA	Migratory	Net Fishery	Set Gillnet	whale when it swam off]	Database	SI - L10	0.75
							Northwest		
							Regional Office		
							- Joe Scordino		
1987	Alaska	AK		Net Fishery	Gillnet	entangled in gillnet	files	SI - L10	0.75
	1.5 MILES						011/5		
	SOUTHWEST OF						SWR		
o	PALOS VERDES	~ .				BLEEDING WOUNDS FROM SET GILLNET WRAPPED	Entanglement		
6-Jan-87	POINT	CA	Migratory	Net Fishery	Set Gillnet	TIGHTLY AROUND FLUKES, Swimming west	Database	SI - L2	1
	1/2 MILE SOUTH								
	OF ARROYO					DEAD STRANDING; APPEARED TO HAVE BEEN HIT BY A	SWR Ship		
21-Jan-87	GRANDE CREEK	CA	Migratory	Ship Strike		BOAT PROPELLER	Strike Database	Dead	1
						Dead. Animal was observed entangling itself in set gillnet by			
	B	~ .			0	Sjors Horstman on 22 January; after about 5 min. of thrashing,	Heyning and	<b>.</b> .	
22-Jan-87	Palos Verdes, CA	CA	Migratory	Net Fishery	Gillnet	the whale did not surface again; dead whale floated to surface	Lewis, 1990	Dead	1

						wrapped in gillnet on 29 January; on 20 Jan. a Calif. Dept. of Fish & Game boat examined floating whale and removed netting; whale stranded on 31 January and was examined by J. Heyning; by this time it was impossible to document that it has been entangled in a gillnet.			
29-Jan-87	Los Angeles	CA	Migratory	Net Fishery	Unknown		Saez et al. 2020	DEAD	1
5-Feb-87	Malibu, LA CHUSA POINT; WEST OF TRANCAS BEACH, MALIBU	СА	Migratory	Net Fishery	Set Gillnet	ANIMAL WRAPPED UP IN SET GILLNET BY FLUKES AND ANCHORED TO THE BOTTOM, ID NUMBERS WERE ON LARGE RED FLOATS, Could surface but not moving, aggressive during entanglement response, swam south after release [Heyning and Lewis report that 5 m of net remained on whale]	SWR Entanglement Database	SI - L10	0.75
6-Feb-87	San Pedro, AT END OF WEYMOUTH ROAD, SAN PEDRO	СА	Migratory	Net Fishery	Gillnet	NET MARKS AROUND FLIPPERS AND THORACIC REGION; SUSPECT ENTANGLEMENT, BUT NOT GEAR FOUND ON CARCASS,	SWR Entanglement Database	Dead	1
14-Feb-87	50 METERS FROM SOUTHEAST SIDE OF VENTURA RIVER MOUTH	CA	Migratory	Ship Strike		DEAD STRANDING; 4-5 PROPELLER LACERATIONS THROUGH VERTEBRAE DORSALLY AT BASE OF TAIL; SKIN SLOUGHING	SWR Ship Strike Database	Dead	1
5-Mar-87	Newport Beach, OFF BALBOA PIER, NEWPORT BEACH	CA	Migratory	Pot Fishery	Pot Gear	TRAILING SMALL BULLET BUOY AND LINE; CRAB AND LOBSTER TRAP GEAR, Heading north along the coast	SWR Entanglement Database	SI - L10	0.75
11-Mar-87	Palos Verdes, CA	CA	Migratory	Unknown Entanglement	Unknown	Alive. Entangled juvenile. [Reported as dead and floating belly up in LA Times on 13 Mar 87]	Heyning and Lewis, 1990	SI - L10	0.75
1-Apr-87	Port Orford	NBNC	Migratory	Pot Fishery	Crab Pot	Live. Caught on crab pot line. OSU report.	NOAA NWR - Joe Scordino files	SI - L10	0.75
2-Apr-87	Oceanside, OCEANSIDE, SAN DIEGO	CA	Migratory	Net Fishery	Net Unknown	ENTANGLED IN UNIDENTIFIED NETTING; RELEASE ATTEMPT SUCCESSFUL,	SWR Entanglement Database	NSI - Released	0
5-Apr-87	Oxnard, OXNARD	CA	Migratory	Unknown Entanglement	Unknown	ENTANGLED IN UNKNOWN GEAR; DISENTANGLED, BUT LIMITED INFORMATION [Heyning and Lewis report that probably only partial release]	SWR Entanglement Database	SI - L10	0.75
6-Apr-87	Oceanside, OCEANSIDE, SAN DIEGO	CA	Migratory	Net Fishery	Halibut Gillnet	ENTANGLED IN GILLNET; DESCRIBED AS SET NET, [Heyning reports as halibut net and that released by Sea World]	SWR Entanglement Database	NSI - Released	0
10-Apr-87	Malibu, OFF POINT DUME, MALIBU	CA	Migratory	Net Fishery	Set Gillnet	ENTANGLED IN GILLNET; ID NUMBERS FROM GEAR USED TO CONTACT OWNER AND NMFS ATTORNEY LETTER INCLUDED,	SWR Entanglement Database	SI - L10	0.75
12-Apr-87	Zuma Beach, CA	CA	Migratory	Net Fishery	Gillnet	Alive. Released by lifeguards from halibut net. (probably only partial release)	Heyning and Lewis, 1990	SI - L10	0.75
17-Apr-87	Carlsbad, TIERRA DEL MAR REEF; SOUTH OF	CA	Migratory	Net Fishery	Set Gillnet	DEAD STRANDING; ANIMAL ENTANGLED IN GILLNET; DESCRIBED AS SET NET,	SWR Entanglement Database	Dead	1

	POWER PLANT, CARLSBAD								
20-Apr-87	NAVAL WEAPONS STATION	CA	Migratory	Ship Strike		DEAD STRANDING; 18 PROPELLER SLASHES ANTERIOR TO GENITAL SLIT DOWN TO CAUDAL PEDUNCLE	SWR Ship Strike Database	Dead	1
2-May-87	FORT BAKER	CA	Migratory	Ship Strike		DEAD STRANDING; PROPELLER CUTS, INDICATING COLLISION WITH LARGE VESSEL; LACTATING	SWR Ship Strike Database	Dead	1
2-111ay-01	TONTBANEN	UA	Inigratory	Unknown		entangled, reported as human interaction, estimated to be 20	Alaska	Deau	I
4-May-87	Perryville	FN	Migratory	Entanglement	Unknown	feet	Regional Office	DEAD	1
	21 MILES NORTHWEST OF		<u> </u>			GRAY WHALE ENTANGLED IN FISHING NET OFF OF POINT LOMA REPORTED BY FISHERMAN WHO HAD SNAGGED IT WHILE 'TROLLING'; RESCUE TEAM ARRIVED AND WORKED FOR THREE HOURS TO REMOVE THE NET;	SWR Entanglement		
12-Aug-87	POINT LOMA	CA	Feeding	Net Fishery	Gillnet	UNCLEAR IF PORTION OF NET REMAINED,	Database	SI - L10	0.75
19-Nov-87	APPROXIMATELY 5NM FROM POINT LOMA	CA	Feeding	Net Fishery	Gillnet	BRAIDED NYLON NET (NOT MONOFILAMENT) WRAPPED SEVERAL TIMES AROUND ANIMAL'S HEAD WITH A STRETCH MESH OF 12-16 INCH; GREEN IN COLOR,	SWR Entanglement Database	SI - L10	0.75
11-Jan-88	SAN FRANCISCO BAY	СА	Migratory	Ship Strike		NON-OVULATING FEMALE, DEAD 36-48 HOURS; FLOATING CARCASS TOWED TO NMFS DOCK AT TIBURON; KILLED BY LARGE SHIP'S PROPELLER, SEVERING SPINAL CORD AT SKULL'S OCCIPITAL CONDYLES DORSALLY; ADDITIONAL 4 FOOT INCISION IN CAUDAL REGION	SWR Ship Strike Database	Dead	1
16-Jan-88	Seal Beach, 2 MILES OFFSHORE FEDRAL BREAKWATER SEAL BEACH	СА	Migratory	Net Fishery	Gillnet	TAIL LACERATED BY RED MONOFILAMENT NET 3-4 INCH IN DIAMETER; NET OVER MOUTH; BLOWHOLE; AND FLUKES: LINE OR SMALL CABLE ON BODY; NET REMOVED FROM HEAD, BODY, BUT TRAILING 10 FEET OF GEAR, Heading north towards Point Ferman	SWR Entanglement Database	SI - L2	1
28-Jan-88	San Diego, 1 MILE OFFSHORE OCEAN BEACH AREA	СА	Migratory	Pot Fishery	Pot Gear	BUOYS AND ROPES ENTANGLED AROUND CAUDAL PEDUNCLE, CRAB OR LOBSTER POT SUSPECTED; NUMBER ON TRAP, ORANGE [Heyning reports as released, B. Pittman SWFSC]	SWR Entanglement Database	NSI - Released	0
						a whale-watching boat observed a whale struck by a ship. Last whale in pod. All whales reacted late to boat as they were within about 30 m. The whales accelerated and dove, the last	Heyning and		
5-Mar-88	California	CA	Migratory	Ship Strike		<ul> <li>whale in group not down quick enough.</li> <li>Freighter hit a 35 foot gray whale accompanied by a calf.</li> <li>Observed by a whale watch boat full of school kids. [Incident mentioned in Heyning and Dahlheim (1994) of whale watch boat watching a freighter strike whale in back of group on 5 Mar</li> </ul>	Dahlheim, 1994 San Benardino County Sun, 8	Dead	1
7-Mar-88	San Pedro, CA	CA	Migratory	Ship Strike		1988 with no note of calf; could be the same incident] Freighter hit a 35 foot gray whale accompanied by a calf. Observed by a whale watch boat full of school kids. [Incident mentioned in Heyning and Dahlheim (1994) of whale watch boat watching a freighter strike whale in back of group on 5 Mar	Mar 1988 San Benardino County Sun, 8	Dead	1
7-Mar-88	San Pedro, CA	CA	Migratory	Ship Strike		1988 with no note of calf; could be the same incident]	Mar 1988	SI - L8	1
10-Mar-88	Coronado, 2 MILES OFFSHORE; IN FRONT OF	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN GILLNET; MARKED AS SET NET, BUT THEN HAND-WRITTEN WITH UNKNOWN "GILLNET" SO GILLNET SUSPECT [Heyning reports released from set net H. Bernard SWFSC]	SWR Entanglement Database	NSI - Released	0

	"CORONADO TOWERS", CORONADO								
16-Mar-88	1 MILE SOUTHWEST OF LONG BEACH HARBOR ENTRANCE BUOY	СА	Migratory	Unknown Entanglement	Unknown	ENTANGLED, UNIDENTIFIED GEAR; Entangled, Unidentified Gear; Lifeguards Responded, But Called Off; Mbc Personnel Continued Search, But Suspended Due To Conditions; Animal Not Resighted - Unknown	SWR Entanglement Database	SI - L10	0.75
16-Mar-88	Point Loma, OFF POINT LOMA, SAN DIEGO	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN WHAT WAS CALLED 'GILLNET' BY PRIVATE CITIZEN,	SWR Entanglement Database	SI - L10	0.75
17-Mar-88	NEWPORT BEACH, NEAR BALBOA PIER	CA	Migratory	Unknown Entanglement	Unknown	LINE WITH ONE FLOAT WRAPPED AROUND CAUDAL PEDUNCLE,	SWR Entanglement Database	SI - L10	0.75
17-Mar-88	3.1 MILES OFF ANGEL'S GATE, SAN PEDRO	СА	Migratory	Net Fishery	Gillnet	FLOATING DEAD; MISSING SKIN, NETTING AND FLOAT WRAPPED AROUND CAUDAL PEDUNCLE; LACERATIONS ON TAIL STALK; TRANSVERSE ROPE MARK ACROSS THROAT.	SWR Entanglement Database	Dead	1
18-Mar-88	Palos Verdes, OFF POINT VICENTE 1/8 MILE; RANCHO PALOS VERDES	CA	Migratory	Net Fishery	Gillnet	UNIDENTIFIED TYPE OF GILLNET, WITH LINES FOULING MOUTH AND THE BODY.	SWR Entanglement Database	SI - L10	0.75
18-Mar-88	San Onofre, 80 YARDS OFF BEACH, SAN ONOFRE AREA	CA	Migratory	Net Fishery	Gillnet	ENTANGLED, UNIDENTIFIED GILLNET , WHALE DESCRIBED AS IMMOBILE AT 80 YDS OFF THE BEACH	SWR Entanglement Database	SI - L2	1
19-Mar-88	Seal Beach, 3 MILES OFF SEAL BEACH BREAKWATER	CA	Migratory	Pot Fishery	Dungeness Crab	MARKER BUOYS WRAPPED ONCE OR TWICE AROUND FLUKES; CRAB POT LINE AND BOUY; DEEP LACERATIONS ON FLUKES; POSSIBLY CAUGHT IN GILLNET AS EXHALATION OBSERVED NEAR SOME GILLNET FLAGS, LABORED BREATHING AND REMAINING AT THE SURFACE; AFTER RELEASE IT SWAM AWAY WESTWARD AT ~ 3 KNOTS; MADE SEVERAL SHORT DIVES	SWR Entanglement Database	NSI - Released	0
19-Mar-88	San Diego, CA	CA	Migratory	Pot Fishery	Pot gear	Alive. Caught in crab pot line, released [58 miles south of San Onofre]	Heyning and Lewis, 1990	NSI - Released	0
22-Mar-88	Seal Beach, OFF ISLAND ESTER OIL PLATFORM, SEAL BEACH	CA	Migratory	Net Fishery	Gillnet	CAUDAL PEDUNCLE LACERATED BY 1/2 INCH POLYPROPYLENE LINES AND NYLON GILLNET, ANIMAL STRUGGLED WITH NET; OBSERVED AS ANIMAL DISENTANGLED ITSELFROLLED OVER IN THE NET WHILE SWIMMING TOWARD SHORE; STRUGGLED UNTIL IT LOOSENED AND DISENTANGLED ITSELF; SWAM TOWARDS OPEN OCEAN	SWR Entanglement Database	NSI - Self- released	0
22-May-88	Yakutat	SEAK	Migratory	Unknown Entanglement	Unknown	entangled, reported as human interaction, estimated to be 28 feet	Alaska Regional Office	DEAD	1
4-Aug-88	Cape Scott, BC	NBNC	Feeding	Unknown Entanglement	Unknown	Unknown entanglement, Dead	Baird et al. 2002	DEAD	1

	Long Beach, ALAMEDA BAY, 3 MILES						SWR		
22-Oct-88	OFFSHORE; LONG BEACH	CA	Feeding	Net Fishery	Halibut Gillnet	FLUKES CAUGHT IN NET; BUOY LINE AROUND MID- BODY [Hevning reports that halibut net and partially released]	Entanglement Database	SI - L10	0.75
	NORTHWEST COAST OF SANTA CRUZ					DEAD STRANDING; NETTING, FLOATLINÉ, AND LEADLINE WRAPPED AROUND TAIL, 8 INCH MESH; BECAUSE OF MESH SIZE CONFIRMED AS SET GILLNET, ALSO FLOATS	SWR Entanglement		
21-Jan-89	ISLAND Dana Pt, TWO	CA	Migratory	Net Fishery	Set Gillnet	SAID "MADE IN CANADA",	Database	Dead	1
14-Mar-89	MILES OFFSHORE HARBOR ENTRANCE, DANA POINT	СА	Migratory	Net Fishery	Gillnet	POLYPROPYLENE LINE WRAPPED AROUND FLUKES, NETTING; ROCKFISH OR HALIBUT 'TRAMMEL NET' (NOT MONOFILAMENT); RESPONSE INITIATED, Swimming [partial release according to Heyning and Lewis]	SWR Entanglement Database	SI - L10	0.75
20-Mar-89	Santa Barbara, 5 1/2 MILES SOUTHWEST OF HARBOR ENTRANCE, SANTA BARBARA	СА	Migratory	Net Fishery	Gillnet	TWO 6 INCH NOTCHES ON LEADING EDGE OF FLUKES AT CAUDAL PEDUNCLE; BOTH BLEEDING; NET WAS ANCHORED, 600 LBS OF NETTING; WHALE IMMOBILE BY THE 4 56 INCH NORWEGIAN FLOATS AROUND FLUKES, Immobile	SWR Entanglement Database	SI - L2	1
22-Mar-89	Newport Beach	CA	Migratory	Net Fishery	Set Gillnet	CARCASS REPORTED FLOATING OFFSHORE WITH PINK MONOFILAMENT LINE HANGING FROM LOWER JAW; DESCRIBED AS SET NET; BEACHED CARCASS HAD NO NETTING ASSOCIATED,	SWR Entanglement Database	Dead	1
11-Apr-89	Rancho Palos Verdes, 1/8 MILE OFF OF MARINELAND, RANCHO PALOS VERDES	CA	Migratory	Unknown	Unknown	UNIDENTIFIED LINE AND DARK FLOATS WRAPPED AROUND FLUKES.	SWR Entanglement Database	SI - L10	0.75
	Camp Pendleton, COCKLESHELL BEACH, CAMP PENDELTON, SAN DIEGO; COCKLEBURR BEACH, AREA			<u> </u>		DEAD STRANDING; NET MARKS ON VENTRAL SURFACE; DEEP SLASH MARKS AT BASE OF LEFT FLIPPER; NO	SWR Entanglement		1
14-Apr-89	#31 Long Beach, 1 1/2 MILES SOUTH OF LONG BEACH BREAKWATER.	CA	Migratory	Net Fishery	Gillnet	GEAR ON CARCASS, SLIGHT DAMAGE TO RIGHT SIDE OF FLUKE, 8 INCH	Database SWR Entanglement	Dead	1
4-May-89	LONG BEACH	CA	Migratory	Net Fishery	Set Gillnet	HALIBUT GILLNET,	Database	SI - L10	0.75
20-May-89	Bristol Bay	FN	Migratory	Net Fishery	Set Gillnet	reportedly calf in vicinity and subsistence salmon set gillnet: steel anchors, entire net. Freed with extensive damage to gillnet and lines.	Alaska Regional Office	NSI - Released	0
29-Jun-89	Umpqua River, OR	NBNC	Feeding	Net Fishery	Net Unknown	Whale caught in net. Diver was able to cut what he thought was all of the gear off. Whale settled down after he started to let him finish.	Statesman Journal	NSI - Released	0

							(Salem), 1 July 1989		
15-Feb-90	Laguna Beach, 1 MILE OFFSHORE	CA	Migratory	Net Fishery	Set Gillnet	ANIMAL FLOATING DEAD; HEAD AND TORSO WRAPPED IN GREEN MONOFILAMENT (SUSPECTED SET NET) ACCESS DATABASE ONLY: GILLNET WITH ATTACHED ANCHOR AND HALIBUT GEAR,	SWR Entanglement Database	Dead	1
	Conto Dorboro	<u></u>	Minuter	Unknown	l lalua auna	SWIRL OF GOLD COLORED NYLON LINE/ROPE AROUND	SWR Entanglement	01.1.0	4
6-Feb-90	Santa Barbara	CA	Migratory	Entanglement	Unknown	AND IN WHALE'S MOUTH; , Tired and stationary	Database SWR	SI - L2	1
27-Mar-90	Santa Barbara	CA	Migratory	Net Fishery	Set Gillnet	ANIMAL COMPLETELY WRAPPED IN SET NET,	Entanglement Database	SI - L2	1
7-Apr-90	Long Beach, 2 MILES OFFSHORE BELMONT PIER, LONG BEACH	СА	Migratory	Net Fishery	Set Gillnet	SPORTFISHING VESSEL CAME ACROSS A WHALE IN A SET GILLNET; REPORTEDLY ENTANGLED BY FLUKES, THRASHING AT SURFACE; GILLNETTER OBSERVED BY SFV TO BE PULLING NET TO WITHIN 60 FEET OF GILLNET VESSEL, Thrashing at surface	SWR Entanglement Database	SI - L10	0.75
20-May-90	RED, WHITE, AND BLUE BEACH; 4 MILES NORTH OF SANTA CRUZ	СА	Migratory	Net Fishery	Set Gillnet	DEAD STRANDING; LARGE MASS OF NETTING WRAPPED AROUND FLUKES AND CAUDAL PEDUNCLE; "HALIBUT" SET GILLNET WITH 2 ANCHORS.	SWR Entanglement Database	Dead	1
			<u> </u>	,		· · ·	NOAA NWR -		
24-May-90	Edmonds	PS	Migratory	Ship Strike		live injured gash on back	Joe Scordino files	SI - L11	0.52
11-Jun-90	Kitasu Bay, Swindle Island, BC	NBNC	Feeding	Net Fishery	Gillnet	Gillnet, Dead	Baird et al. 2002	DEAD	1
							NOAA NWR - Joe Scordino	NSI - Self-	
20-Jun-90	Grays Harbor	NBNC	Feeding	Net Fishery	Gillnet	Tangled in gillnet, freed itself.	files	released	0
23-Jul-90	Neah Bay, WA	NBNC	Feeding	Net Fishery	Gillnet	originally reported stranded (entangled in gillnet) on 6/26/90, but floated away b/f could be examined; subsequently discovered here on 7/23/90	NWR-fishery interaction database	Dead	1
	Bodega Bay, 1 MILE NORTHWEST OF BODEGA SEA BUOY, BODEGA		, ooding	. voc i bilory	Cimitot	FLOATING DEAD; ANIMAL ATTACHED TO DOUBLE LOOP	SWR Entanglement		
2-Jan-91	BAY	CA	Migratory	Other	Steel Cable	OF 1/2 INCH STEEL CABLE AT TAIL STALK AND CHEST,	Database	Dead	1
	NEAR PLATFORM GINA,					· · ·	SWR Entanglement		
10-Mar-91	VENTURA	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN NET,	Database	SI - L10	0.75
23-Mar-91	Cleland Island, BC	NBNC	Migratory	Net Fishery	Gillnet	Gillnet, Released alive	Baird et al. 2002	NSI - Released	0
24-Mar-91	1/2 mile off Heceta Head	NBNC	Migratory	Pot Fishery	Crab Pot	swimming with pot gear on tail	NOAA NWR - Joe Scordino files	SI - L10	0.75
3-Apr-91	HAMILTON AIR FORCE BASE, 200 YARDS OFF	CA	Migratory	Ship Strike		DEAD STRANDING; 5 PROPELLER-LIKE CUTS ON RIGHT DORSAL SURFACE	SWR Ship Strike Database	Dead	1

	STATE ROUTE 300								
13-Apr-91	EAST BAY REGIONAL PARKS, POINT RICHMOND	СА	Migratory	Ship Strike		DEAD STRANDING; 6-7 FRESH PROPELLER-LIKE CUTS ON BACK	SWR Ship Strike Database	Dead	1
17-Apr-91	SAN FRANCISCO BAY NATIONAL WILDLIFE REFUGE, 0.5 MILES NORTH OF DUNBARTON BRIDGE	СА	Migratory	Ship Strike		DEAD STRANDING; POSSIBLE BOAT COLLISION	SWR Ship Strike Database	Dead	1
24-Sep-91	1 MILE NORTH OF POINT VICENTE, RANCHO PALOS VERDES	СА	Feeding	Unknown Entanglement	Unknown	TRAILING A YELLOW LINE, ENTANGLED IN 15 FEET OF ROPE;, Swimming north	SWR Entanglement Database	SI - L10	0.75
30-Dec-91	1/2 MILE OFFSHORE BODEGA HEAD, POINT REYES NS	CA	Migratory	Other	Steel Cable	FLOATING DEAD; ENTANGLED IN CABLE; CABLE LEFT CIRCUMFERENTIAL MARKS CAUDAL TO THE ANTERIOR FLUKES,	SWR Entanglement Database	Dead	1
26-Feb-92	Point Loma, 5 MILES OFFSHORE, POINT LOMA	СА	Migratory	Pot Fishery	Lobster Pot	Entangled in lobster trap line,	SWR Entanglement Database	Dead	1
5-Mar-92	Cardiff-By-The- Sea, SAN ELIJO STATE BEACH, CARDIFF-BY- THE-SEA	CA	Migratory	Pot Fishery	Lobster Pot	DEAD STRANDING; ROPE AROUND TAIL; WRAPPED AROUND DORSAL FIN AND STRETCHED ACROSS MOUTH, POSSIBLE LOBSTER TRAP,	SWR Entanglement Database	Dead	1
5-Mar-92	11 MILES OFFSHORE POINT LOMA	CA	Migratory	Pot Fishery	Lobster Pot	ENTANGLED IN LOBSTER GEAR, BELIEVE THAT ANIMAL SELF-RELEASED BECAUSE A FREE-SWIMMING ANIMAL SEEN IN THE VICINITY OF WHERE THE ENTANGLED WHALE WAS OBSERVED AND NO ENTANGLED WHALE WAS OBSERVED, Swimming	SWR Entanglement Database	NSI - Self- released	0
28-Mar-92	Santa Barbara, 1 MILE SOUTHEAST OF STEARN'S WHARF, SANTA BARBARA	СА	Migratory	Net Fishery	Set Gillnet	ENTANGLED IN GILLNET AND FLOATS, DESCRIBED AS SET NET;NETTING AND KELP WRAPPED AROUND ANIMAL; BUOY MARKING ON NET BELIEVED TO HAVE BEEN SET BY 'CHARLIE' ON F/V VICTORIA. , Floundering at surface	SWR Entanglement Database	SI - L10	1
6-Feb-93	Rancho Palos Verdes, 2 MILES OFF OF POINT VICENTE, RANCHO PALOS VERDES	CA	Migratory	Pot Fishery	Lobster Pot	LOBSTER TRAP LINE WRAPPED AROUND HEAD AND THROUGH ANIMAL'S MOUTH; ANIMAL RELEASED UNHARMED; GEAR RETRIEVED, Thrashing and lunging	SWR Entanglement Database	NSI - Released	0

6-Apr-93	8 MILES OFFSHORE OCEANSIDE	СА	Migratory	Ship Strike		NAVY VESSEL COLLIDED WITH WHALE; ANIMAL SUFFERED 7" DEEP, 3" X 4" WIDE GASH ON DORSAL SURFACE FROM PROPELLERS; FOLLOWING COLLISION, ANIMAL CIRCLED BOAT TWICE, BLEEDING PROFUSELY & THEN FLOATED BELLY-UP	SWR Ship Strike Database	Dead	1
	Coronado, U.S. NAVAL AMPHIBIOUS BASE, CORONADO						SWR		
26-Jan-94	ISLAND	CA	Migratory	Net Fishery	Gillnet	UNIDENTIFIED NET FISHERY,	Entanglement Database	Dead	1
21-Mar-94	Newport Beach, OFFSHORE BALBOA PIER, NEWPORT BEACH	СА	Migratory	Unknown Entanglement	Unknown	ENTANGLED IN SET NET OR LOBSTER TRAP LINE, Difficulty swimming, Swimming north, 1 mile/hr.	SWR Entanglement Database	SI - L2	1
	1/4-1/3 MILE OFFSHORE HAVEN'S NECK; 1 MILE NORTH					ENTANGLED IN GILLNET WITH TWO RED AND WHITE FLOATS (FOOTBAL-SHAPED) AROUND HEAD AND FLUKES, STATIONARY FOR 3 HOURS; BREATHING	SWR Entanglement		
3-Apr-94	OF FISHROCKS	CA	Migratory	Net Fishery	Gillnet	NORMAL; THRASHING; DIVES LASTING 15-20 SECS;	Database Baird et al.	SI - L10	0.75
17-Apr-94	Dare Point, BC	NBNC	Migratory	Net Fishery	Gillnet	Gillnet, Dead	2002	DEAD	1
5-May-94	Port San Juan, BC	NBNC	Migratory	Net Fishery	Net Unknown	Net unknown, Dead	Baird et al. 2002 SWR Ship	DEAD	1
14-May-94	PIER AVENUE RAMP	CA	Migratory	Ship Strike		DEAD STRANDING: PROPELLER-LIKE MARKS ON TORSO	Strike Database	Dead	1
11-Sep-94	CA/ OR STATE LINE	CA	Feeding	Net Fishery	Gillnet	APPEARED DEAD; ORANGE FISHING NET OVER HEAD; POSSIBLY WHOLE BODY; , NO BLOW; SUBMERGED FOR 10 MINUTES +; PRESUMED DEAD AS IT MOVED WITH CURRENT	SWR Entanglement Database	Dead	1
1995	Mexico	М	Migratory	Unknown Entanglement	Unknown	Entanglement	SC-57- ProgRepMexico	SI - L10	0.75
2-Jan-95	OFFSHORE ANACAPA ISLAND	СА	Migratory	Ship Strike		WHALE WATCH VESSEL COLLIDED WITH ADULT ANIMAL; IMMEDIATELY FOLLOWING COLLISION, AMIMAL SURFACED ASTERN OF VESSEL, SWIMMING UPSIDE DOWN WITH PECTORAL FINS VISIBLE & SWIMMING IN AN ERRATIC PATTERN; ANIMAL THEN APPEARED TO SWIM AWAY IN A NORMAL FASHION; NO B	SWR Ship Strike Database	SI - L12	0.36
2-Jai1-JJ	Malibu, OFFSHORE ZUMA BEACH,		mgratory			LOBSTER TRAP LINE-TWO POLYPROPYLENE ROPES	SWR Entanglement	01-112	0.00
6-Mar-95	MALIBU	CA	Migratory	Pot Fishery	Lobster Pot	CUTTING INTO FLUKE; NOTED AS RELEASED	Database	SI - L2	1
7-Mar-95	2.5 MILES SOUTHWEST OF POINT LOMA	CA	Migratory	Ship Strike		RUNABOUT COLLIDED WITH ANIMAL OF UNKNOWN SIZE; ANIMAL HIT IN TAIL STOCK AREA; NO BLOOD OBSERVED IN WATER	SWR Ship Strike Database	SI - L12	0.36
10-Mar-95	Summerland, SUMMERLAND	CA	Migratory	Net Fishery	Net Unknown	DEAD STRANDING, UNKNOWN NETTING AND 2 BLACK PLASTIC BUOYS AROUND FLUKES,	SWR Entanglement Database	Dead	1

App-36       RAFEL BRIDGE       CA       Migratory       Ship Strike       ADD CORSAL RECIDE Cult.PL/LKE WOUND       Shift Ship Shift         App-36       Careadian       NBNC       Migratory       Pot Fishery       Char Pot Androge       NMP-         App-36       Careadian       Migratory       Pot Fishery       Char Pot Androge       Shift       Shift         13 Apr-35       BURRO BEACH       CA       Migratory       Pot Fishery       Clare       Fishery       Shift       Shift<		BASE OF								
Apr-95         Outlets         NBNC         Migratory         Pot Fishery         Cras Pot Cras Pot           3Apr-95         BURRO BEACH         CA         Migratory         Pot Fishery         Cras Pot Cras Pot         ETHER MOTHER OR CALE ENVAGLED IN POT CEAR OR ETHAPLINE (If mothave to assume calf also impacted for this report assuming just one independent whele)         Estinagement         Estinagement           24.Apr-95         BURRO BEACH         CA         Migratory         Pot Fishery         Fishery         Dot Sister assuming just one independent whele)         Database         Sister assuming just one independent whele)							DEAD STRANDING; 3 METER PROPELLER-LIKE WOUND	SWR Ship		
BAR-95         Queeds         NBNC         Migratory         Pot Fishery         Crab Pot Crap 2         orange_ and while crab floats         Structure         Structur	4-Apr-95	RAFAEL BRIDGE	CA	Migratory	Ship Strike				Dead	1
OFFSHORE FROM ARROYO         ETHER MOTHER OR CALE TRANSLED IN POT CEAR OR FIXAPLINE Introduce would have to assume call also Database         SWR           13-Apr-35         BURRO BEACH         CA         Migratory         Pot Fishery         Pat Gear         Impacted, for this report assuming just one independent whale)         Database         SI-10         0.75           24-Apr-35         Grays Harbor         NBNC         Migratory         Net Fishery         Gillet         Juvanile. Swimming with gillet gear on head         Dilles         SI-10         0.75           24-Apr-35         Grays Harbor         NBNC         Migratory         Net Fishery         Gillet         Juvanile. Swimming with gillet gear on head         Dilles         SI-11         0.75           28-Apr-35         Ketchikan         SEAK         Migratory         Net Fishery         Set Gillet         Si-14         0.75           16-Jul-95         Neah Bay         NENC         Feeding         Net Fishery         Set Gillet         Bark Necropside by PG Cears         NOAA NWR-         Joe Socrifon         Die Socrifon         NOAA NWR-         Joe Socrifon         NWR-         Joe Socrifon         NOAA NWR-         Joe Socrifon         NWR-         NWR-         Joe Socrifon         NOAA NWR-         Joe Socrifon         NOAA NWR-         Joe Socrifon         NOAA NWR- <td>o</td> <td><b>a</b> <i>i</i></td> <td></td> <td></td> <td></td> <td></td> <td><b>o</b> 1 <b>o j</b></td> <td></td> <td><b>_</b> .</td> <td></td>	o	<b>a</b> <i>i</i>					<b>o</b> 1 <b>o j</b>		<b>_</b> .	
FROM ARROYO         TRAP.1NE (If mother we would have to assume ail also         Entanglement         Journality           13.Apr.95         BURRO BEACH         CA         Migratory         Pet Febrey         Pet Gear         impacted, for this report assume ail also         Entanglement         Journality         Not A NUR-           24.Apr.95         Grays Harbor         NBNC         Migratory         Net Fishery         Glinet         Juvenile. Swimming with glinet gear on head         Miska	8-Apr-95		NBNC	Migratory	Pot Fishery	Crab Pot			Dead	1
13-Apr-95     BURRO BEACH     CA     Migratory     Pot Fishery     Pot Gear     impacted, for this report assuming just one independent whale)     Database     SI-L10     0.75       24-Apr-95     Graye Harbor     NBNC     Migratory     Net Fishery     Gillnet     Juvenile. Swimming with gillnet gear on head     files     SI-L10     0.75       24-Apr-95     Graye Harbor     NBNC     Migratory     Net Fishery     Gillnet     Juvenile. Swimming with gillnet gear on head     files     SI-L10     0.75       28-Apr-95     Ketchikan     SEAK     Migratory     Net Fishery     Set Gillnet     Buy, Veropset Julication of the gran charactor to Nahl     Alaska     Alaska       15-Jul-55     Neah Bay     NBNC     Feeding     Net Fishery     Set Gillnet     Bay, Veropset Julication of fuke present     Midatabase     Dead     1       15-Jul-55     WA     NBNC     Feeding     Ship Strike     Backbone severed, no fluke present     database     Dead     1       11-Sep 45     WA     NBNC     Feeding     Ship Strike     Backbone severed, no fluke present     database     Dead     1       14-Sep 45     Migratory     Pot Fishery     Crab     THREE CRAB POT LINES AROUND PEDUNCLE AND     Entanglement     1       1-Apr-96     HARBOR     CA										
24-Apr-35         Grays Harbor         NBNC         Migratory         Net Fishery         Gilnet         Juvenie. Swimming with glinet gear on head         Juscial Science           28-Apr-35         Ketchikan         SEAK         Migratory         Entanglement         Unknown         Bury released but notes make it sound like 30° of poes jull         Aska           28-Apr-35         Ketchikan         SEAK         Migratory         Entanglement         Unknown         Training*see notes & articles. Estimated to be 28 feet in length.         NOAA NWR -           16-Jul-95         Naah Bay         NBNC         Feeding         Net Fishery         Set Gilnet         Backbone severed, no fluke present         datase         Dead         1           11-Sep-95         WA         NBNC         Feeding         Ship Strike         Backbone severed, no fluke present         datase         Dead         1           11-Sep-95         WA         NBNC         Feeding         Ship Strike         Backbone severed, no fluke present         datase         Dead         1           11-Apr-96         HARBOR         CA         Migratory         Pot Fishery         Duringeness         THREE FLOATS: YELLOW WITH RED BAND.         Database         Dead         1           1-Apr-96         HARBOR         CA         Migratory <td>13-Apr-95</td> <td></td> <td>CA</td> <td>Migratory</td> <td>Pot Fisherv</td> <td>Pot Gear</td> <td></td> <td>0</td> <td>SI - L10</td> <td>0.75</td>	13-Apr-95		CA	Migratory	Pot Fisherv	Pot Gear		0	SI - L10	0.75
24-Apr-95         Grays Harbor         NBNC         Migratory         Net Fishery         Gilnet         Juminouv         Budy released but notes make it sound like 30° of rops if like 30°         All source           28-Apr-95         Ketchikan         SEAK         Migratory         Entanglement         Unknown         training*see notes 8 articles. Estimated to be 28 feet in length.         All source         NOAA NMP-           16-Jul-95         Neah Bay         NBNC         Feeding         Net Fishery         Set Gilnet         Barx Neoropside by Pat Geam. Utilized by Makah Tribe.         Does Cordino         16           11-Sep-96         WA         NBNC         Feeding         Strike         Backbone severed, no fluke present         delabase         Dead         1           11-Sep-96         WA         NBNC         Feeding         Ship Strike         Backbone severed, no fluke present         delabase         Dead         1           11-Sep-96         MA         NBNC         Feeding         Ship Strike         Backbone severed, no fluke present         delabase         Dead         1           11-Agr-96         MAREDOR         CA         Migratory         Pot Fishery         Dungeness         THREE FLOATS: YELL/DW WITH RED BAND.         Delabase         Dead         1           1-Agr-96										
Unknown         Buoy released but notes make it sound like 30 of rope still         Alaska           28-Apr.95         Ketchikan         SEAK         Migratory         Entanglement         Unknown         Trailing? see notes & articles. Estimated to be 28 feet inlength. Regional Office         SI:L10         0.75           16-Jul-95         Neah Bay         NBNC         Feeding         Net Fishery         Set Gillnet         Bay. Necropsied by Pat Gearin. Utilized by Makah Tribe.         NOAA WR - NOAA WR - No AA WR - NoAA WR - NOA WR										
28-Apr-95         Ketchikan         SEAK         Migratory         Entanglement         Unknown         trailing? see notes & articles. Estimated to be 28 feit inlength.         Regional Office.         SI-L10         0.75           16-Jul-95         Neah Bay         NBNC         Feeding         Net Fishery         Set Gillnet         Bay. Necropside by Pat Geann. Utilized by Makah Tribe.         NORA MWR - Joe Soortino         Islee         Dead         1           11-Sep-95         WA         NBNC         Feeding         Ship Strike         Backtone severad, no fuke present         database         Dead         1           11-Sep-95         WA         NBNC         Feeding         Ship Strike         Backtone severad, no fuke present         database         Dead         1           14-Sep-96         WA         NBNC         Feeding         Dungeness         THREE CRAB POT LINES AROUND PEDUNCLE AND         SWR         Entanglement         Database         Dead         1           1-Apr-96         HARBOR         CA         Migratory         Pot Fishery         Lobser Pot         BUOY WRAPPED AROUND PEDUNCLE AND         Database         Dead         1         Database         Si - L10         0.75           5 MILES         OFFSHORE         BLOC FARABOR         CA         Migratory         P	24-Apr-95	Grays Harbor	NBNC	Migratory		Gillnet			SI - L10	0.75
16-Jul-95       Neah Bay       NBNC       Feeding       Net Fishery       Set Gillnet       NoAA NWR- Bay. Necropside by Pat Gearin. Utilized by Makah Tribe.       Joe Scortfino         11-Sep-35       WA       NBNC       Feeding       Ship Strike       Backbone severed, no fluke present       diabase       Dead       1         11-Sep-35       WA       NBNC       Feeding       Ship Strike       Backbone severed, no fluke present       diabase       Dead       1         0FFSHORE 2       MILES SOUTH       Userscher       MODERATELY DECOMPOSED CARCASS; ENTANGLED IN THREE GRAB POT LINES ARCUND PEDUNCLE AND       SWR       Entanglement         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       Crab       THREE FLOATS: YELLOW WITH RED BAND,       Database       Dead       1         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       Crab       THREE FLOATS: YELLOW WITH RED BAND,       Database       Dead       1         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED DIN CLILES ARCUND FLUX SARA       SWR         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & SWR       Batabase       SI - L10 </td <td>09 Amr 05</td> <td>Katabikan</td> <td>OFAK</td> <td>Migroton</td> <td></td> <td>Linknown</td> <td></td> <td></td> <td>CL   10</td> <td>0.75</td>	09 Amr 05	Katabikan	OFAK	Migroton		Linknown			CL   10	0.75
Id-Jul-95         Water Bay         NBNC         Feeding         Net Fishery         Set Gillnet         Bay. Necropside by Pat Gearin. Utilized by Makah Tribe.         Ide Scording         Incessor         Incessor         NNR-stranding         Incessor         NNR-stranding         Incessor         NNR-stranding         Incessor         NNR-stranding         NNR-stranding         NNR-stranding         Incessor         NNR-stranding         Incessor         Incessor         NNR-stranding         Incessor         Inces	20-Api-95	Kelchikan	SEAN	wigratory	Entanglement	UNKNOWN	training? see notes & anticles. Estimated to be 20 feet in length.		51-L10	0.75
16-Julys       Nexh Bay       NBNC       Feeding       Net Fishery       Set Gillnet       Bay. Necropside by Pat Gearin. Utilized by Makah Tribe.       files       Dead       1         11-Sep-95       WA       NBNC       Feeding       Ship Strike       Backbone severed, no fluke present       MWR_stranding         11-Sep-95       WA       NBNC       Feeding       Ship Strike       Backbone severed, no fluke present       database       Dead       1         11-Sep-95       WA       NBNC       Feeding       Ship Strike       Backbone severed, no fluke present       database       Dead       1         0FFSHORE 2       MULES SOUTH       WEST OF       Dungeness       THREE CRAB POT LINES AROUND PEDUNCLE AND       Entanglement       Entanglement       Entanglement         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       Crab       THREE FLOATS: YELLOW WITH RED BAND,       Database       Dead       1         0FF3HORE       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE &       BackCH       SWR       SWR       SWR         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BULOY WRAPPED AROUND FLUKES, SK-DEVEDCH, SSR       Database       SI-L10       0.75         2-Apr-96       BEA							Whale died in set net near the green can at entrance to Neah			
11-Sep-95     WA     NBNC     Feeding     Ship Strike     Backbone severed, no fluke present     database     Dead     1       CFFSHORE 2     OFFSHORE 2     MILES SOUTH WEST OF     MODERATELY DECOMPOSED CARCASS; ENTANGLED IN THREE GRAB POT LINES AROUND PEDUNCLE AND THREE FLOATS; YELLOW WITH RED BAND,     SWR     Entanglement     Database     Dead     1       1-Apr-96     HARBOR     CA     Migratory     Pot Fishery     Crab     THREE FLOATS; YELLOW WITH RED BAND,     Database     Dead     1       0     OFFSHORE     OFFSHORE     SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & STATE BEACH,     SWR     SWR     SWR       2.Apr-96     BEACH     CA     Migratory     Pot Fishery     Lobster Pot     BUOY WRAPPED IN GILLNET; TRAILING SEVERAL BLOCK PLASTIC FLOATS LABELED 'VILLY, JAPAN'     Database     SI - L10     0.75       2.Apr-96     BEACH     CA     Migratory     Pot Fishery     Lobster Pot BUOY WRAPPED IN GILLNET; TRAILING SEVERAL BLOCK PLASTIC FLOATS LABELED 'VILLY, JAPAN'     Database     SI - L10     0.75       2.Apr-96     Montecilo, OFFSHORE     CA     Migratory     Pot Fishery     Lobster Pot BUOY WRAPPED IN GILLNET; TRAILING SEVERAL BLUE TRACER WITH SMALLEAD WEIGHTS ALONG THE LEAD LINE, A GRAPNEL ANCHOR, CONSISTING OF 5     SWR     SWR     SWR       5.Apr-96     Montecilo, OFFSHORE     SATTE BEACH     NH Fishery	16-Jul-95	Neah Bay	NBNC	Feeding	Net Fishery	Set Gillnet			Dead	1
OFFSHORE 2 MILES SOUTH WEST OF CRESCENT CITY       Dungeness       MODERATELY DECOMPOSED CARCASS; ENTANGLED IN THREE CRAB POT LINES AROUND PEDUNCLE AND THREE CRAB POT LINES AROUND PEDUNCLE AND SMILES OFFSHORE BOLSA CHICA STATE BEACH, HUNTINGTON       SWR Entanglement Database       Dead       1         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Crab       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & BUCS MAPPED AROUND PLUKES, OFFSHORE       SWR Entanglement Database       Dead       1         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & BUCS WAPPED AROUND FLUKES, SOME CRANGE PLOATS MARKED NECCY, SOME CRANGE PLOAT DATE AFTOR PUT HIE MALE MAN BUOY WITH A WHITE PVC PIPE POLICE ABOUT SUM FEET HIGH THAT FORMED ASPAR BUCY. THE NET WAS PINK PLASTIC MONOFILAMENT, 314 INCH SOULARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BULE TRACKER WITH SMALL LEAD WEIGHTS ALLONG OF 5       SWR Entanglement       SWR Entanglement       SWR       Entanglement       SVI- Entanglement       SWR       Entanglement       SVI- Entanglement       SWR       Entanglement       SWR       Entanglement       DEAD ADULT FEMALE AND DEAD ADULT FEMALE AND ADD CO					-		· · · ·	NWR-stranding		
MILES SOUTH WEST OF CRESCENT CITY       MODERATELY DECOMPOSED CARCASS; ENTANGLED IN CRESCENT CITY       SWR       Entanglement         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       THREE CRAB POT LINES AROUND PEDUNCLE AND       Database       Dead       1         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       Trab       THREE CRAB POT LINES AROUND PEDUNCLE AND       Database       Dead       1         1-Apr-96       SMILES       OFFSHORE       BOLSA CHICA       SWR       Entanglement       Database       Dead       1         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES, BUOY WRAPPED IN GILINET: TRAILING SEVERAL BLACK PLASTIC CRO LINE FLOATS MARKED NECO, SOME ORANGE PLASTIC PLOATS LABELED VILLY, JAPAN' ON ONE END BUENE AND ON THE OTHER A FOAM BUOY       HEAD LINE, A GRANENT, 33 4MICH SALANDA HEAD HEAD HEAD HEAD HEAD HEAD HEAD HE	11-Sep-95		NBNC	Feeding	Ship Strike		Backbone severed, no fluke present	database	Dead	1
WEST OF       WESTOF       MODERATELY DECOMPOSED CARCASS: ENTANGLED IN       SWR         1.4pr-96       HARBOR       CA       Migratory       Pot Fishery       THREE CRAB POT LINES AROUND PEDUNOLE AND       Database       Dead       1         5       MLES       OFFSHORE       BOLSA CHICA       SWR       SWR       SWR         2.Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR: 15 FEET OF LINE & Entanglement       Database       SI - L10       0.75         2.Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR: 15 FEET OF LINE & Entanglement       Database       SI - L10       0.75         2.Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR: 15 FEET OF LINE & Entanglement       Database       SI - L10       0.75         2.Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES);       Database       SI - L10       0.75         4.Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY STATE EREACH       Entanglement       Database       SI - L10       0.75										
CRESCENT CITY       Dungeness       THREE CRAB POT LINES AROUND PEDUÍNCLE AND       Entanglement       Database       Dead       1         1-Apr-96       HARBOR       CA       Migratory       Pot Fishery       Crab       THREE CRAB POT LINES AROUND PEDUÍNCLE AND       Database       Dead       1         5 <miles< td="">       OFFSHORE       BOLSA CHICA       STATE BEACH,       SWR       SWR       SWR         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,       Entanglement       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND THET, TRAILING SEVERAL       BLACK PLASTIC COR LINE FLOATS LABELED VILLY, JAPAN'       NON NON NON THE CHOATS MARKED TNECO,       SOME ORANGE PLASTIC COR LINE FLOATS LABELED VILLY, JAPAN'       NON NON THE OTHER A FOAM BUOY       WITH A WHITE PUC PIPE POLOST BARKED TNES ON THE ENTA AND A       BLUE TRACER WITH SMALL LEAD WIELS AND A       BLUE TRACER WITH SMALL LEAD WIELS AND A       BLUE TRACER WITH SMALL LEAD WIELS AND A       BLUE TRACER WITH SMALL LEAD WIELGHTS ALONG THE       Entanglement       NS1 -<!--</td--><td></td><td></td><td></td><td></td><td></td><td></td><td>MODERATELY DECOMPOSED CARCASS: ENTANGLED IN</td><td>SWP</td><td></td><td></td></miles<>							MODERATELY DECOMPOSED CARCASS: ENTANGLED IN	SWP		
1-Apr:96       HARBOR       CA       Migratory       Pot Fishery       Crab       THREE FLOATS: YELLOW WITH RED BAND,       Database       Dead       1         5 MILES       OFFSHORE       BOLSA CHICA       SWR       SWR       SWR       SWR         2-Apr:96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUCY WRAPPED AROUND FLUKES,       SWR       Entanglement       Database       SI-L10       0.75         2-Apr:96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUCV WRAPPED AROUND FLUKES,       SWR       Entanglement       Database       SI-L10       0.75         2-Apr:96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUCV WRAPPED AROUND FLUKES,       SWR       Entanglement       Database       SI-L10       0.75         2-Apr:96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUCV WRAPPED AROUND FLUKES,       Database       SI-L10       0.75         VICKS WRAPPED IN GULWER AND ADDITONAL       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE &       SWR       SI-L10       0.75         VICKS WRAPPED IN GULWER AND ADDITONAL LEAD WEIGHT A FOAM BUCY       WICKS       SWR       SI-L10       0.75						Dungeness				
OFFSHORE       BOLSA CHICA       SWR         STATE BEACH,       HUNTINGTON       Entanglement       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,.       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,.       Database       SI - L10       0.75         SUBPCCTED LOBSTER TRAP GEAR; 15 FEET OF LINE &       Entanglement       Database       SI - L10       0.75         SUBPCTED LOBSTER TRAP GEAR; 15 FEET HIGH       FUKES       SUBPCTED LOBSTER TRAP GEAR; 15 FEET HIGH       FUKES       FUKES <t< td=""><td>1-Apr-96</td><td></td><td>CA</td><td>Migratory</td><td>Pot Fishery</td><td></td><td></td><td>•</td><td>Dead</td><td>1</td></t<>	1-Apr-96		CA	Migratory	Pot Fishery			•	Dead	1
BOLSA CHICA STATE BEACH, HUNTINGTON       SWR       Entanglement       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & BUOY WRAPPED AROUND FLUKES, BLOK PLASTIC CRO LINE FLOATS MARKED 'NECO', SOME ORANGE PLASTIC FLOATS LABELED 'VILLY, JAPAN'       Database       SI - L10       0.75         SIGNE ORANGE PLASTIC FLOATS LABELED 'VILLY, JAPAN'       NO NOK END BUENE' AND ON THE OTHER A FOAM BUOY       HILL										
STATE BEACH, HUNTINGTON       SWR       SUSPECTED LOBSTER TRAP GEAR; 15 FEET OF LINE & BUOY WRAPPED AROUND FLUKES,.       Entanglement Database       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,.       Database       SI - L10       0.75         FLUKES WRAPPED IN GILLNET; TRAILING SEVERAL BLACK PLASTIC COR LINE FLOATS MARKED 'NECO', SOME ORANGE PLASTIC FLOATS LABELED 'NILLY, JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OTHER A FOAM BUOY       VIII + JAPAN' ON ONE END BUENE' AND ON THE OND FLACED AND ADD THE TRACEW WITH SMALL LEAD WEIGHTS A LONG THE ELEAD LINE', A GRAPNEL ANCHOR, CONSISTING OF 5       SWR       VIII + JAPAN' SWR         5-Apr-96       MIREAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         27-Apr-96       OFFSHORE       CA <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
HUNTINGTON       Entanglement       Database       SI - L10       0.75         2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES, BUOY WRAPPED IN GILINET; TRAILING SEVERAL BLACK PLASTIC COR LINE FLOATS MARKED 'NECO', SOME ORANGE PLASTIC FLOATS LABELED 'NILLY, JAPAN'       SI - L10       0.75         VIEWES WRAPPED IN GILINET; TRAILING SEVERAL BLACK PLASTIC COR LINE FLOATS MARKED 'NECO', SOME ORANGE PLASTIC FLOATS LABELED 'NILLY, JAPAN'       VIEWES' AND NOT HEO THER A FOAM BUO'       VIEWES' AND NOT HEO THER A FOAM BUO'         VIEWES WRAPPED IN GILINET; TRAILING SEVERAL BLACK PLASTIC MONONE LAND 'BUENE' AND DO THE OTHER A FOAM BUO'       VIEWES' AND ON THE OTHER A FOAM BUO'       VIEWES' AND A BUO'         VIEWES WRAPPED IN GILINET; TRAILING SEVERAL BLACK PLASTIC MONOFILAMENT; 3/4 INCH SOULARE; HUNG WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH THAT FORMED A SPAR BUOY. THE NET WAS PINK PLASTIC MONOFILAMENT; 3/4 INCH SOULARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR; CONSTING OF 5       SWR       VIEWEN' SANTA BARDARA, PLASTIC 'S STEND STECH STANGEN'         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AND DEAD ADULT FEMALE ENTANGLED IN THE LINES OF 2 SEPARATE GILLINETS, STRO								C/MD		
2-Apr-96       BEACH       CA       Migratory       Pot Fishery       Lobster Pot       BUOY WRAPPED AROUND FLUKES,       Database       SI - L10       0.75         FLUKES WRAPPED IN GILLNET, TRAILING SEVERAL       BLACK PLASTIC COR LINE FLOATS LABELED 'VILLY, JAPAN'       SOME ORANGE PLASTIC FLOATS LABELED 'VILLY, JAPAN'       No         ON ONE END 'BUENE' AND ON THE OTHER A FOAM BUOY       WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH       THAT FORMED A SPAR BUOY. THE NET WAS PINK       PLASTIC MONOFILAMENT, 33 41 NCH SQUARE; HUNG         VITH A WHITE VC PIPE POLE ABOUT SIX FEET HIGH       THAT FORMED A SPAR BUOY. THE NET WAS PINK       PLASTIC MONOFILAMENT, 33 41 NCH SQUARE; HUNG         VITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A       BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE       Entanglement         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gilnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gilnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         27-Apr-96       OFFSHORE       THE LINES OF 2 SEPARATE GILLNETS, STONGLY       SWR       Entanglement       Entanglement       Entanglement         27-Apr-96       OFFSHORE       THE LINES OF 2 SEPARATE GILLNETS, STONGLY <td< td=""><td></td><td>,</td><td></td><td></td><td></td><td></td><td>SUSPECTED LOBSTER TRAP GEAR: 15 FEET OF LINE &amp;</td><td></td><td></td><td></td></td<>		,					SUSPECTED LOBSTER TRAP GEAR: 15 FEET OF LINE &			
FLUKES WRAPPED IN GILLNET; TRAILING SEVERAL BLACK PLASTIC COR LINE FLOATS MARKED 'NEOC', SOME ORANGE PLASTIC COR LINE FLOATS MARKED 'NEOC', SOME ORANGE PLASTIC FLOATS LABELED 'VILLY, JAPAN' ON ONE END 'BUENE' AND ON THE OTHER A FOAM BUOY WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH THAT FORMED A SPAR BUOY. THE NET WAS PINK PLASTIC MONOFILAMENT, 3 3/4 INCH SQUARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5 SHANK, AND ADDITIONAL TINES ON THE END; PHOTOS 5-Apr-96 MIRAMAR BEACH CA Migratory Net Fishery Gillnet INCLUDED; ENTANGLEMENT REMOVED Database Released 0 DEAD CALF AND DEAD ADULT FEMALE ENTANGLED IN Santa Barbara, 2 MILES TEATHERED TO THE CCEAN FLOOR BY GILLNETS, STRONGLY SWR THE LINES OF 2 SEPARATE GILLNETS, STRONGLY SWR MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN Santa Barbara, 2 MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN Santa Barbara, 2 MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN Santa Barbara, 2 MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN Santa Barbara, 2 MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE L	2-Apr-96		CA	Migratory	Pot Fishery	Lobster Pot		0	SI - L10	0.75
SOME ORANGE PLASTIC FLOATS LABELED 'VILLY, JAPAN' ON ONE END 'BUENE' AND ON THE OTHER A FOAM BUOY WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH THAT FORMED A SPAR BUOY. THE NET WAS PINK PLASTIC MONOFILAMENT, 3 3/4 INCH SQUARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5 Montecito, OFFSHORE 5-Apr-96 MIRAMAR BEACH CA Migratory Net Fishery Gillnet INCLUDED; ENTANGLEMENT REMOVED Santa Barbara, 2 MILES 27-Apr-96 OFFSHORE CA Migratory Net Fishery Gillnet LINE AND ADDITIONAL TINES ON THE ENTANGLED IN TEATHERED TO THE OCEAN FLOOR BY GILLNETS, STRONGLY Santa Barbara, 2 MILES Santa BARDEN Santa Barbara, 2 MILES SANTA BARDEN Santa Barbara, 2 MILES SANTA BARDEN SANTA BARDEN SANTA BARDEN SANTA BARDEN SANTA BARDARA, 2 MILES SANTA BARDARARARARARARARARARARARARARARARARARAR	•			0 )						
ON ONE END 'BUENE' AND ON THE OTHER A FOAM BUOY WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH THAT FORMED A SPAR BUOY. THE NET HIGH THE LEAD WEIGHTS ALONG THE DEAR THREF FT SMR THE LINES OF 1/2 STEEL REBAR, THREF FT SMR TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND DEAD CALF AND DEAD ADULT FEMALE ENTANGLED IN TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND Entanglement THE LINES OF 2 SEPARATE GILLNETS, STOTHANIMALS ; SMR TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINE AROUND TAIL STOCKS DATABASE DEAD THE LINES ONLY IN ACCESS DATABASE: COW/CALF PAIR ENTANGLES THE ATHERET FLINES ONLY IN ACCESS DATABASE: COW/CALF PAIR ENTANGLES										
WITH A WHITE PVC PIPE POLE ABOUT SIX FEET HIGH THAT FORMED A SPAR BUOY. THE NET WAS PINK PLASTIC MONOFILAMENT, 3 3/4 INCH SQUARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5 BARBED TINES MADE OF 1/2 STEEL REBAR, THREE FT S-Apr-96 MIRAMAR BEACH CA Migratory Net Fishery Gillnet INCLUDED; ENTANGLEMENT REMOVED Santa Barbara, 2 MILES 27-Apr-96 OFFSHORE CA Migratory Net Fishery Gillnet UNE AROUDD THE UNES OF 2 SEPARATE GILLNETS, STRONGLY Santa Barbara, 2 MILES Santa BARBAR SANTA BARBAR SANTA BARBAR MILES SANTA BARBAR SANTA BARBAR SANTA BARBAR MILES SANTA BARBAR SANTA BARBAR MILES SANTA BARBAR SANTA SANTA SA										
THAT FORMED A SPAR BUOY. THE NET WAS PINK         PLASTIC MONOFILAMENT, 3 3/4 INCH SQUARE; HUNG         WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A         BLUE TRACER WITH SMALL LEAD WEIGHTS A LONG THE         LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5         Montecito,         OFFSHORE         OFFSHORE         Santa Barbara, 2         Z7-Apr-96         Miles         Migratory       Net Fishery         Gillnet       INCLUDED; ENTANGLEMENT REMOVED         DEAD CALF AND DEAD ADULT FEMALE ENTANGLED IN         Santa Barbara, 2         VITHE SINDER         Z7-Apr-96         Migratory       Net Fishery         Gillnet       LINE AND DEAD ADULT FEMALE ENTANGLED IN         THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR         Z7-Apr-96       Migratory       Net Fishery         Gillnet       LINE AROUND TAIL STOCKS       Database         DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN       Entanglement         THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR         BLIDE ADULT FEMALE AND DEAD CALF ENTANGLED IN       Entanglement         DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN       Entanglement         DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN       Database      <										
PLASTIC MONOFILAMENT, 3 3/4 INCH SQUARE; HUNG WITH 5/16 INCH YELLOW POLYPROPYLENE LINE AND A BLUE TRACER WITH 5MALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5 BARBED TINES MADE OF 1/2 STEEL REBAR, THREE FT SHANK, AND ADDITIONAL TINES ON THE END; PHOTOS Database Released 0 DEAD CALF AND DEAD ADULT FEMALE ENTANGLED IN THE LINES OF 2 SEPARATE GILLNETS, STRONGLY MILES Z7-Apr-96 OFFSHORE CA Migratory Net Fishery Gillnet INCLUDED; ENTANGLEMENT REMOVED Database Dead 1 DEAD ADULT FEMALE AND DEAD ADULT FEMALE ENTANGLED IN THE LINES OF 2 SEPARATE GILLNETS, STRONGLY MILES Santa Barbara, 2 MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES OF 2 SEPARATE GILLNETS, STRONGLY MILES DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN SATAB BARBAR, 2 MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS ADD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS AD ADULT FEMALE AND DEAD CALF ENTANGLED IN SURR MILES SUMMARS AD ADULT FEMALE AND DEAD CALF PAIR										
BLUE TRACER WITH SMALL LEAD WEIGHTS ALONG THE LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5       SWR         Montecito, OFFSHORE       BARBED TINES MADE OF 1/2 STEEL REBAR, THREE FT SHANK, AND ADDITIONAL TINES ON THE END; PHOTOS       SWR         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         Santa Barbara, 2       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR       Integlement       SWR         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND THE COCEAN FLOOR BY GILLNETS, STRONGLY       SWR         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND THE COCEAN FLOOR BY GILLNETS AND       Entanglement       Entanglement         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         BEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN MILES       Santa Barbara, 2       DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS;       SWR       SWR         MILES       ONLY IN ACCESS DATABASE: COW/CALF PAIR       Entanglement       UNCLUP LINE ON CALS SATABASE: COW/CALF PAIR       Entanglement       UN										
LEAD LINE; A GRAPNEL ANCHOR, CONSISTING OF 5         Montecito, OFFSHORE       BARBED TINES MADE OF 1/2 STEEL REBAR, THREE FT SHANK, AND ADDITIONAL TINES ON THE END; PHOTOS       SWR         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         5-Apr-96       Santa Barbara, 2 MILES       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L       L										
Montecito, OFFSHORE       BARBED TINES MADE OF 1/2 STEEL REBAR, THREE FT SHANK, AND ADDITIONAL TINES ON THE END; PHOTOS       SWR Entanglement       NSI -         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         5-Apr-96       Santa Barbara, 2 MILES       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR       Entanglement       NSI -         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       TEATHERED TO THE OCEAN FLOOR BY GILLNETS, STRONGLY       SWR         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         Santa Barbara, 2 MILES       Santa Barbara, 2 MILES       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS; MILES       SWR       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS; MILES       SWR										
OFFSHORE       SHANK, AND ADDITIONAL TIVES ON THE END; PHOTOS       Entanglement       NSI -         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         Santa Barbara, 2       MILES       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR       Entanglement       Entanglement         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         Santa Barbara, 2       MILES       DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS;       SWR       SWR         MILES       Santa Barbara, 2       ONLY IN ACCESS DATABASE: COW/CALF PAIR       Entanglement       UNICH		Montecito						SWR		
5-Apr-96       MIRAMAR BEACH       CA       Migratory       Net Fishery       Gillnet       INCLUDED; ENTANGLEMENT REMOVED       Database       Released       0         Santa Barbara, 2       Santa Barbara, 2       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR       Entanglement       Entanglement         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         Santa Barbara, 2       Santa Barbara, 2       TEATHERED TO THE OCEAN FLOOR BY GILLNETS; BOTH ANIGLED IN       DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN       Dead       1         MILES       Santa Barbara, 2       MILES       ONLY IN ACCESS DATABASE: COW/CALF PAIR       SWR       Entanglement       Entanglement		,							NSI -	
DEAD CALF AND DEAD ADULT FEMALE ENTANGLED IN         Santa Barbara, 2       THE LINES OF 2 SEPARATE GILLNETS, STRONGLY       SWR         MILES       TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND       Entanglement         27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN         Santa Barbara, 2       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS ;       SWR         MILES       ONLY IN ACCESS DATABASE: COW/CALF PAIR       Entanglement	5-Apr-96		CA	Migratory	Net Fishery	Gillnet				0
MILES TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND Entanglement 27-Apr-96 OFFSHORE CA Migratory Net Fishery Gillnet LINE AROUND TAIL STOCKS Dead 1 DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS; SWR Entanglement En	· · · ·				•					
27-Apr-96       OFFSHORE       CA       Migratory       Net Fishery       Gillnet       LINE AROUND TAIL STOCKS       Database       Dead       1         Santa Barbara, 2       Nilles       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS;       SWR       SWR       Finanglement       Finanglement							,			
DEAD ADULT FEMALE AND DEAD CALF ENTANGLED IN Santa Barbara, 2 MILES OF 2 SEPARATE GILLNETS; BOTH ANIMALS ; SWR ONLY IN ACCESS DATABASE: COW/CALF PAIR Entanglement	27_Apr 06		CA	Migratory	Not Fishony	Gillnet			Dead	1
Santa Barbara, 2       THE LINES OF 2 SEPARATE GILLNETS; BOTH ANIMALS ;       SWR         MILES       ONLY IN ACCESS DATABASE: COW/CALF PAIR       Entanglement	21-Api-30	UI FORURE	UA	wigratory	INEL FISHELY	Gillitet		Dalabase	Deau	I
MILES ONLY IN ACCESS DATABASE: COW/CALF PAIR Entanglement		Santa Barbara, 2						SWR		
27-Apr-96 OFFSHORE CA Migratory Net Fishery Gillnet ENTANGLED IN LINES ASSOCIATED WITH TWO GILL Database Dead 1		MILES					ONLY IN ACCESS DATABASE: COW/CALF PAIR	Entanglement		
	27-Apr-96	OFFSHORE	CA	Migratory	Net Fishery	Gillnet	ENTANGLED IN LINES ASSOCIATED WITH TWO GILL	Database	Dead	1

#### NETS; FOUR FLOATS ASSOCIATED WITH LINES WHICH EXTENDED FOR MORE THAN 80 FEET & PRESUMABLY WERE ATTACHED TO NET WHICH WAS TETHERED TO SEA FLOOR; POLYPROPELENE LINES WRAPPED AROUND TAIL STOCKS; CARCASSES FIRST SIGHTED ON 4/27/96 TWO MILES OFFSHORE SUMMERLAND, 1.5 MILES SOUTH OF OIL PLATFORM HAZEL, STRONGLY TEATHERED TO THE OCEAN FLOOR BY GILLNETS AND LINE AROUND TAIL STOCKS

						STOCKS			
2-May-96	Eureka, ARCHELETA BAY, EUREKA	NBNC	Migratory	Pot Fishery	Dungeness Crab	ENTANGLED IN POLYPROPYLENE CRAB POT LINE, Stationary, but swam away after release	SWR Entanglement Database	NSI - Released	0
16-May-96	Suttu, Hokkaido 42 45'N, 140 10'E	EJPJ	Migratory	Unknown Entanglement	Unknown		Kato et al. 2016	Dead	1
13-Jul-96	Neah Bay, WA	NBNC	Feeding	Net Fishery	Gillnet	Makah Tribe, NOAA, and USCG worked together to free whale within 3 hours of when reported entangled.	Statesman Journal (Salem), 15 July 1996	NSI - Released	0
16-Mar-97	20 MILES SOUTH OF US BORDER	М	Migratory	Pot Fishery	Lobster Pot	ENTANGLED IN LOBSTER TRAP GEAR,	SWR Entanglement Database	SI - L10	0.75
26-Mar-97	Santa Barbara, OFFSHORE FROM EL CAPITAN STATE PARK	СА	Migratory	Net Fishery	Set Gillnet	TRAILING 50 FEET OF GILLNET AND BUOY, DESCRIBED AS SET NET, Swimming	SWR Entanglement Database	SI - L10	0.75
7-Apr-97	Goleta, 1 MILE OFFSHORE GOLETA PIER, GOLETA	CA	Migratory	Net Fishery	Gillnet	Gillnet wrapped around flukes,	SWR Entanglement Database	SI - L10	0.75
14-Apr-97	OFFSHORE FROM PATRICK'S POINT, TRINIDAD	NBNC	Migratory	Pot Fishery	Dungeness Crab	TOWING CRAB POT GEAR, Swimming	SWR Entanglement Database	SI - L10	0.75
14-Apr-97	Grayland, WA	NBNC	Migratory	Ship Strike		Large slice on posterior part of the animal, about 2 ft. deep, also old rake marks	NWR-stranding database	Dead	1
9-May-97	SANTA BARBARA CHANNEL, ANACAPA ISLAND	СА	Migratory	Net Fishery	Gillnet	4 INCH DEEP ALL-AROUND WOUND ON FLUKE FROM MONOFILAMENT GILLNET WITH POLYPROPYLENE LINE AND SMALL BLACK FLOATS; TIP OF FLUKE ALSO DAMAGED; PHOTOS ON FILE,	SWR Entanglement Database	SI - L2	1
20-May-97	Kah Shakes Cove	SEAK	Migratory	Ship Strike		Whale large gash on head consistent with a ship strike. Photos reviewed and confirmed by Sally Mizroch. Estimated to be 36 feet.	Alaska Regional Office	DEAD	1
24-May-97	VANDENBERG AIR FORCE BASE	CA	Migratory	Net Fishery	Set Gillnet	DEAD STRANDING; ENTANGLED IN MONFILAMENT GILLNET; DESCRIBED AS SET NET,	SWR Entanglement Database	Dead	1
19-Nov-97	Pt. Loma, CA	CA	Feeding	Net Fishery	Gillnet	Alive. Caught in drift shark net, reported by C. Oliver, SWFC	Heyning and Lewis, 1990	SI - L10	0.75
2-Jan-98	SAN PEDRO	CA	Migratory	Ship Strike		COAST GUARD VESSEL COLLIDED WITH ANIMAL, LEAVING 6 ONE FOOT GASHES IN THE ANIMAL'S SIDE; ANIMAL SURFACED SEVERAL TIMES BEFORE SWIMMING	SWR Ship Strike Database	SI - L11	0.56

						AWAY; NO BLOOD OBSERVED IN WATER; FINAL STATUS OF ANIMAL UNKNOWN			
						DEAD STRANDING; NEWBORN CALF; UMBILICUS			
						PRESENT; ANIMAL FIRST SIGHTED ALIVE AT 1530 ON			
						1/5/98 SWIMMING IN CRESCENT CITY HARBOR. BLEEDING			
						PROFUSELY FROM A PROPELLER-LIKE VERTICAL SLASH			
						IN CAUDAL PEDUNCLE; CAUDAL PEDUNCLE NEARLY	SWR Ship		
7-Jan-98	ELK CREEK	NBNC	Migratory	Ship Strike		SEVERED; ANIMAL DISAPPEARED	Strike Database	SI - L5A	1
						NMFS OBSERVER RECORD: INTERACTION WITH DRIFT	SWR		
	35 MILES WEST					GILLNET, SWAM AWAY, Swam away after entanglement	Entanglement	NSI -	
22-Jan-98	OF SAN DIEGO	CA	Migratory	Net Fishery	Gillnet	removed	Database	Released	0
		-	<b>J J</b>	·· · · <b>/</b>		Whale was apparently tangled in pot gear. Washed in dead.	Santa Cruz		
						May have had lines cut off when it was first on the beach to	Sentinel 25 Feb		
01 Eab 09	Live Oak, CA	CA	Migroton	Pot Fishery	Pot Gear	allow it to drift back to sea.	1998	Dead	1
21-Feb-98		UA	Migratory	POLFISHERY	Pol Gear		1990	Deau	I
	BETWEEN SAN						014/D		
	PEDRO AND						SWR		
	CATALINA						Entanglement		
28-Feb-98	ISLAND	CA	Migratory	Net Fishery	Gillnet	ANIMAL ENTANGLED IN YELLOW LINE AND NETTING,	Database	SI - L10	0.75
						Prop cuts from pectoral fins to dorsal hump, depth of cuts would	NWR-stranding		
17-Mar-98	Grays Harbor, WA	NBNC	Migratory	Ship Strike		be fatal [length from Douglas et al. 2008]	database	Dead	1
	San Pedro, OFF	-	<u> </u>				-		
	POINT FERMIN,					NET WRAPPED AROUND FLUKES; POSSIBLE LOBSTER			
	SAN PEDRO; 6.5					GEAR; CREW CUT WHALE FROM GEAR, BUT AT LEAST 40	SWR		
40.14 00	MILES OFF	~			0.11	FT OF ROPE STILL ATTACHED AROUND CAUDAL	Entanglement	01 1 40	0.75
18-Mar-98	ANGELS GATE	CA	Migratory	Net Fishery	Gillnet	PEDUNCLE,	Database	SI - L10	0.75
						NAVY VESSEL SIGHTED A WHALE SPOUTING OFF PORT			
						BEAM AT 2000 YARDS AT 1200; 10 MINUTES LATER SHIP			
						FELT SHUDDER, SLOWED TO 5 KNOTS, & DISCOVERED			
	OFFSHORE					WHALE WRAPPED AROUND BOW; CARCASS DISLODGED	SWR Ship		
24-Apr-98	POINT LOMA	CA	Migratory	Ship Strike		FROM BOW & SANK	Strike Database	SI - L6A	1
•				•		NAVY VESSEL SIGHTED WHALES OFF BEAM AT 1			
						NAUTICAL MILE AT 0600; WHALE DISCOVERED WRAPPED			
						AROUND BOW AT 0735; THERE WERE NO SIGHTINGS OF			
						WHALES IN THE VICINITY OF THE VESSEL & NO			
	OFFSHORE						CM/D Chin		
24-Apr-98			Manada			INDICATION THAT THE VESSEL HAD HIT A WHALE;	SWR Ship	Dead	4
									1
24-Api-30	POINT LOMA	CA	Migratory	Ship Strike		CARCASS DISLODGED FROM BOW & S	Strike Database	Deau	
24-Api-30	POINT LOMA	CA	wigratory	Ship Strike		DEAD STRANDING; MASSIVE HEMORRHAGE IN	Strike Database	Deau	
24-Api-30	POINT LOMA	CA	Migratory	Ship Surke		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE		Deau	
24-Api-30	POINT LOMA	CA	Migratory	Ship Strike		DEAD STRANDING; MASSIVE HEMORRHAGE IN	SWR Ship	Deau	·
	POINT LOMA STINSON BEACH	CA CA	Migratory	Ship Strike		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE		Dead	1
						DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT	SWR Ship		1
30-Apr-98	STINSON BEACH	CA	Migratory	Ship Strike Unknown	Unknown	DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN	SWR Ship Strike Database Alaska	Dead	1
30-Apr-98				Ship Strike Unknown Entanglement	Unknown	DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction	SWR Ship Strike Database Alaska Regional Office		
30-Apr-98 6-May-98	STINSON BEACH Yakutat	CA SEAK	Migratory	Ship Strike Unknown Entanglement Unknown		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly	SWR Ship Strike Database Alaska Regional Office Alaska	Dead	1
30-Apr-98 6-May-98	STINSON BEACH	CA	Migratory	Ship Strike Unknown Entanglement	Unknown Unknown	DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly subsistence was not confirmed; whale not seen again.	SWR Ship Strike Database Alaska Regional Office	Dead	
30-Apr-98 6-May-98	STINSON BEACH Yakutat	CA SEAK	Migratory	Ship Strike Unknown Entanglement Unknown		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly subsistence was not confirmed; whale not seen again. Gear/line appears to be around tail stock and floating off	SWR Ship Strike Database Alaska Regional Office Alaska	Dead	1
30-Apr-98 6-May-98	STINSON BEACH Yakutat	CA SEAK	Migratory	Ship Strike Unknown Entanglement Unknown		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly subsistence was not confirmed; whale not seen again. Gear/line appears to be around tail stock and floating off posterior end of floating dead whale with 20 buoys in the gear.	SWR Ship Strike Database Alaska Regional Office Alaska	Dead	1
30-Apr-98 6-May-98	STINSON BEACH Yakutat	CA SEAK	Migratory	Ship Strike Unknown Entanglement Unknown Entanglement		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly subsistence was not confirmed; whale not seen again. Gear/line appears to be around tail stock and floating off posterior end of floating dead whale with 20 buoys in the gear. Kate Wynn thinks whale may have drifted into the gear while	SWR Ship Strike Database Alaska Regional Office Alaska Regional Office	Dead	1
30-Apr-98 6-May-98 8-Jun-98 18-Jun-98	STINSON BEACH Yakutat	CA SEAK	Migratory	Ship Strike Unknown Entanglement Unknown		DEAD STRANDING; MASSIVE HEMORRHAGE IN THORACIC CAVITY; SUBCUTANEOUS HEMORRHAGE JUST CAUDAL TO BLOWHOLE EXTENDING TO LEFT PECTORAL FIN entangled, reported as human interaction Initial report of whale trailing net and 2 buoys-reportedly subsistence was not confirmed; whale not seen again. Gear/line appears to be around tail stock and floating off posterior end of floating dead whale with 20 buoys in the gear.	SWR Ship Strike Database Alaska Regional Office Alaska	Dead	1

8-Jul-98	Wreck Creek, WA	NBNC	Feeding	Net Fishery	Net Unknown	heavily preyed upon; net wrapped around flukes (dug in deeply); skin & blubber samples taken	NWR-fishery interaction database	Dead	1
23-Oct-98	San Pedro, LOS ANGELES HARBOR ENTRANCE, SAN PEDRO	СА	Feeding	Pot Fishery	Pot Gear	BUOY LINE LOOPED IN MOUTH LIKE A BRIDAL AND ABOUT 100 FEET OF LINE TRAILING; BUOY WAS STILL ATTACHED TO A LINE THAT WENT THROUGH THE WHALE'S MOUTH,	SWR Entanglement Database	SI - L10	0.75
	San Diego, 1.5 MILES WEST OF MISSION BAY JETT,Y SAN					LACERATIONS ON HEAD, PEDUNCLE & FLUKES, 150 FEET OF 3/8 INCH NYLON ROPE AND A 1/2 INCH LOBSTER TRAP LINE; WHALE WAS BOUND SO TIGHTLY BETWEEN HEAD AND PEDUNCLE THAT WHALE COULD NOT COMPLETELY STRAIGHTEN OUT; , WHALE COULD BARELY KEEP BLOWHOLE ABOVE THE SURFACE, could not straighten	SWR Entanglement	NSI -	
30-Nov-98	DIEGO	CA	Feeding	Pot Fishery	Lobster Pot	from the entanglement; swam away post-release	Database Rugh et al.	Released	0
1999	British Columbia	NBNC		Other	Aquaculture Entanglement	Whale was entangled in an aguaculture net pen.	1999	SI - L10	0.75
11-Jan-99	40 MILES WEST OF SAN DIEGO	CA	Migratory	Net Fishery	Gillnet	NMFS OBSERVER RECORD: CAUGHT IN UPPER SECTION OF DRIFT GILLNET NEAR FLOAT LINE,	SWR Entanglement Database	Dead	1
23-Jan-99	OFFSHORE NORTH CORONADO ISLAND; 4 MILES FROM WEST END	CA	Migratory	Ship Strike		WHALE SURFACED WITHIN THREE FEET OF OCEAN RACING YACHT'S STARBOARD SIDE; Yacht was 11 m of length traveling 6 knots; FOLLOWING IMPACT, WHALE ROLLED UNDER BOW & STRUCK KEEL, RENEDERING VESSEL DEAD IN WATER; WHALE THEN ROLLED UNDER VESSEL & SURFACED ON PORT SIDE; NO BLOOD OBSERVED; ANIMAL APPEARED ST	SWR Ship Strike Database	SI - L12	0.36
4-Mar-99	Rancho Palos Verdes	CA	Migratory	Net Fishery	Gillnet	NET MATERIAL WRAPPED AROUND FLUKES, Moving slowly	SWR Entanglement Database	SI - L10	0.75
14-Mar-99	Rancho Palos Verdes	CA	Migratory	Net Fishery	Gillnet	PINK GILLNET WRAPPED AROUND FLUKES WITH 2 FLOATS ATTACHED,	SWR Entanglement Database	SI - L10	0.75
15-May-99	Bodelteh Island	NBNC	Migratory	Ship Strike		Whaling protest boat was circling the Makah whaling canoe during the hunt at >15 knots likely to try to disrupt hunt with wake. A whale surfaced in front of the boat and the boat skipped up over a wave and landed down on the back of the whale just behind the blowhole. The boat, I think called the Silver Bullet, was a jet drive boat driven by a Jonathan something. The boat was seized by USCG for negligent driving. The whale stayed at the surface for >15 minutes without showing much of any movement. The whale then slowly swam away and was not tracked further.	Author JJS personal observation	SI - L6B	0.2
15-May-99	Bodelteh Island	NBNC	Migratory	Ship Strike		Makah whaling canoe was closing on a whale to harpoon and a small vessel, <17 foot with tiller style engine, accelerated in to block the whalers. The boats front end was lifted by the whale's tail as it sounded to dive. The vessel was seized by USCG for negligent driving and for violating the Regulatory Navigation Area to protect Makah whalers from protestors.	Author JJS personal observation	NSI - L6C	0

	Port Hueneme, 10 MILES OFFSHORE,					CARCASS; FLOATING OFFSHORE WITH POT GEAR WITH	SWR Entanglement		
24-Jun-99	PORT HUENEME	CA	Feeding	Pot Fishery	Pot Gear	TWO FLOATS,	Database	Dead	1
14-Jul-99	Port Garavina	FN	Feeding	Unknown Entanglement	Unknown	entangled, reported as human interaction, estimated to be 25 feet	Alaska Regional Office	DEAD	1
					Dungeness	Had rope through the mouth and was reported to have a 30' rope and apparent crab buoy attached that were cut away	NWR-		
15-Jul-99	Grayland, WA	NBNC	Feeding	Pot Fishery	Crab	before CRC arrived.	strandings	Dead	1
	Cresent City, 2 MILES FROM CRESCENT CITY				Dungeness	Cut by line tail & mouth shallow abrasions due to 3/4 crab line	SWR Entanglement	NSI -	
5-Aug-99	HARBOR	NBNC	Feeding	Pot Fishery	Crab	chaffing: animal around tail and through mouth.,	Database	Released	0
7-Aug-99	Cresent City, CRESCENT CITY	NBNC	Feeding	Pot Fishery	Spot Prawn	PRAWN POT LINES TETHERED TO FLUKE; ANIMAL STATIONARY, Animal stationary; swam away after release	SWR Entanglement Database	NSI - Released	0
16-Aug-99	Bristol Bay	FN	Feeding	Unknown Entanglement	Unknown	entangled, reported as human interaction	Alaska Regional Office	DEAD	1
<u>10-Aug-00</u>	MUIR BEACH, GOLDEN GATE NATIONAL RECREATION		1 county		Unknown	DEAD STRANDING; CARCASS FIRST OBSERVED ON 12/18/99 FLOATING UNDER GOLDEN GATE BRIDGE; 60 CENTIMETER X 50 CENTIMETER X 50 CENTIMETER HEMORRHAGE CAUDAL TO TEMPORAL MANDIBULAR	SWR Ship		I
19-Dec-99	AREA	CA	Migratory	Ship Strike		JOINT AT ANGLE OF JAW	Strike Database	Dead	1
2000	Mexico	М	Migratory	Unknown Entanglement	Unknown	Entanglement	SC-57- ProgRepMexico	SI - L10	0.75
						BUOY LINE AROUND ANIMAL (LOBSTER TRAP	SWR Entanglement		
1-Feb-00	SAN DIEGO BAY San Clemente, SAN CLEMENTE PIER AREA, SAN	CA	Migratory	Pot Fishery Unknown	Lobster Pot	SUSPECTED), Coming to the surface YELLOW POLYPROPYLENE LINE FROM FLUKES, ANIMAL	Database SWR Entanglement	SI - L10	0.75
16-Mar-00	CLEMENTE	CA	Migratory	Entanglement	Unknown	SWIMMING SLOWLY AT SURFACE	Database	SI - L10	0.75
27-Mar-00	Point Dume, POINT DUME, MALIBU	CA	Migratory	Pot Fishery	Pot Gear	TOWING 2 BUOYS & LINE, ANIMAL SWIMMING SLOWLY AT SURFACE	SWR Entanglement Database	SI - L10	0.75
30-Mar-00	Long Beach, 0.5 MILES SOUTH OF LONG BEACH BREAKWATER	CA	Migratory	Net Fishery	Set Gillnet	STRANDING, WHITE SEABASS GILLNET WRAPPED AROUND FLUKES,	SWR Entanglement Database	Dead	1
4-Apr-00	VANDENBERG AIRFORCE BASE	СА	Migratory	Pot Fishery	Rock Crab	TWO POLYPROPYLENE LINES WRAPPED AROUND CAUDAL PEDUNCLE; 10 FEET OF BLUISH-GREEN LINE WRAPPED 7-8 TIMES AROUND PEDUNCLE; YELLOW LINE WRAPPED 2-3 TIMES AROUND PEDUNCLE, LEADING TO 3 X3 FOOT FLATTENED LOBSTER TRAP WITH TAG' LATER IDENTIFIED GEAR AS ROCK CRAB; PHOTOS INCLUDED,	SWR Entanglement Database	Dead	1
10-Jun-00	Aptos, OFFSHORE APTOS, APTOS	CA	Feeding	Unknown Entanglement	Unknown	UNIDENTIFIED FISHING GEAR AND FLOATS WRAPPED AROUND RIGHT PECTORAL FLIPPER,	SWR Entanglement Database	SI - L10	0.75
9-Jan-01	3 MILES OFFSHORE	CA	Migratory	Ship Strike		CABLE LAYING VESSEL COLLIDED WITH WHALE; ANIMAL FIRST SIGHTED THRASHING AT SURFACE AT 1005;	SWR Ship Strike Database	SI - L5A	1
0-0011-01		54	migratory			The source minoring at control at 1000,			1

	MONTANA DE					MAJOR INJURY TO CAUDAL PEDUNCLE, FLUKES			
	ORO STATE PARK					COMPLETELY SEVERED; ANIMAL BLEEDING; LAST SIGHTING OCCURRED AT 1050; FINAL STATUS OF ANIMAL UNKNOWN			
28-Jul-01	10 miles off Del Mar, CA	CA	Feeding	Ship Strike		Frigate USS Jarrett collided with whale 10 miles off Del Mar; 445 foot vessel traveling 21 mph (ship size and speed from Santa Cruz Sentinel 24 Aug 2001)	LA Times 17 Aug 2001	SI - L6A	1
15-Aug-01	80 miles from Oceanside, CA	CA	Feeding	Ship Strike		505 foot Navy vessel struck whale, reported as gray whale, while traveling 15 knots	LA Times 17 Aug 2001	SI - L6A	1
24-Apr-02	Coal Point, WEST OF COAL POINT, ISLA VISTA, SANTA BARBARA	CA	Migratory	Unknown Entanglement	Unknown	POLYPROPYLENE LINE WRAPPED AROUND TORSO, Swimming	SWR Entanglement Database	SI - L10	0.75
14-May-02	Rancho Palos Verdes, OFFSHORE FROM POINT VICENTE, RANCHO PALOS VERDES	СА	Migratory	Unknown Entanglement	Unknown	YELLOW ROPE AROUND PEDUNCLE, Swimming	SWR Entanglement Database	SI - L10	0.75
	Ocean Shores,		0 1				NWR-		
3-Aug-02	WA	NBNC	Feeding	Net Fishery Unknown	Net Unknown	yellow fishing gear (lines & net) wrapped around peduncle	strandings SC-57-	Dead	1
2003	Mexico	М	Migratory	Entanglement	Unknown	Entanglement	SC-57- ProgRepMexico	SI - L10	0.75
31-Jan-03	Morro Bay, OFFSHORE MORRO BAY	CA	Migratory	Pot Fishery	Dungeness Crab	CDFW DUNGENESS CRAB POT STUCK IN MOUTH; 75 FEET OF YELLOW 3/8 INCH POLYPROPYLENE LINE & TWO BUOYS TRAILING FROM RIGHT SIDE; CRAB POT 24"X10" DIAMETER PAINTED GREEN ON TOP, WHITE ON THE BOTTOM; 18"X6" DIAMETER ALL WHITE, ANIMAL WAS SWIMMING AND DIVING BUT APPEARED BOTHERED BY NEARBY BOATS	SWR Entanglement Database	SI - L10	0.75
19-Feb-03	CORONADO	CA	Migratory	Unknown Entanglement	Unknown	YELLOW NYLON LINE LODGED IN BALEEN; NAVY TOWED ANIMAL OUT TO SEA BUT RESTRANDED TWO DAYS; FARTHER SOUTH AT SILVER STRAND STATE BEACH ON 2/21/2003; WAS MISSING MAJORITY OF ITS SKIN	SWR CA 1988- 2007 datasheet	Dead	1
25-Mar-03	San Mateo Pt, 2.5 MILES OFF SAN MATEO POINT	CA	Migratory	Pot Fishery	Dungeness Crab	150 FEET OF CRAB POT LINE WRAPPED AROUND HEAD, TORSO, & FLUKES, Swam away after entanglement removed	SWR Entanglement Database	NSI - Released	0
18-Apr-03	LANDS END, AT 48TH STREET	CA	Migratory	Ship Strike		DEAD STRANDING; 2 PROPELLER-LIKE SLASHES THROUGH BONE & BALEEN ON RIGHT SIDE OF ROSTRUM; BROKEN ROSTRUM	SWR Ship Strike Database	Dead	1
20-Apr-03	Cape Lookout, OR	NBNC	Migratory	Pot Fishery	Dungeness Crab	crab pot line and buoy wrapped around flukes and caudal peduncle, crab pot buoy #219 registered by ODFW. Exam conducted by Tamara McGuire on 4/21/03.	NWR- strandings	Dead	1
18-May-03	Clinton, WA	PS	Migratory	Pot Fishery	Crab Pot	rope wrapped though it's mouth and around its' head. Scientists freed the animal.	NWR-other sources	NSI - Released	0
10-Jul-03	Ocean City, WA	NBNC	Feeding	Unknown Entanglement	Unknown	passerby saw rope tangled around tail; rope now tangled through mouth with 2 holes on underside of jaw (may have been towed)	NWR- strandings	Dead	1

							SWR		
	La Jolla, OFFSHORE PT.					ANIMAL TOWING TRAP GEAR (LOBSTER SUSPECTED),	Entanglement		
17-Jan-04	LA JOLLA	CA	Migratory	Pot Fishery	Lobster Pot	Free swimming animal	Database	SI - L10	0.75
	Driftwood Beach	-	<u> </u>	Unknown			NWR-		
18-Jan-04	State Park, OR	NBNC	Migratory	Entanglement	Unknown	Rope marks found around both pecs and through the mouth	strandings	Dead	1
	Half Moon Bay, 1								
	MILE OFFSHORE								
	PILLAR POINT						SWR		
24 Mar 04	HARBOR, HALF	<u></u>	Migratory	Det Fishen	Det Coor	POT GEAR (ROPE AND BUOY) THROUGH MOUTH, "WHITE	Entanglement	CL   10	0.75
24-Mar-04	MOON BAY	CA	Migratory	Pot Fishery	Pot Gear	ROPE FRAGMENT",	Database NWR-	SI - L10 NSI -	0.75
12-Apr-04	Tillamook, OR	NBNC	Migratory	Pot Fishery	Crab pot	Entangled in crab pot; disentangled	strandings	Released	0
12-4	Cape Elizabeth,	INDING	wigratory	TOLTISTICTY		seen in water anchored to crab gear; tied around caudal	NWR-	Tteleaseu	U
20-May-04	WA	NBNC	Migratory	Pot Fishery	Crab Pot	peduncle; could not tell if entangled live or tied off dead	strandings	Dead	1
							NWR-other		
29-May-04	Ocean City, WA	NBNC	Migratory	Pot Fishery	Crab Pot	Whale severely entangled in crab gear	sources	SI - L10	0.75
						Mahoney via Beckman/Frost (ADFG): could not be			
						disentangled from beluga net [belonging to a Native; unclear:			
						subsistence net or commercial fisher who happens to be			
						Native], so it was harvested for subsistence, however, it was			
15-Jun-04	Kotzebue	FN	Feeding	Net Fishery	Net Unknown	found to be sick and covered with "boils" so it was not consumed. Whale estimated 29 feet	Alaska Regional Office	DEAD	1
10-Jun-04	KUIZEDUE	FIN	reeding	Net Fishery	Net Unknown	Entangled in 3-strand 3/8"poly. Original observers (whale	Regional Onice	DEAD	I
						watchers) cut line. Responders were unable to relocate whale			
				Unknown		via aerial or water searches to assess or attempt	Alaska		
2-Jul-04	Pt. Adolphus	SEAK	Feeding	Entanglement	Unknown	disentanglement.	Regional Office	SI - L10	0.75
	Pt Loma,								
	8/13/2004 -						SWR		
40.4 04	OFFSHORE PT.	~			0.00	ENTANGLED IN MORASS OF NETTING, PVC PIPE, & 1 RED	Entanglement	01 1 40	0.75
13-Aug-04	LOMA SOUTHWEST OF	CA	Feeding	Net Fishery	Set Gillnet	BALL-SHAPED BUOY; ENTANGLED,	Database SWR	SI - L10	0.75
	SAN CLEMENTE					NMFS OBSERVER RECORD: ENTANGLED IN DRIFT	Entanglement		
1-Jan-05	ISLAND	CA	Migratory	Net Fishery	Gillnet	GILLNET, UPPER LEFT CORNER OF NETTING,	Database	SI - L10	0.75
i dali do	102/112	on	mgratory	Not Honory	Chilliot	Crab pot buoys and line around tail stock. Animal was	Duabado	01 210	0.10
						disentangled by OSU AND USCG. Two buoys and trailing rope			
						removed, one buoy either still on the whale or at sea (whale not			
						seen again). animal disentangled by OSU and US Coast			
					_	Guard. No evidence of crab pot, buoy number 13558, bright			
			Manada	Det Fishers	Dungeness	pink, not in ODFW registry of crab pots for commercial crabbers	NWR-	01 1 40	0.75
21-Feb-05	Depoe Bay, OR Long Beach, 4	NBNC	Migratory	Pot Fishery	Crab	in Oregon, sent to WA to see if it was registered there.	strandings	SI - L10	0.75
	MILES								
	SOUTHEAST OF					POLYPROPYLENE LINE & BLUE/GREEN MONOFILAMENT	SWR		
	L.A. LIGHT, LONG					NETTING WITH BLACK BUOYS AND BLACK LINE	Entanglement		
26-Feb-05	BEACH	CA	Migratory	Net Fishery	Gillnet	WRAPPED AROUND FLUKES, Swimming	Database	SI - L10	0.75
	Whidbey Island,					Hemorrhage and oedema noted within the throat region.	NWR-stranding		
19-Apr-05	WA	PS	Migratory	Ship Strike		[Length from Douglas et al. 2008]	database	Dead	1
						Entanglement lines on head [NWR-other sources report that			
00 4 05			Maria	Unknown	Habaa	whale was swimming with entanglement and subsequently	NWR-	Dund	4
26-Apr-05	Grayland, WA	NBNC	Migratory	Entanglement	Unknown	died]	strandings	Dead	1

	Tomiyama (Tokyo Bay), Chiba 35				Salmon Trap				
11-May-05	04'N, 139 46'E	EJPJ	Migratory	Net Fishery	Salmon Trap Net		Kato et al. 2016	Dead	1
	· · ·		/			Fishing line wrapped through mouth, along side and wrapped			
	Horsefall Beach,		Feedlag	Unknown	l la la sua	around peduncle; buoys initially reported attached to line, but	NWR-	Deed	4
6-Jul-05	OR Enoshima,	NBNC	Feeding	Entanglement	Unknown	were cut away before the animal could be examined.	strandings	Dead	1
	Onagawa Miyagi				Salmon Trap				
15-Jul-05	38 23'N, 141 54'E	EJPJ	Feeding	Net Fishery	Net		Kato et al. 2016	Dead	1
	Enoshima,								
	Onagawa Miyagi				Salmon Trap				
15-Jul-05	38 23'N, 141 54'E	EJPJ	Feeding	Net Fishery	Net		Kato et al. 2016	Dead	1
	Cape Flattery, WA								
05 4 05	@48-08N,125- 21W	NBNC	Feedlan	Linely and line		Whale caught in small cables used for salmon fishing, was	NWR-other	NSI - Self-	0
25-Aug-05	Marrowstone	NBNC	Feeding	Hook and line	Salmon Troll	entangled for ~20min, then freed itself. Large gash on right side caudal peduncle [length from Douglas	sources NWR-stranding	released	0
8-Dec-05	Island, WA	PS	Migratory	Ship Strike		et al. 2008]	database	Dead	1
000-00		10	mgratory			FREE-SWIMMING WHALE BREACHED ADJACENT TO		2000	
						CABIN CRUISER & CRASHED DOWN ON VESSEL'S			
	1 MILE					WINDSHIELD, vessel was 8 meters in length and traveling 2.9			
	OFFSHORE					knots, EMBEDDING PIECES OF SKIN & BARNACLES IN			
	LEADBETTER	~ .				GLASS; ANIMAL SWAM AWAY; NO BLOOD OBSERVED IN	SWR Ship	<u></u>	
1-Feb-06	BEACH	CA	Migratory	Ship Strike		WATER; FINAL STATUS OF ANIMAL UNKNOWN;	Strike Database	SI - L12	0.36
	CABRILLO					DEAD STRANDING; RIGHT SIDE OF BODY WAS PARTIALLY DETACHED JUST BEHIND THE SKULL; OCCPITAL REGION	SWR Ship		
10-Feb-06	BEACH	CA	Migratory	Ship Strike		OF SKULL BROKEN	Strike Database	Dead	1
	DEACH	UA	wigratory	Unknown		OF SKELE BROKEN	SC-59-	Deau	<u> </u>
17-Mar-06	Mexico	М	Migratory	Entanglement	Unknown	Gear unknown, observed through anecdotal observation	ProgRepMexico	SI - L10	0.75
	SAN DIEGO BAY,			0		, <u> </u>	0		
	BETWEEN								
	SHELTER					5.4 m PLEASURE CRAFT COLLIDED WITH FREE-			
04 14 00	ISLAND &	~	Manatan			SWIMMING WHALE; BLOOD OBSERVED IN WATER; FINAL	SWR Ship		0.0
24-Mar-06	HARBOR ISLAND SAN FRANCISCO	CA	Migratory	Ship Strike		STATUS UNKNOWN	Strike Database	SI - L6B	0.2
	BAY, NEAR								
	ALCATRAZ					FLOATING CARCASS; PROPELLER-LIKE WOUNDS ON	SWR Ship		
20-Apr-06	ISLAND	CA	Migratory	Ship Strike		BODY	Strike Database	Dead	1
P 77			J · ···)	1		Hikers noticed entangled whale close to shore, was behind two			
						other larger whales; whale had netting over snout and long line			
						(8-10 times its body			
00 4 . 00	O and the share of		Maria	Net	N. C.L.	length) and 2 bright orange floats; also noted mile long length of	NWR-	01 1 40	0.75
23-Apr-06	Cape Lookout	NBNC	Migratory	Net Fishery	Net Unknown	net at sea with similar floats.	strandings	SI - L10	0.75
				Unknown			SWR Entanglement		
27-Apr-06	San Pedro,	CA	Migratory	Entanglement	Unknown	30 FEET OF YELLOW ROPE TIED AROUND FLUKES,	Database	SI - L10	0.75
21-mpi-00		54	migratory	Lindingionient	Dungeness	live entangled gray whale calf with crab pot and gear wrapped	NWR-		0.10
14-May-06	Lakeside	NBNC	Migratory	Pot Fishery	Crab	around tail stock and mouth, died on it's own on 5/15	strandings	Dead	1
<b></b>			J			Entangled in crab pot. Rope wrapped around fluke, tailstock,			
					Dungeness	mid-body and through baleen. Rope scarring on head and left	NWR-		
29-May-06	Grays Harbor, WA	NBNC	Migratory	Pot Fishery	Crab	side	strandings	Dead	1

						(right side unseen). Crab pots being held as evidence by			
14-Jan-07	LINCOLN	NBNC	Migratory	Net fishery	Gillnet	Quinault police. WHALE NEAR NEWPORT REPORTEDLY DISENTANGLED BY FISHERMAN. GEAR AMOUNT AND CONFIGURATION UNKNOWN. NOT KNOWN IF ALL GEAR WAS REMOVED. FINAL OUTCOME UNKNOWN.	Carretta et al. 2022	SI - L10	0.75
	Sanriku, Ofunato,		(ingrater)	,					
18-Jan-07	lwate 39 09'N, 141 54'E	EJPJ	Migratory	Net Fishery	Salmon Trap Net		Kato et al. 2016	Dead	1
18-Feb-07	Laguna San Ignacio	М	Breeding	Pot fishery	Pot Gear (Lobster)	line and buoy in the mouth	PRIMMA	SI - L10	0.75
2-Apr-07	LOS ANGELES	CA	Migratory	Net Fishery	Gillnet	FREE-SWIMMING ANIMAL TOWING 3-5 FEET OF SMALL MESH BLUE/GREEN MONOFILAMENT NETTING FROM AROUND TAIL STOCK; RESCUE EFFORT INITIATED; MOST OF NETTING CUT AWAY, SMALL AMOUNT OF LOOSE NETTING REMAINING AROUND TAIL STOCK; FINAL STATUS UNKNOWN	Carretta et al. 2013	NSI - Released	0.73
20-Apr-07	LINCOLN	NBNC	Migratory	Pot Fishery	Dungeness Crab	ENTANGLED IN CRAB GEAR. SKIPPER OF NEARBY VESSEL REMOVED 8 POTS BEFORE HE HAD TO RETURN TO PORT DUE TO DARKNESS. WHALE STILL HAD 8 BUOYS AND SEVERAL WRAPS OF LINE AROUND MID- SECTION, LEFT PECTORAL FLIPPER, AND THROUGH MOUTH. NO FURTHER DISENTANGLEMENT ATTEMPTS.	Carretta et al. 2013	SI - L2	1
1-Jun-07	MARIN	CA	Feeding	Ship Strike		CARCASS; 4 PROPELLER-LIKE WOUNDS TO BODY	Carretta et al. 2013	DEAD	1
27-Jun-07	2 MILES OFFSHORE SALINAS RIVER MOUTH	CA	Feeding	Pot Fishery	Pot Gear	ANIMAL TOWING TWO BUOYS (1 RED AND 1 YELLOW) FROM FLUKES, SWIMMING 50-75 YARDS OFFSHORE, SLOWLY NORTH.	SWR Entanglement Database	SI - L10	0.75
21 001101	moorri	0,1	rooung	r otrionory	1 01 0001	SOME GEAR WAS REMOVED FROM THE ANIMAL, SWAM	Carretta et al.	01 210	0.10
26-Jul-07	KING	PS	Migratory	Net Fishery	Gillnet	SIGHTED AGAIN TO REMOVE MORE GEAR.	2013	SI - L10	0.75
	OFFSHORE				Red King	WHALE WAS SIGHTED IN HUMBOLDT BAY TRAILING GEAR ON APRIL 12, 2008, APPX. 4 MONTHS AFTER BECOMING ENTANGLED IN THE GEAR IN DECEMBER IN THE BERING SEA. THE ANIMAL WAS TRAILING 40-50 FEET OF LINE WITH THREE BUOYS ATTACHED. BUOYS WERE REMOVED BUT APPROX. 20-30' OF LINE REMAIN ATTACHED TO THE WHALE. THE WHALE APPEARED	Carretta et al.		
7-Dec-07	BERING SEA	FN	Migratory	Pot Fishery	Crab	SEVERLY UNDERWEIGHT AND HAS AN S-SHAPED SPINE.	2013	SI - L2	1
7-Feb-08	ORANGE	CA	Migratory	Ship Strike		CARCASS; PROPELLER-LIKE WOUNDS TO LEFT DORSUM FROM MID-BODY TO CAUDAL PEDUNCLE; DEEP EXTERNAL BRUISING ON RIGHT SIDE OF HEAD; FIELD NECROPSY REVEALED MULTIPLE CRANIAL FRACTURES.	Carretta et al. 2013	DEAD	1
						CARCASS BROUGHT INTO PORT ON BOW OF CRUISE SHIP; COLLISION OCCURRED BETWEEN PORTS OF SAN DIEGO & CABO SAN LUCAS BETWEEN 5:00 P.M. ON 2/28 &	Carretta et al.		
1-Mar-08	MEXICO	М	Migratory	Ship Strike		7:20 A.M. ON 3/1	2013	DEAD	1
12-Apr-08	HUMBOLDT	NBNC	Migratory	Pot fishery	Alaska Bering Sea crab pot	STATIONARY WHALE 20 FT. IN LENGTH DESCRIBED AS 'SEVERELY MALNOURISHED' ENTANGLED IN GEAR. LINE	Carretta et al. 2022	SI - L10	1
			<b>J</b>						

						AND THREE BUOYS EXTENDED 40 TO 50 FT BEHIND WHALE (=TRAILING GEAR), AMOUNT AND			
						CONFIGURATION OF GEAR UNKNOWN. WHALE'S SPINE			
						NOTED AS DISTORTED AND S-SHAPED. HEALTH			
						DECLINE. FISHERY CONFIRMED VIA TAG NUMBER AND			
						INTERVIEW WITH FISHERMAN. GEAR HAD BEEN SET IN			
						BERING SEA BETWEEN OCTOBER AND DECEMBER 2007.			
				L la lua au un		FREE SWIMMING ANIMAL HAD TAIL STOCK WRAP AND	Davil Cathrall		
07 4 00	NOOTICA	NENIO		Unknown		TRAILING ROPE (DO NOT HAVE PICTURES), NOT SURE IF	Paul Cottrell,	01 1 0	
27-Aug-08	NOOTKA	NBNC	Feeding	Entanglement	Unknown	THIS IS THE SAME ANIMAL FROM MAY 17, 2009)	DFO	SI - L2	1
							Paul Cottrell,		
15-Oct-08	TOFINO	NBNC	Feeding	Ship Strike		CARCASS HAD PROPELLER LACERATION DORSAL SIDE	DFO	DEAD	1
						FREE-SWIMMING ANIMAL TOWING UNIDENTIFIED			
						POT/TRAP GEAR; USCG REPORTED GEAR AS 4 LOBSTER	Carretta et al.		
31-Jan-09	SAN DIEGO	CA	Migratory	Pot Fishery	Lobster Pot	POTS; FINAL STATUS UNKNOWN.	2013	SI - L10	0.75
						FREE-SWIMMING ANIMAL WITH PINK GILLNET WRAPPED			
						AROUND HEAD, TRAILING 4 FEET OF VISIBLE NETTING;			
						REPORT RECEIVED VIA NATURALIST ON LOCAL			
						WHALEWATCH VESSEL; NO RESCUE EFFORT INITIATED;	Carretta et al.		
25-Mar-09	ORANGE	CA	Migratory	Net Fishery	Gillnet	FINAL STATUS UNKNOWN.	2013	SI - L10	0.75
		-	<b>J S S J</b>			NECROPSIED, BROKEN BONES IN SKULL; EXTENSIVE	Carretta et al.		
4-Apr-09	PACIFIC	NBNC	Migratory	Ship Strike		HEMORRHAGE HEAD AND THORAX.	2013	DEAD	1
		112110	mgratery	emp et inte		3 DEEP PROPELLER-LIKE CUTS ON RIGHT SIDE, JUST	2010	52/18	· · ·
						ANTERIOR OF GENITAL OPENING; CARCASS TOWED OUT			
						TO SEA ON 6-APR, RESTRANDED AT 29TH STREET IN DEL			
						MAR ON 10-APR; CARCASS TOWED OUT & RESTRANDED			
						AT TORREY PINES STATE BEACH ON 12-APR; CARCASS	Carretta et al.		
5 Apr 00	ORANGE	CA	Migroton	Ship Strike			2013	DEAD	1
5-Apr-09	URANGE	CA	Migratory	Ship Strike		EXAMINED BY LACMNH & SWFSC.	2013	DEAD	<u> </u>
						THICK BLACK LINE WRAPPED TWICE AROUND WHALE'S			
						BODY POSTERIOR TO THE EYES. CITIZEN CUT AND	0 11 1 1		
		05414		Unknown		PULLED AWAY THE LINES. ANIMAL SWAM AWAY AND	Carretta et al.	01 1 40	0.75
9-Apr-09	SITKA	SEAK	Migratory	Entanglement	Unknown	DOVE.	2013	SI - L10	0.75
						LARGE AMOUNT OF BLOOD IN BODY CAVITY, BRUISING			
						IN SOME AREAS OF BLUBBER LAYER AND IN SOME			
						INTERNAL ORGANS. FINDINGS SUGGESTIVE OF BLUNT			
						FORCE TRAUMA LIKELY CAUSED BY COLLISION WITH A	Carretta et al.		
27-Apr-09	ISLAND	PS	Migratory	Ship Strike		LARGE SHIP.	2013	DEAD	1
						CATALINA ISLAND TRANSPORT VESSEL COLLIDED WITH			
						FREE-SWIMMING CALF ACCOMPANIED BY ADULT; CALF			
						WAS SUBMERGED AT TIME OF COLLISION; PIECES OF			
						FLESH & BLOOD OBSERVED IN WATER; CALF NEVER			
						SURFACED; PRESUMED MORTALITY. VESSEL SIZE = 85	Carretta et al.		
1-May-09	LOS ANGELES	CA	Migratory	Ship Strike		FT. SPEED = 27 KTS.	2013	SI - L6A	1
				Unknown		FREE SWIMMING ANIMAL HAD TAIL STOCK WRAP AND	Paul Cottrell,		
17-May-09	TOFINO	NBNC	Migratory	Entanglement	Unknown	TRAILING ROPE	DFO	SI - L2	1
				<u>v</u> · · ·		WHALE CAUGHT IN THE BAG SECTION OF A TRIBAL SET			
						GILLNET. WHALE ENCOUNTERED IN MORNING,			
						UNKNOWN ENTANGLEMENT DURATION. NET HAD BEEN			
						SET 8PM PREVIOUS DAY, WHALE WAS ABLE TO BREATH.	Carretta et al.		
24-Jun-09	CLALLAM	NBNC	Migratory	Net Fishery	Gillnet	BUT COULD NOT FREELY SWIM AND WAS STATIONARY	2013	SI - L10	0.75
		TIBILO	ingratory		CHINA		2010	JI EIV	0.10

						WITHIN NET. RIGHT PECTORAL FIN AND HEAD WERE WELL WRAPPED IN NET WEBBING. WHALE REACTED			
						VIOLENTLY AND SWAM AWAY IN RESPONSE TO A			
						DISENTANGLEMENT ATTEMPT. NET WAS RETRIEVED			
						AND FOUND TO BE TORN IN TWO. NO CONFIRMATION			
						THAT WHALE WAS COMPLETELY FREE OF NETTING.			
						WHALE LAST SEEN AT 1030 AM. PRORATE L10 SERIOUS			
						INJURY BECAUSE OF POSSIBLE EXISTING			
						ENTANGLEMENT.			
						FREE-SWIMMING ANIMAL WITH GREEN GILLNET. ROPE &			
						SMALL BLACK FLOATS WRAPPED AROUND CAUDAL			
						PEDUNCLE. PHOTOS SHOW ROPE CUTTING INTO			
						CAUDAL PEDUNCLE. REPORT RECEIVED VIA HSU			
						RESEARCHER ON SCENE DURING RESEARCH CRUISE;			
						ANIMAL RESIGHTED ON 3-AUG; NO RESCUE EFFORT			
						INITIATED; WHALE IDENTIFIED BY J. CALAMBOKIDIS AS			
						PCFG GRAY WHALE, RESIGHTED IN 2010 AND 2011, STILL			
						ENTANGLED. WHALE WAS RESIGHTED IN 2013 AND HAD			
						SHED GEAR, APPARENTLY IN GOOD HEALTH (JEFF	Carretta et al.	NSI - Self-	
21-Jul-09	HUMBOLDT	NBNC	Feeding	Net Fishery	Gillnet	JACOBSEN, PERS. COMM.).	2013	released	0
						USCG VESSEL TRAVELING AT 10 KNOTS WHEN THEY HIT			
						A GRAY WHALE ON 9/9/2009. THE ANIMAL WAS HIT WITH THE PROP AND WAS REPORTED ALIVE AFTER BEING HIT,	Carretta et al.		
9-Sep-09	CLALLAM	NBNC	Migratory	Ship Strike		BLOOD OBSERVED IN WATER.	2013	SI - L11	0.52
9-3ep-09	GLALLAIVI	NDNC	wigratory	Ship Strike		FREE-SWIMMING ANIMAL WITH PROPELLER-LIKE	Carretta et al.	SI-LII	0.52
16-Feb-10	SAN DIEGO	CA	Migratory	Ship Strike		WOUNDS TO DORSUM.	2013	SI - L11	0.52
				•		TOWING ORANGE/WHITE BUOY; AMOUNT OF			
						ASSOCIATED GEAR UNKNOWN. UNIDENTIFIED FISHERY.			
				Unknown		NO RESCUE EFFORT INITIATED; NO RESIGHTINGS	Carretta et al.		
5-Mar-10	SAN DIEGO	CA	Migratory	Entanglement	Unknown	REPORTED; FINAL STATUS UNKNOWN.	2013	SI - L10	0.75
						21 METER SAILBOAT UNDERWAY AT 13 KTS COLLIDED			
						WITH FREE-SWIMMING ANIMAL; WHALE BREACHED			
						SHORTLY AFTER COLLISION; NO BLOOD OBSERVED IN			
		~ .				WATER; MINOR DAMAGE TO LOWER PORTION OF BOAT'S	Carretta et al.		
12-Mar-10	SANTA BARBARA	CA	Migratory	Ship Strike		KEEL; FINAL STATUS UNKNOWN.	2013	SI - L6A	1
10 Mar 10	27° 53'N, 113° 58'	м	Migroton	Det Fishen	Labotar Dat	Entangled in lobster pot gear. Released alive. Contact is	SC-62-	NSI -	0
19-Mar-10	W	М	Migratory	Pot Fishery Unknown	Lobster Pot	Rebeca Kobelkowsky. ANIMAL IS FREE SWIMMING AND HAS TAIL STOCK WRAP	ProgRepMexico Paul Cottrell,	Released	0
21-Mar-10	MORSBY ISL	NBNC	Migratory	Entanglement	Unknown	ANIMAL IS FREE SWIMMING AND HAS TAIL STOCK WRAP AND TRAILING ROPE, NOT ABLE TO RELOCATE	DFO	SI - L2	1
	MUNUDI IUL	NDNU	myrawry		OTINIOWIT	ROPE WRAPPED AROUND CAUDAL PEDUNCLE. FREE-	510	01 - LZ	1
						SWIMMING AND DIVING. Date updated, listed in Scordino et			
				Unknown		al. (2020) as 8 April 2010, updated based on Carretta et al.	Carretta et al.		
7-Apr-10	MARIN	CA	Migratory	Entanglement	Unknown	2022	2022	SI - L10	0.75
			<b>U</b>	<u> </u>			NOAA Serious		
							Injury		
							Database;		
						ENTANGLEMENT SCARS FOUND ON DEAD WHALE;	NMFS		
				Unknown		THERE WAS A DISTINCT NOTCH IN THE LEFT TAIL FLUKE	Unpublished		
11-Apr-10	WHATCOM	NBNC	Migratory	Entanglement	Unknown	(FOUND LATER TO BE AN ENTANGLEMENT SCAR).	Data	DEAD	1

10 1 - 10			Minaton	Det Eichen	Dungeness	ENTANGLED IN CRAB POT LINES, LENGTH OF GEAR	Carretta et al.	DEAD	4
16-Apr-10	CLATSOP	NBNC	Migratory	Pot Fishery	Crab Dungeness	UNKNOWN.	2013 Carretta et al.	DEAD	1
7-May-10	LINCOLN	NBNC	Migroton	Pot Fishery	Crab	ENTANGLED IN 3 CRAB POTS, WHALE NOT RELOCATED.	2013	SI - L10	0.75
7-Way-10	LINCOLN	INDING	Migratory	POLFISHERY	Clap	FREE-SWIMMING ANIMAL ENTANGLED IN GILLNET;	2013	51-L10	0.75
						ANIMAL FIRST OBSERVED INSIDE DANA POINT HARBOR			
						ON 5/11/10; ANIMAL SUCCESSFULLY DISENTANGLED ON			
						5/12/10 & SWAM OUT OF HARBOR; ANIMAL OBSERVED			
						ALIVE IN SURF ZONE FOR SEVERAL HOURS ON 5/14/10			
						OFF DOHENY STATE BEACH BEFORE WASHING UP DEAD	Carretta et al.		
11-May-10	ORANGE	CA	Migratory	Net Fishery	Gillnet	ON BEACH.	2013	DEAD	1
TT May To	OTUTIOE	0/1	mgratory	Not Honory	Chinict	1.5 OFFSHORE NAVARRO RIVER: CRAB POT LINE	2010	DEXB	
						SPIRALED AROUND ANIMAL FROM HEAD TO FLUKES.			
						TRAILING 20 FEET OF LINE ATTACHED TO CRAB POT;			
						PECTORAL FIN SEVERED, ONLY NECROTIC TISSUE			
						REMAINING. FREE-SWIMMING, BREACHING, MAKING			
						SHALLOW DIVES; SUCCESSFUL DISENTANGLEMENT.			
					Dungeness	INJURY DESIGNATED AS SERIOUS DUE TO MISSING	Carretta et al.		
17-Aug-10	MENDOCINO	CA	Feeding	Pot Fishery	Crab	PECTORAL FIN.	2013	SI - L2	1
						PLEASURE SAILBOAT COLLIDED WITH FREE-SWIMMING			
						ANIMAL; ANIMAL DOVE IMMEDIATELY FOLLOWING			
						CONTACT & WAS NOT RESIGHTED; NO BLOOD			
						OBSERVED IN WATER; FINAL STATUS UNKNOWN.			
						VESSEL SIZE ASSUMED LESS THAN 65 FT. AND SPEED	Carretta et al.		
22-Jan-11	SAN DIEGO	CA	Migratory	Ship Strike		UNKNOWN.	2013	SI - L7B	0.14
						PRIVATE RECREATIONAL VESSEL COLLIDED WITH FREE-			
						SWIMMING ANIMAL; ANIMAL BREACHED JUST PRIOR TO			
						CONTACT, BOUNCING OFF SIDE OF VESSEL; DOVE			
						IMMEDIATELY FOLLOWING CONTACT & WAS NOT			
						RESIGHTED; NO BLOOD OBSERVED IN WATER; FINAL			
						STATUS UNKNOWN; SKIN SAMPLE COLLECTED FROM			
						VESSEL AND GENETICALLY IDENTIFIED AS A FEMALE			
10 5-1 44		~	Manada			GRAY WHALE. VESSEL SIZE ASSUMED LESS THAN 65 FT	Carretta et al.	01 1 70	0.44
12-Feb-11	LOS ANGELES	CA	Migratory	Ship Strike		AND SPEED UNKNOWN.	2013	SI - L7B	0.14
18-Apr-11	SAN FRANCISCO	CA	Migratory	Ship Strike		CRUSHED MANDIBLE	Carretta et al. 2013	DEAD	1
		•••				MASSIVE HEMORRHAGE INTO THE THORAX, BLOOD			
						CLOTS AROUND LUNGS. LESIONS INDICATE MASSIVE			
						TRAUMA. DUE TO CARCASS POSITION, THE SKELETON			
						COULD NOT BE COMPLETELY EXAMINED (LYING ON	Carretta et al.		
11-Jun-11	SAN MATEO	CA	Feeding	Ship Strike		BACK, TOP OF SKULL IN SAND)	2013	DEAD	1
						ANIMAL HAS BEEN IN AREA FOR ~5 WEEKS, OBSERVED			
						FEEDING; THIS WAS FIRST OBSERVATION OF			
						ENTANGLEMENT; GRAY LINE WITH BLACK AND WHITE			
						FLOAT WRAPPED AROUND FLUKE/PEDUNCLE AREA,			
						TRAILING LINE, 2 LACERATIONS IN THE FLUKE AREA,			
						ONE DEEP ONE AT THE BASE AND ONE ON ONE OF THE			
	SAN LUIS			Unknown		BLADES CAUSING THE TIP TO CURL; ANIMAL OBSERVED	Carretta et al.		
13-Jul-11	OBISPO	CA	Feeding	Entanglement	Unknown	ENTANGLED IN THE MORNING BUT AT 1330 OBSERVED	2013	SI - L2	1

						WITHOUT ENTANGLEMENT; SHED GEAR ON ITS OWN;			
						GEAR-FREE BUT INJURED.			
						INDICATIONS OF OLD HEALED ENTANGLEMENT SCAR ON			
				Unknown		FLUKE. OPEN ULCER/ LESIONS ON ABDOMEN OF	Carretta et al.		
7-Jul-11	KITSAP	PS	Migratory	Entanglement	Unknown	UNKNOWN ORIGIN.	2013	NSI - L5B	0
			mgratory			ENTANGLED IN 50 LBS. HEAVY MONOFILAMENT	2010		•
						WEBBING, CORK LINE, AND LEAD LINE, AS WELL AS			
						OVER 200 LBS. OF BULL KELP ATTACHED TO GEAR;			
						COMPLETELY DISENTANGLED; LEADING EDGE OF			
						FLUKES HAD SIGNIFICANT CUTS AND ABRASIONS;			
						OVERALL BODY CONDITION WAS POOR; MASSIVE			
						INFESTATION OF WHALE LICE AND BARNACLES; ANIMAL			
						VERY EMACIATED AND LACKED ANY VISIBLE SIGNS OF			
						RECENT FEEDING; OBSERVED THE DAY AFTER			
						DISENTANGLEMENT SWIMMING VERY SLOWLY. HEALTH			
						DECLINE DUE TO CONSTRICTING AND WEIGHTED	Carretta et al.		
25-Aug-11	PETERSBURG	SEAK	Feeding	Net Fishery	Net Unknown	ENTANGLEMENT.	2013	SI - L2	1
5			Ŭ	,		ONE WHITE "CRAB POT" BUOY NEXT TO BODY BY LEFT			
						PECTORAL FIN: FLOAT STAYED NEXT TO BODY AND DID			
						NOT CHANGE POSITION; ANIMAL REMAINED IN SAME			
						POSITION - POSSIBLY ANCHORED: ONLY OBSERVED FOR			
						~2 MIN; NOT RESIGHTED, NO RESCUE, OUTCOME	Carretta et al.		
25-Aug-11	SAN MATEO	CA	Feeding	Pot Fishery	Pot Gear	UNKNOWN. CONSTRICTING ENTANGLEMENT.	2013	SI - L2	1
J-Aug-11	SANWATLO	UA	reeulity	FULTISHELY	F UL Geal	ENTANGLED IN COD POT GEAR: 3-5 WRAPS OF LINE	2013	51 - LZ	I
						AROUND PEDUNCLE AND WHALE IMMOBILIZED; 2-3			
						,			
						WRAPS OF FLOATING POLY BUOY LINES WRAPPED			
						CLOSE TO FLUKES, SINGLE WRAP OF POT LINE AROUND			
						PEDUNCLE EXTENDED DOWN TO THE POT AT AN ANGLE;			
						FLUKES IMMOBILIZED; COMPLETELY DISENTANGLED			
						AFTER 2 HRS AND OBSERVED SWIMMING SLOWLY. NON-			
						SERIOUS INJURY BECAUSE WHALE'S CONDITION WAS	Carretta et al.	NSI -	
27-Sep-11	KODIAK	K	Feeding	Pot Fishery	Cod Pot	REPORTED AS GOOD AND ALL GEAR REMOVED.	2013	Released	0
	Taiwan Strait near						Burkanov et al.		
5-Nov-11	mainland China	VSCS	Feeding	Net Fishery	Set gillnet	Entangled in a set gillnet	2017	Dead	1
						A 40' WHALE WAS CAUGHT IN COD POT GEAR NEAR			
						UNIMAK PASS. LINES WERE CUT BY BOAT CREW AND			
						BUOYS WERE RECOVERED, HOWEVER, THE POT AND			
						SOME LINE REMAINED IN THE WATER. ANY LINE			
						POSSIBLY REMAINING ON ANIMAL THOUGHT TO BE			
						MINIMAL. GRAY WHALE DETERMINATION MADE			
						FOLLOWING EXTENSIVE QUESTIONING BY LOCAL			
						MARINE MAMMAL BIOLOGIST. DETERMINATION:			
						PRORATE AT L10 BECAUSE GEAR POSSIBLY REMAINS	Carretta et al.		
7-Jan-12	ALEUTIANS EAST	FN	Migratory	Pot Fishery	Cod Pot	ON ANIMAL.	2014	SI - L10	0.75
		1.11	migratory	Unknown	000101	POSSIBLE ENTANGLEMENT, DEEP CABLE-LIKE	Carretta et al.		0.10
)) lan 1)	PACIFIC	NBNC	Migratory	••••••	Unknown	INDENTATION AROUND GENITAL AREA.	2014	DEAD	1
2-Jan-12	FAUIFIU	INDINC	Migratory	Entanglement	UTIKTIOWI		2014	DEAD	I
						TOWING TWO ORANGE BUOYS AND AT LEAST 150 FT OF			
						LINE; UNKNOWN FISHERY, REPORTED AS POSSIBLE	0 11		
				Unknown		GILLNET; NO RESPONSE EFFORT. UNKNOWN IF	Carretta et al.		
28-Jan-12	SAN DIEGO	CA	Migratory	Entanglement	Unknown	ENTANGLEMENT IS CONSTRICTING OR NOT.	2014	SI - L10	0.75

						GILLNET GEAR AROUND PEDUNCLE; RESPONSE EFFORT RESULTED IN SUCCESSFUL DISENTANGLEMENT WITH >100 FT OF PINK GILLNET REMOVED FROM ANIMAL, BUT ANIMAL SUBSEQUENTLY OBSERVED DEAD ON 03/27 (FLOATING, SKIN SAMPLE TAKEN, NO NECROPSY). NET			
04 Mar 10		~	Minutes	Net Fishers	Cilleret	REMOVED ON 03/24 FOUND TO CONTAIN ONE DEAD CA	Carretta et al.		4
24-Mar-12	LOS ANGELES	CA	Migratory	Net Fishery	Gillnet	SEA LION AND THREE DEAD SHARKS. LINE DEEPLY EMBEDDED AROUND TAIL STOCK AND	2014	DEAD	1
						UNDER FLUKE; ~45 FEET OF ROPE WITH HAND CARVED			
						BUOY: ANIMAL SUCCESSFULLY DISENTANGLED AND ALL			
				Unknown		GEAR RECOVERED. CONDITION OF ANIMAL INDICATED	Carretta et al.	NSI -	
28-Mar-12	ORANGE	CA	Migratory	Entanglement	Unknown	THAT ANIMAL IS LIKELY TO SURVIVE.	2014	Released	0
						GRAY WHALE REPORTED ENTANGLED WITH			
						APPROXIMATELY 150 FEET OF LINE TRAILING. FOUR			
						SPONGEX BULLET BUOYS LIE ALONG THE LEFT SIDE OF			
						THE ANIMAL. ENTANGLEMENT INVOLVES THE MOUTH, A			
						WRAP OVER THE HEAD, AND THE LEFT PECTORAL			
				Unknown		FLIPPER. ENTANGLEMENT APPEARS RECENT. PARTIALLY DISENTANGLED 5/3/12 BY FISHERMEN.	Carretta et al.		
17-Apr-12	ORANGE	CA	Migratory	Entanglement	Unknown	UNKNOWN AMOUNT OF GEAR REMAINED ON WHALE.	2014	SI - L10	0.75
11-Api-12	SAN LUIS	UA	Migratory	Unknown	OTIKITOWIT	ROPE LIKE MARKS ON CAUDAL PEDUNCLE. ROPE	Carretta et al.		0.15
21-Apr-12	OBISPO	CA	Migratory	Entanglement	Unknown	IMPRESSION ON PECTORAL FIN. PHOTOS.	2014	DEAD	1
				Unknown		SMALL GRAY WHALE OFF FORT BRAGG CA, IN COMPANY	Carretta et al.		
28-Apr-12	MENDOCINO	CA	Migratory	Entanglement	unknown	OF TWO OTHER ANIMALS, TRAILING TWO BUOYS.	2014	SI - L10	0.75
				Unknown		WHALE WATCH VESSEL NOTICED FROM IMAGES TAKEN THAT A GRAY WHALE OBSERVED EARLIER IN THE DAY WAS ACTUALLY ENTANGLED. A SMALL GAUGE LINE, LIKELY FROM RIGHT SIDE OF MOUTH GOES OVER THE ANIMAL'S BACK, AND OVER BLOWHOLES, TO LEFT SIDE OF MOUTH. NO BUOYS OR TRAILING LINE WERE OBSERVED. ANIMAL IN FAIR CONDITION. ANIMAL SIGHTED NEXT DAY BY WHALE WATCH VESSEL. CONFIRMED MOUTH ENTANGLEMENT, APPEARS TO BE STRAPPING MATERIAL. UNKNOWN IF GEAR IS	Carretta et al.		
5-May-12	MONTEREY	CA	Migratory	Entanglement	Unknown	CONSTRICTING.	2014	SI - L10	0.75
				<u> </u>	Dungeness	DEEP CUTS FROM ROPE AROUND PEDUNCLE AND LACERATIONS AT FLUKE NOTCH AND LATERAL EDGE OF FLUKE. GEAR COLLECTED AND IDENTIFIED AS DUNGENESS CRAB POT GEAR. ANIMAL ENTIRELY FREED OF GEAR BUT CONDITION OF ANIMAL IS FAIR AND SLIGHTLY EMACIATED. DEEP CUTS (~ 2 INCHES) FROM THE ROPE AROUND THE PEDUNCLE REMAINED. GEAR WAS RECOVERED. RESULTS OF ENTANGLEMENT MAY	Carretta et al.		
8-May-12	HUMBOLDT	CA	Migratory	Pot Fishery	Crab	STILL BE LIFE THREATENING.	2014	SI - L2	1
					Dungeness	LOOP BETWEEN CRAB POTS AND WEIGHTED LINE CAUGHT IN WHALE'S MOUTH; ENTANGLING GEAR STUCK IN ROCKS; ANIMAL ANCHORED WITH SMALL RADIUS OF MOVEMENT FOR 4 DAYS; SUCCESSFULLY	Carretta et al.	NSI -	•
11-May-12	MARIN	CA	Migratory	Pot Fishery	Crab	DISENTANGLED. GEAR WAS COLLECTED.	2014	Released	0
			<u> </u>	,					

31-Aug-12
22-Aug-12
16-Jun-12
15-Jun-12
<u>13-May-12</u> 19-May-12

						MACKERRICHER STATE PARK, JUST OUTSIDE THE SURF ZONE.WHALE REPORTED WITH ROPE AROUND THE			
						PEDUNCLE WHICH WASN'T SEEN IN PHOTOGRAPHS BUT			
						PHOTOS DID SHOW GREEN GILLNET WITH CUTS TO THE			
						HEAD; ANIMAL DISAPPEARED AND FINAL STATUS IS			
						UNKNOWN. CUTS TO HEAD INDICATE CONSTRICTING	Carretta et al.		
13-Oct-12	MENDOCINO	CA	Feeding	Net Fishery	Gillnet	GEAR.	2014	SI - L2	1
						GRAY WHALE SWIMMING EAST TOWARDS WHISKEY			
						CREEK SLOWLY FOR 30 MINUTES SAID TO BE			
						ENTANGLED IN ROPE AND BUOYS. ANIMAL NOT	Carretta et al.		
10-Jan-13	CLALLAM	NBNC	Migratory	Pot Fishery	Pot Gear	RELOCATED, SEVERITY OF ENTANGLEMENT UNKNOWN.	2015	SI - L10	0.75
2 Fab 42		~	Minutes	Det Fishers	Det Coor	LINE ENTANGLEMENT DESCRIBED AS "POT GEAR" WITH	Carretta et al.	01 1 40	0.75
3-Feb-13	SAN DIEGO	CA	Migratory	Pot Fishery	Pot Gear Pot Gear	A SINGLE WHITE BUOY TRAILING. NOT RESIGHTED.	2015	SI - L10 NSI -	0.75
19-Feb-13	Ignacio	М	Breeding	Pot fishery	(Lobster)	line and buoy in the mouth; successfully disentangled	PRIMMA	Released	0
			Drooding	. schonory	(2000101)	ENTANGLED WHALE WAS TRAILING ROPE ~ 20 FEET		Acioucod	<b>V</b>
						BEHIND AND TWO ORANGE FLOATS. ANIMAL IS			
						THOUGHT TO HAVE AN ENTANGLEMENT ON THE			
						PECTORAL FIN OR HEAD REGION. NO RESIGHTS OF THE	Carretta et al.		
8-Mar-13	CLALLAM	NBNC	Migratory	Pot Fishery	Pot Gear	ANIMAL HAVE BEEN REPORTED.	2015	SI - L10	0.75
						U.S. COAST GUARD IN COOS BAY REPORTED AN			
					ENTANGLED GRAY WHALE CALF A COUPLE MILES WEST				
						OF CAPE ARAGO. A SMALL WHALE (<20 FEET) WAS SEEN			
						LYING FAIRLY MOTIONLESS, IN CLOSE PROXIMITY TO A STRING OF CRAB GEAR. THE WITNESS WAS ABOUT 100			
						YARDS AWAY IN THE WHEELHOUSE OF A 90? VESSEL			
						AND DIDN?T ACTUALLY SEE ANY GEAR WRAPPED			
						AROUND THE WHALE?S BODY BUT HE THOUGHT IT WAS			
						PROBABLY ENTANGLED. USCG DID A FLYOVER OF THE			
						AREA AND DID NOT RESIGHT THE ANIMAL. EVIDENCE OF			
						CONSTRICTING GEAR BECAUSE WHALE WAS	Carretta et al.		
22-Mar-13	COOS	NBNC	Migratory	Pot Fishery	Pot Gear	MOTIONLESS.	2015	SI - L2	1
						SINGLE STRAND OF ROPE WRAPPED TIGHTLY ONCE			
						AROUND LEFT FLUKE BLADE; ROPE DESCENDS TO			
						BELIEVED LOBSTER POT AT DEPTH OF ~20 M SLIGHTLY			
						BEHIND ANIMAL. INJURED, HIGH CYAMID LOAD. NOT	Carretta et al.		
28-Mar-13	LOS ANGELES	CA	Migratory	Pot Fisherv	Pot Gear	RESIGHTED. EVIDENCE OF CONSTRICTING ENTANGLEMENT.	2015	SI - L2	1
20-11/101-13	LOS ANOLLES	04	myratory	TOLTISTICTY	T OL GEAI	ANIMAL ENTANGLED IN FOUR OR MORE BUOYS IN	2015	01-L2	1
						TANDEM ON A LINE, 2 SMALL ORANGE BUOYS ON THE			
						ENDS, HALF A YELLOW/BROWN BULLET BUOY AND			
				Unknown		SMALL YELLOW PLASTIC FLOAT IN THE MIDDLE.	Carretta et al.		
13-Apr-13	SANTA BARBARA	CA	Migratory	Entanglement	Unknown	SIGHTED, UNABLE TO ATTACH RESCUE LINE.	2015	SI - L10	0.75
						RESCUE TEAM FOUND GEAR THAT ANIMAL HAD SHED.			
						GEAR IDENTITY CONFIRMED BY CDFW USING BUOY	Carretta et al.	NSI - Self-	
18-Apr-13	SAN FRANCISCO	CA	Migratory	Pot Fishery	Pot Gear	NUMBER. NO ADDITIONAL DETAILS.	2015	released	0
					_	REPORTEDLY HAD CRAB BUOY AND 20 FEET OF LINE	<b>.</b>		
10 May 10			Migratan	Dat Fichary	Dungeness	TRAILING BEHIND IT WAS REPORTEDLY ENTANGLED IN	Carretta et al.	01 1 40	0.75
13-May-13	CURRY	NBNC	Migratory	Pot Fishery	Crab	CRAB GEAR SWIMMING WITHIN 1 MILE OF SHORE; FINAL	2022	SI - L10	0.75

						OUTCOME UNKNOWN. Recorded by Saez et al. (2020) as			
						occurring on 13 May 2020.			
E lun 12	HUMBOLDT	<u> </u>	Fooding	Not Fishery	Cillect	ENTANĞLED IN LÁRGE AMOUNT OF PINK GILLNET WITH BLACK FLOATS AROUND PEDUNCLE AND FLUKES. MODERATE DECOMPOSITION. LATITUDE = 40.617, JUST SOUTH OF PACIFIC COAST FEEDING GROUP BOUNDARY	Carretta et al. 2015	DEAD	1
25-Jun-13	HUMBOLDI	CA	Feeding	Net Fishery	Gillnet	DEFINED BY IWC. ENTANGLEMENT FOUND WRAPPED THROUGH MOUTH	Carretta et al.	DEAD	I
25-Jun-13	MARIN	CA	Feeding	Pot Fishery	Pot Gear	AND ON FLUKES.	2015	DEAD	1
27-Jun-13	CURRY	NBNC	Migratory	Pot Fishery	Dungeness Crab	ENTANGLED TO GEAR AT PEDUNCLE AND RIGHT PECTORAL; CRAB POT TAG NUMBER IDENTIFIED AS DUNGENESS CRAB POT GEAR.	Carretta et al. 2015	DEAD	1
16-Jul-13	MARIN	CA	Feeding	Pot Fishery	Dungeness Crab	CDFW TAG ID IDENTIFIED TO DUNGENESS CRAB FISHERMAN; ENTANGLEMENT WAS IN LINE AND BUOYS ONLY (NO POT/TRAP); DEAD STRANDING.	Carretta et al. 2015	DEAD	1
						BLUNT FORCE TRAUMA TO LEFT SIDE OF ROSTRUM. ABRASIONS AND SUPERFICIAL LACERATIONS WITH ASSOCIATED BRUISING AND HEMORRHAGE IN BLUBBER AND UNDERLYING MUSCLE; DEGLOVING OF TISSUE FROM BONE AT SITE AND SHATTERED AREAS IN L ROSTRAL BONE. BASED ON SIZE OF IMPACT, IDENTIFIED	Carretta et al.		
29-Jul-13	GRAYS HARBOR	NBNC	Migratory	Ship Strike		AS VESSEL STRIKE. A whale matched to the Sakhalin feeding group catalogue was	2015	DEAD	1
22 4 12	Northeast Sakhalin Island	SI	Fooding	Not Fishery	NotUplyour	observed with rope around the caudal peduncle. The rope was similar to ropes used in the salmon trap fishery operating	Burkanov et al. 2017	NSI - Self- released	0
22-Aug-13	ISIdiiu	51	Feeding	Net Fishery	Net Unknown Dungeness	nearby. Whale self released before being observed in 2014. GRAY WHALE, CONFIRMED (KNOWN PCFG, CASCADIA #819). SEVERAL SIGHTINGS AND THE ANIMAL WAS ULTIMATELY DISENTANGLED BY DFO AND PARKS	Carretta et al.	NSI -	0
4-Sep-13	CLALLAM	NBNC	Migratory	Pot Fishery	Crab	CANADA.	2015	Released	0
7-Sep-13	Nit Nat Narrows	NBNC	FEEDING	Pot Fishery	Dungeness Crab	HI, DFO Parks Canada, disentanglement successful, whale photographed several months later in good condition [this is same whale as 4 Sept 2013 seen entangled in Clallam County, WA, USA]	Paul Cottrell, DFO	SI - Released	0
8-Sep-13	NORTH SLOPE BOROUGH	FN	Feeding	Ship Strike		WELL-DOCUMENTED VESSEL STRIKE INVOLVING A NOAA RESEARCH RHIB (23 FT IN LENGTH) THAT WAS OVERTURNED BY A GRAY WHALE DURING SATELLITE TAGGING OPERATIONS. WHALE APPEARED UNDER THE BOW OF RHIB, WHICH WAS IMMEDIATELY PUT INTO REVERSE, BUT WHALE LIFTED BOW OF VESSEL HIGH ENOUGH OUT OF THE WATER TO CAUSE IT TO FLIP OVER. ALL PERSONNEL ABOARD WERE RESCUED BY THE R/V AQUILA AND THE RHIB VESSEL WAS RETRIEVED. SLOW SPEED AND SMALL SIZE OF THE RHIB, COMBINED WITH A LACK OF INFORMATION ON POSSIBLE WHALE INJURY SUPPORTS USE OF L6C NON-SERIOUS INJURY CRITERIA.	NOAA Serious Injury Database; NMFS Unpublished Data	NSI - L6C	0
	OFFSHORE			·	Swordfish		Carretta et al.		
23-Oct-13	SOUTHERN CA	CA	Feeding	Net Fishery	Drift Gillnet	OBSERVER PROGRAM	2015	DEAD	1

	South of Piltun Lagoon, Sakhalin				Salmon Trap	Fisherman reported to Sakhalin Energy that a large whale (>10 m long) had entangled and died in a salmon trap south of Piltun Lagoon. Species of whale was not determined but gray whales	Burkanov et al.		
2014	Island	SI	Feeding	Net Fishery	Net	are most likely large whale to occur in region.	2017	Dead	1
5-Jan-14	MONTEREY	CA	Migratory	Unknown Entanglement	Unknown	ENTANGLEMENT ON HEAD OF WHALE, INCLUDED FLOAT. NO DETAILS ON SEVERITY OF ENTANGLEMENT	Carretta et al. 2016	SI - L10	0.75
13-Jan-14	Laguna Ojo de Liebre	м	Breeding	Pot fishery	Pot Gear (Lobster)	line and 3 buoy in the mouth; successfully disentangled	ESSA / CONANP	NSI - Released	0
10-0411-14	Laguna San		Dieeulity	I OL IISHELY	Pot Gear	30m of lines and 3 buoys in the mouth and pectoral fin;	CONANI	NSI -	0
22-Mar-14	Ignacio	М	Breeding	Pot fishery	(Lobster)	successfully disentangled	PRIMMA	Released	0
15-Apr-14	VENTURA	CA	Migratory	Unknown Entanglement	Unknown	ENTANGLÉD IN UNSPECIFIED GEAR. NO DETAILS ON GEAR TYPE OR SEVERITY OF ENTANGLEMENT.	Carretta et al. 2016	SI - L10	0.75
				-		ENTANGLED GRAY WHALE SIGHTED NEAR GOLD BEACH, APPEARED TO BE SWIMMING WELL IN A NORTHERLY DIRECTION. THE OBSERVER TOOK VIDEO - IT APPEARS TO HAVE AN ORANGE/RED OR WHITE/RED BUOY TRAILING JUST A FEW FEET BEHIND IT. OBSERVER LOST SIGHT OF THE ANIMAL BEFORE CONTACTING OREGON STATE UNIVERSITY. ABSENCE OF CONSTRICTING GEAR COULD NOT BE CONFIRMED FROM VIDEO. THUS	Carretta et al.		
27-May-14	CURRY	NBNC	Migratory	Pot Fishery	Pot Gear	ASSIGNED L10 INSTEAD OF L3.	2016	SI - L10	0.75
28-May-14	LINCOLN	NBNC	Migratory	Pot Fishery	Pot Gear	ENTANGLED IN LINE AROUND HEAD AND TRAILING ONE ORANGE AND ONE WHITE BUOY. BUOYS ESTIMATED TO BE 20-25 FT BEHIND FLUKES. NO DISENTANGLEMENT ATTEMPT. BOTH ANIMALS MOVING NORTH AT APPROX. 3.5 KTS (SHADOWED BY RHIB VESSEL), THUS IT IS THOUGHT NO POT/TRAP IS ATTACHED TO ANIMAL, OTHERWISE SPEED WOULD BE SLOWER. MOTHER OF CALF IS A KNOWN ANIMAL (CRC-554) WITH NORTHERN CA / SOUTHERN OR SIGHTING HISTORY BACK TO 1997. GIVEN THE SIGHTING HISTORY OF MOTHER, SHE AND CALF ARE CONSIDERED PART OF THE PCFG POPULATION. ENTANGLED WITH YELLOW LINE WRAPPED AROUND ITS	Carretta et al. 2016	SI - L10	0.75
94 bd 44	OPANGE	CA.	Fooding	Unknown	Linknown	BODY, MAY INVOLVE MOUTH, NO BUOYS; WHALE LICE ON HEAD AND POST CRANIAL DIP; UNKNOWN GEAR TYPE. GEAR DISCARDED BEFORE NOAA COULD EVALUATE. FREE-SWIMMING; NEWPORT BEACH LG FREED WHALE; RESIGHTED MOVING NORTH 7/26. SERIOUS INJURY BECAUSE LACK OF CONFIRMATION	Carretta et al.	SI 140	0.75
24-Jul-14	ORANGE	CA	Feeding	Entanglement Unknown	Unknown	THAT ALL GEAR WAS REMOVED. INTERVIEW AND EXAMINATION PICS, GEAR CAME OFF	2016 Paul Cottrell,	SI - L10 SI - Self-	0.75
1-Aug-14	POWELL RIVER	NBNC	FEEDING	Entanglement	Unknown	ON IT'S OWN	DFO	released	0
						GILLNET, PINK 8.25 INCH MESH, GEAR EXTENDS 40 FEET BEHIND ANIMAL- GEAR ORIGINATED IN MOUTH AND CUT DOWN TO 10 FEET OUT BOTH SIDES OF MOUTH. ENTANGLEMENT DEEPLY EMBEDDED IN MOUTH, RUNNING DOWN BOTH SIDES OF BODY, UNDER THE	Carretta et al.		
2-Sep-14	LOS ANGELES	CA	Feeding	Net Fishery	Gillnet	PECTORAL FINS, AND OVER THE FLUKE. CUT LINE ON	2016	SI - L2	1

						SIDE OF BODY WITH CUTTING KNIFE, SOME GEAR			
						REMAINING IN MOUTH. L2 SERIOUS INJURY BECAUSE OF			
						REMAINING GEAR ON ANIMAL AND APPARENT			
						CONSTRICTING NATURE OF GEAR ('DEEPLY			
						EMBEDDED').			
						ENTANGLED WITH YELLOW POLYLINE AND A COUPLE OF			
						FLOATS TRAILING BEHIND. THRASHING INDICATES	<b>0</b>		
		~	- "	Unknown		RECENT ENTANGLEMENT; ANIMAL IN DISTRESS; ANIMAL	Carretta et al.	01 1 40	0.75
11-Sep-14	SAN DIEGO	CA	Feeding	Entanglement	Unknown	NOT RESIGHTED, POSSIBLY LIFE-THREATNING.	2016	SI - L10	0.75
						PIER 52 SEATTLE FERRY DOCK. SHARP FORCE TRAUMA			
						CAUSED BY LARGE PROPELLER. DEFINITE CAUSE OF			
						MORTALITY. 5-6 PROPELLER CUTS ON R SIDE/ACROSS			
						BACK, BEGINNING JUST DORSAL OF RIGHT PECTORAL			
						FIN. UNABLE TO SEE HOW FAR THEY EXTEND ACROSS			
01 lon 15	KING	PS	Migroton	Ship Strike		BACK DUE TO CARCASS POSITION, VISIBLE PORTIONS	Carretta et al.	DEAD	1
1-Jan-15	-	P3	Migratory	Ship Surke	Det Casa	80-180CM. MODERATELY DECOMPOSED WHALE.	2017		I
29-Jan-15	Laguna San	М	Breeding	Pot fishery	Pot Gear (Lobster)	line and buoy in the mouth; successfully disentangled	PRIMMA	NSI - Released	0
. <del>3-Jdll-13</del>	Ignacio	IVI	Dreeding	Pot lisitery	(LODSIEI)	ENTANGLED IN BLUE / GREEN GILLNET, NET AROUND	PICIIVIIVIA	Released	0
						HEAD / BLOWHOLE REGION, FULL GEAR			
						CONFIGURATION UNKNOWN, BUT AN ABSENCE OF GEAR			
						ON FLUKES AND PEDUNCLE NOTED. ANIMAL MILLING AT			
						SURFACE AND CHANGING DIRECTION OFTEN. HEAVY			
						COATING OF BARNACLES ON BODY, ANIMAL IN POOR			
						CONDITION. WITH NECROTIC TISSUE ON THE HEAD			
						EVIDENT. LONG-TERM SURVIVAL UNLIKELY. PHOTOS			
						REVIEWED BY J. CARRETTA AND D. WELLER. Date			
						updated from Scordino et al. (2017) previously recorded as 3	Carretta et al.		
2-Feb-15	LOS ANGELES	CA	Migratory	Net Fishery	Gillnet	February 2015	2017	SI - L10	1
	Laguna San		, i i i i i i i i i i i i i i i i i i i	, ,	Pot Gear			NSI -	
2-Feb-15	Ignacio	М	Breeding	Pot fishery	(Lobster)	line and 3 buoy in the mouth; successfully disentangled	PRIMMA	Released	0
						POSSIBLE CRAB POTS. BUOY COLORS DIFFICULT TO SEE			
						FROM COAST GUARD VIDEO, REPORTED AS RED AND			
						WHITE. LINE COMES DOWN BOTH SIDES OF BODY AND			
						COMES TOGETHER AT BUOY 1 ABOUT 10 FT IN FRONT			
						OF THE FLUKE, 2ND BUOY RIGHT AT FLUKE INSERTION			
						WRAPPED AROUND TIGHTLY WITH BUOY AT SURFACE;			
						EXAMINATION OF USCG VIDEO BY J. CARRETTA			
						INDICATES EVIDENCE OF CONSTRICTING WRAP AND A	<b>.</b>		
		~		Unknown		WHALE THAT HAS DIFFICULTY TRAVELING NORMALLY.	Carretta et al.	01 1 0	
26-Feb-15	SANTA BARBARA	CA	Migratory	Entanglement	Unknown	WARRANTS USE OF SERIOUS INJURY CATEGORY L2.	2017	SI - L2	1
						INITIALLY SEEN BREACHING MULTIPLE TIMES, THEN			
						RESTING AT SURFACE AND ATTEMPTING TO SWIM			
						BACKWARDS WITH MOUTH OPEN. LINE OR ROPE			
						TRAILING DOWN LEFT SIDE FROM MOUTH TO THE			
						PECTORAL FIN AND AFT OF THE BLOWHOLES, UNABLE			
				Unknown			Corrotto at al		
7-Mar-15	ORANGE	CA	Migroton	••••••	Unknown	CONFIGURATION OF GEAR IS UNKNOWN. PHOTOS REVIEWED BY J. CARRETTA.	Carretta et al. 2017	SI - L10	0.75
	UNANGE	0A	Migratory	Entanglement	Unknown	NEVIEVED DI J. VARREITA.	2017	31 - L IU	0.75

						SELF REPORT FROM FISHERMAN IN HIS OWN GEAR; 1 CRAB POT ON 300 FT OF LINE SET IN 250 FT WITH 2			
						BUOYS (1 ORANGE/1 PURPLE) WITH TEAL LINE			
						CONNECTING TO BLUE POLY LINE WRAPPED AROUND			
	SAN LUIS				Dungeness	THE FLUKE; TIER 1 CDFW DUNGENESS CRAB GEAR. FULL	Carretta et al.		
11-Mar-15	OBISPO	CA	Migratory	Pot Fishery	Crab	EXTENT OF GEAR ENTANGLEMENT UNKNOWN.	2017	SI - L10	0.75
		-	<b>J</b> • •• <b>J</b>			LINE COMING OUR RIGHT SIDE OF MOUTH, MORE			
						TRAILING LINE COMING FROM UNDERNEATH. PHOTOS			
						REVIEWED BY J. CARRETTA AND D. WELLER. PHOTOS			
						DO NOT SHOW GEAR, BUT RESPONDERS (J.			
						CALAMBOKIDOS) CONFIRMED PRESENCE OF GEAR. FULL			
						GEAR CONFIGURATION UNKNOWN. ANIMAL HAS			
						MODERATE CYAMID / BARNACLE LOAD, INDICATIONS OF			
40.14 45	004105	~		Unknown		A HEALTH DECLINE, THUS ASSIGNED A SERIOUS INJURY	Carretta et al.	01 1 40	
16-Mar-15	ORANGE	CA	Migratory	Entanglement	unknown	VALUE = 1.	2017	SI - L10	1
17-Mar-15	Laguna San Ignacio	М	Breeding	Pot fishery	Pot Gear (Lobster)	line and 3 buoy in the mouth and body; successfully	PRIMMA	NSI - Released	0
	Ignacio	IVI	Dieeulity	FOUNDRED	(LUDSIEI)	disentangled GRAY WHALE REPORTED WITH TAIL ENTANGLED IN	1° INTIVITA	NEIEdSeu	0
						FISHING LINE. WITH ORANGE BUOY ATTACHED. NO			
				Unknown		PHOTOS OR VIDEO TO DETERMINE EXTENT OF GEAR	Carretta et al.		
19-Mar-15	JEFFERSON	PS	Migratory	Entanglement	Unknown	ENTANGLEMENT. REPORTED BY A TUGBOAT TO USCG.	2017	SI - L10	0.75
	Laguna Oio de		<u>g</u>		Pot Gear		ESSA /	NSI -	
6-Apr-15	Liebre	М	Breeding	Pot fishery	(Lobster)	line and buoy in the mouth; successfully disentangled	CONANP	Released	0
			-		. ,	USCG SECTOR NORTH BEND, OREGON REPORTED			
						WHALE TO BE TRAVELING NORTH AT 3 MPH WITH 3			
						OTHER CONSPECIFICS AND A CALF. ~30 FEET OF LINE			
						WITH A SINGLE YELLOW BUOY TRAILING BEHIND THE			
						WHALE, APPEARED TO BE MOVING OKAY AND NO			
						DESCRIPTION OF WHERE ON THE BODY LINE WAS WRAPPED. 5/25/2015: REPORTED AGAIN BY A WHALE			
						WATCH VESSEL OUT OF DEPOE BAY, WAS SIGHTED			
						HOURS EARLIER IN NEWPORT, OR. LAST KNOWN			
						LOCATION ON 5/25/2015 WAS JUST SOUTH OF THE CAPE			
						MEARES LIGHTHOUSE SWIMMING NORTH AT 3MPH.			
						GEAR CONFIGURATION UNKNOWN, ASSIGNED L10.	Carretta et al.		
21-May-15	CURRY	NBNC	Migratory	Pot Fishery	Pot Gear	Recorded by Saez et al. as occurring on 19 May 2015	2017	SI - L10	0.75
						A FRESH GRAY WHALE CARCASS WAS DISCOVERED ON			
						THE COPPER RIVER DELTA. THE CARCASS DISPLAYED			
						LINEAR CUTS AND CHAFING ON THE ROSTRUM,			
						INDICATIVE OF RECENT GILLNET ENTANGLEMENT.	Opmette stal		
22 May 15	VALDEZ- CORDOVA	EN	Migrator	Not Eichon	Cillect	EXAMINED BY K. WYNNE AND E. LYMAN. [length added	Carretta et al.		1
23-May-15	CURDUVA	FN	Migratory	Net Fishery	Gillnet	from Alaska Region database] FISHERMEN SELF-REPORT, BRINGING IN SET NET WHEN	2017	DEAD	1
						GRAY WHALE APPROACHED FROM UNDER BOAT. HIT			
						NET, SPUN, VIOLENTLY REACTED, EVENTUALLY BROKE			
						FREE, UNCERTAIN IF ANY GEAR REMAINED ON WHALE;			
						FISHERMAN UNSURE IF EVEN REALLY EVER ENTANGLED			
						BUT THINKS 20 FT OF HIS NET MAY BE HAVE BEEN			
					Halibut	GONE. UNKNOWN GEAR CONFIGURATION ON ANY	Carretta et al.		
30-Jul-15	ORANGE	CA	Feeding	Net Fishery	Gillnet	REMAINING GEAR. NO PHOTOS.	2017	SI - L10	0.75

						JUVENILE GRAY WHALE INITIALLY FOUND ANCHORED AND ENTANGLED IN A MARINE SET GILLNET INSIDE NEAH BAY. REPORTED WHALE HAD 3-4 WRAPS OF LEADLINE AND CORKLINE AROUND THE CAUDAL PEDUNCLE WITH LINES STREAMING OVER THE FLUKE LEADING TO A MASS OF GILLNET MESH AND LINES. WHALE REMAINED IN AREA, WITH MULTIPLE DISENTANGLEMENT EFFORTS CONTINUING INTO SEPTEMBER. FINAL PHOTOS OF WHALE SHOW ANIMAL SWIMMING FREE, FEEDING NORMALLY, AND APPARENTLY GEAR FREE. INITIAL INJURY ASSESSMENT IS L2 BECAUSE OF CONSTRICTING GEAR, BUT FINAL ASSESSMENT IS NON-SERIOUS INJURY BECAUSE OF INTERVENTION EFFORTS. BIOPSY SAMPLE ALSO OBTAINED AND SENT TO SWFSC. PHOTOS AND NARRATIVE PROVIDED BY MAKAH TRIBE, REVIEWED BY	Carretta et al.	NSI -	
15-Aug-15	CLALLAM	NBNC	Migratory	Net Fishery Unknown	Gillnet	J. CARRETTA. GRAY WHALE REPORTED AS ENTANGLED IN NETTING,	2017 Carretta et al.	Released	0
8-Sep-15	SANTA BARBARA	CA	Feeding	Entanglement	Unknown	NO ADDITIONAL DETAILS.	2017	SI - L10	0.75
26-Sep-15	SAN DIEGO	CA	Feeding	Net Fishery	Gillnet	VESSEL DEFIANCE REPORTED A GRAY WHALE ENTANGLED IN NETTING WITH NO TRAILING GEAR 12 MILES OFF SAN ONOFRE. NO FURTHER DETAILS AVAILABLE.	Carretta et al. 2017	SI - L10	0.75
21-Dec-15	SAN DIEGO	СА	Migratory	Pot Fishery	Pot Gear	ENTANGLED ON LEFT SIDE TRAILING LOBSTER-TYPE BUOY POSSIBLY ALSO ON FLUKES, BUOY ORANGE IN COLOR AND EASILY VISIBLE. GEAR CONFIGURATION UNKNOWN.	Carretta et al. 2017	SI - L10	0.75
				Unknown		ENTANGLED IN ROPE, DRAGGING A SINGLE WHITE BUOY. TRAVELING WITH OTHER WHALES SOUTHBOUND,	Carretta et al.		
5-Feb-16	ORANGE Laguna San	CA	Migratory	Entanglement Unknown	Unknown	NO PHOTOS. OFF DANA POINT. short line and buy in the pectoral fin; unsuccessful on	2019	SI - L10	0.75
14-Feb-16	Ignacio	М	Migratory	Entanglement	Unknown	disentanglement effort	PRIMMA	SI - L10	0.75
	Laguna Ojo de		,	Unknown		50m of lines and four buys in the mouth; successfully	ESSA Y	NSI -	
10-Mar-16	Liebre	М	Migratory	Entanglement	Unknown	disentangled	PROFEPA	Released	0
24-Mar-16	SAN DIEGO	СА	Migratory	Ship Strike		"S" SHAPED LACERATIONS ALONG LEFT LATERAL SIDE AT ABDOMINAL (6) AND PEDUNCLE (6)INDICATE THIS ANIMAL WAS HIT BY A SHIP, ALTHOUGH IT IS NOT CLEAR IF THIS HAPPENED BEFORE OR AFTER DEATH.	Carretta et al. 2019	DEAD	1
_21-Apr-16	ORANGE	СА	Migratory	Unknown Entanglement	Unknown	JUVENILE OR CALF SWIMMING NORTH WITH YELLOW LINE, MULTIPLE WRAPPED AROUND TAIL STOCK, OVER FLUKES, 2 WHITE BULLET BUOYS AT BASE OF TAIL STOCK, LINE TRAILING WHALE 50 FEET. ANIMAL RE- SIGHTED ON 4/27/2016, SWIMMING WITH ADULT ANIMAL OFF BIG SUR. NO TELEMETRY ATTEMPT MADE BECAUSE OF SMALL SIZE OF WHALE. CONFIGURATION AND SEVERITY OF ENTANGLEMENT UNKNOWN. OUTCOME UNKNOWN. EXTENSIVE WRAPS LIKELY TO BECOME CONSTRICTING AS ANIMAL GROWS. LINE WRAPPED AROUND THE BASE OF THE FLUKES;	Carretta et al. 2019	SI - L2	1
22-Apr-16	ORANGE	CA	Migratory	Unknown Entanglement	Unknown	WHITE BUOY AT BASE OF TAIL, TRAILING LINE APPEARS TO BE 15-20 FEET LONG, NO FLOATS ATTACHED TO	Carretta et al. 2019	SI - L10	0.75

22-Jul-16	LINCOLN	NBNC	Feeding	Ship Strike		TRAILING LINE [NOT SAME WHALE AS 20160421ER, BASED OFF COMPARISON OF VIDEO TO PHOTOS, BODY SIZE, SWIMMING PATTERN, COLOR PATTERN]. ANIMAL DESCRIBED AS MOVING NORTH AT 2-3KTS AND NOT USING ITS FLUKES VERY MUCH. USCG MOTOR LIFEBOAT STRUCK A GRAY WHALE WHILE TRAVELING AT APPROXIMATELY 10 KNOTS. FOLLOWING COLLISION, WHALE POPPED ITS HEAD ABOVE THE SURFACE AND THEN DOVE. USCG MOTOR LIFEBOATS ARE APPROXIMATELY 45 FT IN SIZE. NO DETAILS ON INJURY TO WHALE. MULTIPLE DEEP CUTS INTO LEFT THORAX AND	Carretta et al. 2019	NSI - L6C	0
						ABDOMEN CLEARLY INDICATE PROPELLER WOUNDS.	Carretta et al.		
1-Aug-16	CURRY	NBNC	Feeding	Ship Strike		MODERATELY-DECOMPOSED CALF.	2019	DEAD	1
<u>28-Jan-17</u>	LOS ANGELES	СА	Migratory	Pot Fishery	Dungeness Crab	TIGHT MULTIPLE WRAPS AROUND TAILSTOCK RIGHT AT THE FLUKE INSERTION WITH 3 LINES CUTTING INTO THE LEADING EDGES OF THE FLUKES AND TRAILING OVER THE TOP OF THE FLUKES. THE REST OF LINES WRAPPED AROUND PEDUNCLE GO UNDER THE TAIL AND TRAIL APPROX. 50-75 FEET BEHIND THE WHALE. IN THE LINE THERE ARE THREE BUOYS (ALL BULLET) WITH ONE BEING A BIT SMALLER ORANGE AND THEN TWO LITTLE LARGER BUOYS. ONE WAS ALL ORANGE AND THE OTHER TRICOLOR WITH ORANGE AT TOP/ WHITE IN MIDDLE / AND BLACK ON BOTTOM. THIS BUOY HAD A CALIFORNIA DCRAB TAG THAT WAS LIGHT BLUE BUT COULDN'T READ ANYTHING ON IT. PARTIAL DISENTANGLEMENT ACCOMPLISHED AND RESIGHT OF ANIMAL NEXT DAY INDICATED BUOYS HAD MOVED FURTHER BACK TOWARD TAIL. ANIMAL WAS USING ITS PECTORAL FLIPPERS FOR SWIMMING PRIMARILY. ASSIGNED SERIOUS INJURY UNDER L2 DUE TO CONSTRICTING NATURE OF GEAR REMAINING ON ANIMAL AND APPARENT INABILITY TO FULLY-UTILIZE ITS FLUKES. A 65FT COASTAL CRUISER STRUCK A WHALE WHILE	Carretta et al. 2022	SI - L2	1
						TRANSITING BETWEEN NEWPORT HARBOR AND DANA POINT HARBOR, 2 NM NW OF DANA POINT HARBOR. INJURED GRAY WHALE IS REPORTED ALIVE AND APPEARS TO HAVE THE FOLLOWING INJURIES: 3 LARGE LACERATIONS NEAR ITS PECTORAL FIN. LOTS OF BLOOD	Carretta et al.		
29-Jan-17	ORANGE	CA	Migratory	Ship Strike			2019	SI - L6A	1
12-Feb-17	SAN DIEGO Laguna Ojo de	CA	Migratory	Unknown Entanglement Unknown	Unknown	ENTANGLED WHALE HAD WOOD-LIKE FLOAT TRAILING 30 YARDS BEHIND. WHALE BREACHING FOR 10-15 MIN BEFORE MOVING ON WITH OTHER WHALES. NO PHOTOS, GEAR TYPE / CONFIGURATION UNKNOWN.	Carretta et al. 2019 ESSA Y	SI - L10	0.75
26-Feb-17	Liebre	М	Migratory	Entanglement	Unknown	line and buy in the flukes; unsuccessful in effort to disentangle	CONANP	SI - L10	0.75
4-Mar-17	Laguna San Ignacio	М	Migratory	Unknown Entanglement	Unknown	line and buy in the mouth; successfully disentangled	PRIMMA	NSI - Released	0

8-Mar-17	Laguna San Ignacio	М	Migratory	Unknown Entanglement	Unknown	line and two buys in the mouth and peduncle; successfully disentangled	PRIMMA	NSI - Released	0
						FREE-SWIMMING WHALE TOWING A SINGLE BUOY APPROXIMATELY 10 FEET BEHIND ANIMAL. AMOUNT AND CONFIGURATION OF GEAR UNKNOWN. ANIMAL RESIGHTED NEXT DAY, 15 NMI NW OF PREVIOUS DAY'S DOOL OTH. TRAN. DO DUOY, NOT DAVING FLATS			
				Unknown		POSITION, STILL TRAILING BUOY, NOT RAISING FLUKES ABOVE WATER DURING SEVERAL SURFACING CYCLES.	Carretta et al.		
12-Mar-17	SAN DIEGO	CA	Migratory	Entanglement	Unknown	VIDEO REVIEWED BY J. CARRETTA.	2019	SI - L10	0.75
						WHALE SWIMMING WITH MASS OF BLUE ROPE, PINK GILLNET, AND BLACK FLOATS AROUND FLUKES. CLOSE- UP PHOTO SHOWS OPEN WOUND WHERE BLUE ROPE AND FLOATS ARE ATTACHED. SERIOUS INJURY BECAUSE OPEN WOUND HAS POTENTIAL TO BECOME NECROTIC. VIDEO AND PHOTOS REVIEWED BY J.	Carretta et al.		
19-Mar-17	ORANGE	CA	Migratory	Net Fishery	Gillnet	CARRETTA.	2019	SI - L2	1
	Laguna San			Unknown					
20-Mar-17	Ignacio	М	Migratory	Entanglement	Unknown	line and buy in the mouth; whale not found to disentangle	PRIMMA	SI - L10	0.75
						PINK MONOFILAMENT NETTING ON HEAD, EXTENDING BACK PAST BLOWHOLES AND DOWN LEFT SIDE OF ANIMAL TO WATERLINE. MONOFILAMENT NETTING WOUND ON ITSELF. WHALE IS RAISING ITS FLUKES DURING DIVE CYCLES. NO ENTANGLEMENT ON FLUKES OR TAILSTOCK VISIBLE. TOTAL AMOUNT AND CONFIGURATION OF GEAR UNKNOWN. PHOTOS	Carretta et al.		
28-Mar-17	ORANGE	CA	Migratory	Net Fishery	Gillnet	REVIEWED BY J. CARRETTA.	2019	SI - L10	0.75
1-Apr-17	ORANGE	CA	Migratory	Other	Marine Debris	GRAY WHALE SWIMMING WITH LARGE METAL FRAME AROUND HEAD, JUST POSTERIOR TO BLOWHOLES. FRAME IS FIRMLY ATTACHED TO WHALE AND IS CONSIDERED TO BE A SERIOUS INJURY DUE TO THE CONSTRICTING NATURE OF THE ENTANGLEMENT AND PROBABILITY OF PREVENTING THE WHALE FROM FEEDING PROPERLY. WHALE RESIGHTED 9 DAYS LATER AS IT MOVED NORTH ALONG THE COAST. PHOTOS / VIDEO REVIEWED BY J. CARRETTA.	Carretta et al. 2019	SI - L2	1
						BLUE TWINE LINE ON TAIL WITH KELP, GILLNET WRAPPED AROUND TAILSTOCK AND LEADING EDGE OF FLUKE; RIGHT TIP OF FLUKE BROKEN OFF AND POSSIBLE NECROTIC TAIL DUE TO POOR BLOOD FLOW; INITIAL MEASUREMENTS ~6 INCH MESH SIZE. SWIMMING SLOWLY, MOSTLY WITH PECTORAL FLIPPERS, SURFACING HEAD 1ST AND NO FLUKE UP DIVING. WHALE DISENTANGLEMENT TEAM REMOVED OVER 100 FEET OF GILLNET. THERE IS STILL SOME WEBBING AND LINE REMAINING ON FLUKES. CONSIDERED SERIOUS INJURY DUE TO ORIGINAL AND POSSIBLY CONTINUING	Carretta et al.		
15-Apr-17	ORANGE	CA	Migratory	Net Fishery	Gillnet	CONSTRICTING NATURE OF ENTANGLEMENT.	2019	SI - L10	1
16-Apr-17	LOS ANGELES	CA	Migratory	Unknown Entanglement	Unknown	ORANGE LINE WRAPPED AROUND CAUDAL PEDUNCLE. NO PHOTOS. UNKNOWN GEAR CONFIGURATION AND AMOUNT.	Carretta et al. 2019	SI - L10	0.75
10-Api-17	LOG ANOLLLO	07	inigratory		UNKIOWI		2013	01-110	0.15

19-Apr-17	SAN LUIS OBISPO	СА	Migratory	Unknown Entanglement	Unknown	CALF OF PAIR ENTANGLED WITH YELLOW / ORANGE ROPE OVER BACK, THINNER WHITE LINE DRAPED OVER UPPER TAILSTOCK. GEAR AMOUNT AND CONFIGURATION UNKNOWN.	Carretta et al. 2019	SI - L10	0.75
21-Apr-17	ORANGE	CA	Migratory	Unknown Entanglement	Unknown	BLUE ROPE/GEAR TRAILING 5 FEET, SMALL "BLUE" BUOYS DESCRIBED; IT IS POSSIBLE THAT THIS WHALE IS SAME AS 4/15 ENTANGLED IN GILLNET THAT WAS PARTIALLY REMOVED. VIDEO REVIEWED BY J. CARRETTA. GEAR CONFIGURATION AND AMOUNT UNDETERMINED.	Carretta et al. 2019	SI - L10	0.75
21-Api-17	ONANOL	UA	Migratory	Entangioment	OTIKIIOWIT	GEAR FROM MULTIPLE POTS WRAPPED AROUND	2015	01-110	0.15
28-Apr-17	PACIFIC	NBNC	Migratory	Pot Fishery	Dungeness Crab	CAUDAL PEDUNCLE OF DEAD, FLOATING MALE CALF OF THAT YEAR (20 FEET IN LENGTH). FISHERY SOURCE BASED ON GEAR TAGS RETRIEVED FROM WHALE. NECROPSY DETERMINED ENTANGLEMENT AS CAUSE OF DEATH.	Carretta et al. 2019	DEAD	1
			mgratery	. et : lene.j	0100	SEVERE ENTANGLEMENT INJURIES ON TAILSTOCK AND	20.0	02,0	•
				Unknown		FLUKE. NOT HEALED. DEEP CUTS FROM LINES ON EACH SIDE OF FLUKE INSERTION, WRAP INJURY WITH ABRAIDED TISSUE CUTTING DEEP INTO R FLUKE (2/3	Carretta et al.		
12-Jun-17	GRAYS HARBOR	NBNC	Feeding	Entanglement	Unknown	TOWARD TIP). POSSIBLE IMPRESSIONS ACROSS HEAD. ADF&G CHIGNIK AREA MANAGEMENT BIOLOGIST	2019	DEAD	1
15-Jun-17	LAKE AND PENINSULA BOROUGH	FN	Feeding	Net Fishery	Gillnet	PASSED ALONG MULTIPLE REPORTS FROM PEOPLE AROUND CHIGNIK LAGOON REPORTING GRAY WHALE WITH FISHING LINE ENTANGLED AROUND TAIL. IT WAS SWIMMING BUT SLOWLY NEAR FISHING BOATS BY THE MOUTH OF THE LAGOON. ADDITIONAL DETAILS: REPORTED BY LOCAL FISHERMEN ON 6/14/17 IN CHIGNIK LAGOON. SMALL GRAY WHALE, POSSIBLY SUBADULT. GEAR DESCRIBED AS JAPANESE FISHING NET WITH BLACK FLOATS (SHE DOESN'T KNOW HOW THEY ID'D AS JAPANESE). NET WRAPPED AROUND FLUKE. ASSIGNED PRORATED SERIOUS INJURY DUE TO UNKNOWN AMOUNT AND CONFIGURATION OF GEAR.	Carretta et al. 2019	SI-L10	0.75
						MOUTH. GEAR CAME LOOSE FROM ANIMAL WHILE IT	Carretta et al.		
8-Nov-17	VENTURA	CA	Feeding	Net Fishery	Unknown	WAS ROLLING AROUND IN SURF. YELLOW ROPE ON TAIL AND TRAILING 100 FEET BEHIND WHALE; RESPONSE EFFORTS CONFIRMED 8 INCH PINK MONOFILAMENT GILLNET WRAPPED AROUND TAIL, INCLUDING MULTIPLE BLACK FLOATS, YELLOW AND BLACK ROPE. ANIMAL SWIMMING SLOWLY NORTH AND DIVING. INTERVENTION RESPONSE RESULTED IN THE CUTTING AND REMOVAL OF SOME GEAR. WHALE WAS LOST AFTER THIS INTERVENTION AND REMAINING GEAR	2019 Carretta et al.	DEAD	1
<u>11-Dec-17</u>	ORANGE	CA	Migratory	Net Fishery	Gillnet	AMOUNT AND CONFIGURATION IS UNKNOWN.	2019 NOAA Serious Injury Database:	SI - L10	0.75
29-Jan-18	OFFSHORE	CA	Migratory	Net Fishery	Drift Gillnet	OBSERVER PROGRAM	NMFS	DEAD	1
29-Jan-18	OFFSHORE	CA	Migratory	Net Fishery	Drift Gillnet	OBSERVER PROGRAM	Database;	DEAD	

							Unpublished Data		
11-Feb-18	Laguna San Ignacio	М	Migratory	Unknown Entanglement	Unknown	line in the mouth and line, buy and lobster tramp in the peduncle; successfully disentangled.	PRIMMA	NSI - Released	0
21-Feb-18	ORANGE	СА	Migratory	Unknown Entanglement	Unknown	LINE ENTANGLED AROUND THE BASE OF THE PEDUNCLE AND OVER THE FLUKE. LINE APPEARS TO BE CUTTING INTO PEDUNCLE TISSUE. REPORTING PARTY NOTED THAT LINE HAD SOME TENSION AND MAY HAVE BEEN CARRYING SOME WEIGHT. ANIMAL BODY CONDITION LOOKED GOOD FROM PHOTOGRAPHS REVIEWED BY J. CARRETTA. AMOUNT AND CONFIGURATION OF GEAR UNKNOWN.	NOAA Serious Injury Database; NMFS Unpublished Data	SI - L2	1
21-Feb-18	MONTEREY	CA	Migratory	Unknown Entanglement	Unknown	SINGLE ROUND (NOT OBLONG) RED / ORANGE BUOY TRAILED RELATIVELY CLOSE BEHIND WHALE. NO PHOTOS. AMOUNT AND CONFIGURATION OF GEAR UNKNOWN.	NOAA Serious Injury Database; NMFS Unpublished Data	SI - L10	0.75
						BLUE MESH GILLNET WRAPPED AROUND CAUDAL PEDUNCLE OF SWIMMIMG WHALE, WITH 4 TO 5 SMALL, RED BULLET BUOYS ASSOCIATED. MESH SIZE DIFFICULT TO DETERMINE AS PHOTOS WERE TAKEN FROM OBSERVER ON SHORE. PHOTOS REVIEWED BY J.	NOAA Serious Injury Database; NMFS Unpublished		
3-Mar-18	VENTURA	CA	Migratory	Net Fishery	Gillnet	CARRETTA.	Data	SI - L10	0.75
18-Mar-18	LOS ANGELES	СА	Migratory	Ship Strike		NMFS RECEIVED CALLS TO REPORT THAT THE STARSHIP EXPRESS HAD STRUCK WHAT THEY BELIEVED TO BE A GRAY WHALE MID CHANNEL ON THE WAY TO CATALINA. THE CAPTAIN SAID THAT THE WHALE SURFACED ABOUT 20 FT IN FRONT OF THE BOAT WHEN IT WAS TRAVELING AT APPROXIMATELY 25 KTS SO THERE WAS NO WAY TO STOP OR AVOID THE COLLISION. HE DID INDICATE THAT THERE WAS SOME DAMAGE TO THE BULBOUS BOW AND THAT HE BELIEVED THE WHALE WAS INJURED BUT ALIVE AFTER THE CONTACT. CATEGORIZED AS SERIOUS INJURY BASED ON SIZE AND SPEED OF VESSEL.	NOAA Serious Injury Database; NMFS Unpublished Data	SI - L6A	1
						ANIMAL EXAMINED ON BEACH BY SWFSC STRANDING PROGRAM. ORGANS PROTRUDING THROUGH LACERATION AT RIGHT DORSAL SIDE AT MID-LENGTH. FRACTURED VERTEBRAE AND BONE FRAGMENTS IN THIS REGION. UNKNOWN IF THIS VESSEL STRIKE REPRESENTS SAME ANIMAL STRUCK OFF CATALINA	NOAA Serious Injury Database; NMFS Unpublished		
26-Mar-18	SAN DIEGO	CA	Migratory	Ship Strike		ISLAND ON 3/18/2018. TREATED AS UNIQUE RECORD.	Data	DEAD	1
29 Mar 49	MADIN	<b>C</b> A	Mierster	Other	Composition	OBSERVED FLOATING IN RICHARDSON BAY MARCH 28 2018. FLUKES AND DISTAL PENDUNCLE MISSING. WITHIN A PORTION OF GRAY NECROTIC TISSUE IS A 6-INCH LENGTH OF WIRE WITH A COPPER CORE, DEEPLY ENTWINED WITH UT IN FORDATION TISSUE	NOAA Serious Injury Database; NMFS Unpublished		A
28-Mar-18	MARIN	CA	Migratory	Other	Copper wire Dungeness	ENTWINED WITH THE NECROTIC TISSUE. WHALE HAD BEEN SIGHTED ALIVE NINE DAYS PRIOR TO	Data NOAA Serious	DEAD	1

						IN WASHINGTON DUNGENESS CRAB POT GEAR WHICH	Database;		
						WAS IDENTIFIED BY TAG NUMBERS RECOVERED AT	NMFS		
						SCENE. BUOY AT LEFT MOUTH, LINE THROUGH MOUTH	Unpublished		
						CIRCLING RIGHT FLIPPER ACROSS BACK TO LEFT	Data		
						PEDUNCLE (THIS IS THE CONFIGURATION FOUND WHEN			
						THE ANIMAL STRANDED DEAD ONSHORE, LIKELY			
						DIFFERENT WHEN THE ANIMAL WAS ALIVE). BRUISING			
						AROUND PEDUNCLE WHICH MAY SUGGEST IT WAS			
						ENTANGLED AT SOME POINT IN TIME. PHOTOS SHOW			
						LINE THROUGH MOUTH AND A RED/BLACK STRIPE BUOY.			
						CAUSE OF DEATH LISTED AS INANATION (=STARVATION).			
						ORANGE BUOY AND LINE ENTERING MOUTH LEFT SIDE			
						AND EXITING MOUTH RIGHT SIDE. THIS TRAILS TO A			
						SECOND ORANGE BUOY WITH DARK GREEN AND WHITE			
						STRIPES TO JUST IN FRONT OF THE FLUKES. ONE 10"			
						ORANGE WITH WHITE AND GREEN STRIPED BULLET			
						BUOY AND ANOTHER SOLID ORANGE BULLET BUOY ~			
						THE SAME SIZE AS THE OTHER. THEY ARE BOTH			
						TRAILER BUOYS PART OF THE SURFACE SYSTEM OF A			
						CRAB SET. LINE 3/8" POSSIBLY BLUE STEEL. GEAR AND			
						VESSEL IDENTIFIED AS PART OF WASHINGTON			
						COMMERCIAL DUNGENESS CRAB FISHERY. PERFORMED			
						SEARCH ON 4/14/18 AND FOUND ENTANGLED GRAY			
						WHALE JUST OFF THE CLINTON FERRY TERMINAL. TEAM			
						SUCCESSFULLY ATTACHED A TELEMETRY BUOY AND			
						COLLECTED UNDERWATER FOOTAGE TO DOCUMENT			
						THE ENTANGLEMENT. THE TELEMETRY BUOY RECEIVED			
						SEVERAL HITS WHILE TEAM WAS WITH THE WHALE SO			
						CONFIDENT TO RELOCATE THE FOLLOWING DAY. ON			
						4/15/18 TEAM STARTED AT 8:30AM AND SEARCHED			
						SEATTLE UP THROUGH SARATOGA PASSAGE AND			
						ADMIRALITY INLET TO THE NORTH ENTRANCE OF PUGET			
						SOUND. JOHN CALAMBOKIDIS WAS ABLE TO LINE UP AN			
						AERIAL FLIGHT TO SEARCH VIA VHF FROM WHIDBEY AS			
						WELL. AT NOON A NEW LOCATION CAME THROUGH			
						FROM TELEMETRY BUT IT WAS ON LAND-A RESIDENTIAL			
						NEIGHBORHOOD ON THE QUIMPER PENINSULA. LATER			
						THIS AFTERNOON A CALL CAME THROUGH THE SOS-			
						WHALE HOTLINE FROM THE OWNER OF A VESSEL			
						ASSIST COMPANY. HE RETRIEVED OUR GRAPPLE, OUR			
						LINE AND TELEMETRY BUOY AND ONE OF THE			
						ENTANGLING FLOATS FROM ANOTHER VESSEL EARLIER			
						THIS MORNING. THIS MEANS THE WHALE IS PARTIALLY	NOAA Serious		
						DISENTANGLED. UNKNOWN AMOUNT AND	Injury		
						CONFIGURATION OF GEAR REMAINING ON WHALE.	Database;		
						PHOTOS OF WHALE SHOW A VERY THIN ANIMAL THAT IS	NMFS		
					Dungeness	NOT IN GOOD HEALTH. SERIOUS INJURY PRORATED TO	Unpublished		
13-Apr-18	SNOHOMISH	NBNC	Migratory	Pot Fishery	Crab	A VALUE OF 1 DUE TO DETERIORATING HEALTH.	Data	SI - L10	1
			g. a.c.l y		2.00	REPORTING PARTY INDICATED GILLNET ON THE HEAD	NOAA Serious	5. 2.0	·
15-Apr-18	SAN DIEGO	CA	Migratory	Net Fishery	Gillnet	AND DOWN ALONG THE BODY, WITH A MASS OF GILLNET	Injury	SI - L10	0.75
10-Api-10	SAN DILOU	<u>ол</u>	ingratory	NOLIBIICIY	Omnet	AND DOWN ALONG THE DODT, WITH A WAGO OF GILLINET	ngury	01-110	0.10

						ON OR NEAR THE TAIL. SINGLE PHOTO SHOWS MASS OF PINK MONOFILAMENT GILLNET EXTENDING FROM HEAD REGION TO DORSAL HUMP. AMOUNT AND CONFIGURATION OF GEAR UNKNOWN. WHALE REPORTED SWIMMING TO THE NORTHWEST.	Database; NMFS Unpublished Data		
24 Apr 19	ORANGE	64	Migroton	Not Fishery	Cillect	GILLNET (PINK MESH, 1/2 GREEN ROPE, ~20 SMALL RED/ORANGE FLOATS) WRAPPED AROUND PEDUNCLE AND TRAILING OVER LEFT FLUKE LOBE. MOST OF THE GEAR IS BUNCHED UP IN A TIGHT BALL AROUND THE PEDUNCLE, CLOSE TO THE ANIMAL AND FAIRLY TIGHT AROUND PEDUNCLE. THERE IS ALSO SOME TRAILING GEAR (TANGLED UP MESH AND PROBABLY A LEAD LINE) TRAILING ABOUT ~20FT BEHIND WHALE. THE TRAILING GEAR IS ALWAYS BELOW THE SURFACE, BUT NOT ANCHORED OR DRAGGING ANYTHING TOO HEAVY. SO LIKELY THE TRAILING GEAR IS WEIGHTED SOMEHOW OR BEEN FOULED UP ALONG THE WAY. UNSUCCESSFUL TELEMETRY DEPLOYMENT; PRESUMED STILL ENTANGLED. AMOUNT AND CONFIGURATION OF GEAR	NOAA Serious Injury Database; NMFS Unpublished Data	81 1 2	1
24-Apr-18	ORANGE	CA	Migratory	Net Fishery	Gillnet	UNKNOWN.	NOAA Serious	SI - L2	1
4 Mar 40			Maastaa			NECROPSY RESULTS INDICATED A FRACTURED CRANIUM AND MUSCULAR AND SKELETAL HEMORRHAGING. CONSISTENT WITH BLUNT FORCE	Injury Database; NMFS Unpublished		,
4-May-18	ALAMEDA	CA	Migratory	Ship Strike		TRAUMA CHARACTERISTIC OF A VESSEL STRIKE. PHOTOS FROM 5/6/2018 SHOWS A SINGLE ORANGE	Data	DEAD	1
<u>6-May-18</u>	SAN LUIS OBISPO	СА	Migratory	Pot Fishery	Dungeness Crab	BUOY NEXT TO A HEAVILY-SCAVENGED GRAY WHALE CARCASS. BUOY NUMBER OBTAINED AND FISHERMAN INTERVIEWED. FISHERMAN INDICATED HIS GEAR WAS NOT TOUCHING WHALE AND FISHERMAN REMOVED GEAR FROM AREA AFTER SEEING PHOTOS OF WHALE. NO EXPLICIT PHOTO EVIDENCE THAT BUOY OR LINE IS ATTACHED TO CARCASS, HOWEVER, HARBOR PATROL WENT TO SAME EXACT LOCATION THE NEXT DAY AND FOUND THE CARCASS UNMOVED, INDICATING IT WAS ANCHORED BY SOMETHING. BUOY WAS NO LONGER VISIBLE ON 5/7/2018.	NOAA Serious Injury Database; NMFS Unpublished Data	DEAD	1
					Dungeness	ANCHORED WHALE WITH LINE WRAPPED AROUND THE PEDUNCLE AND BOTH FLUKE BLADES WITH THREE FLOATS AND LINE TRAILING TO APPROXIMATELY 60' BEHIND THE WHALE. DOCUMENTATION CONFIRMED NO OTHER BODY PARTS WERE INVOLVED. RESCUE TEAM WAS ABLE TO CUT MOST LINE AWAY BUT SEVERAL WRAPS REMAINED AROUND NECROTIC TISSUE AT CAUDAL PEDUNCLE. THIS WHALE WAS FOUND DEAD	NOAA Serious Injury Database; NMFS Unpublished		
8-May-18	CLALLAM	NBNC	Migratory	Pot Fishery	Crab	STRANDED ON MAY 27TH. WHALE ENTANGLED IN SALMON GILLNET. VISIBLE	Data	DEAD	1
11-May-18	CORDOVA	SEAK	Migratory	Net fishery	Salmon gillnet	BLOOD FLOW. GEAR AMOUNT AND CONFIGURATION UNKNOWN. OUTCOME UNKNOWN.	Carretta et al. 2022	SI - L10	0.75

						PROPELLER WOUNDS PRESENT NEAR TAIL. NO	NOAA Serious Injury Database; NMFS Unpublished		
17-May-18	SANTA CRUZ	CA	Migratory	Ship Strike		ADDITIONAL DETAILS PROVIDED.	Data	DEAD	1
						PALE DISCOLORED BAND OF SKIN AROUND THE NECK			
						APPROX. 20 CMS WIDE, THE BLUBBER BENEATH THIS			
						DISCOLORED AREA HAS SMALL PATCHES OF HEMORRHAGE. THE LEFT AXILLA HAS A LACERATION			
						AROUND THE FLIPPER BASE, WITH DISCOLORED			
						MUSCLE AND EDEMA BENEATH IT. THE SKIN OF THE			
						LEFT FLIPPER IS DRY AND MISSING IN MULTIPLE			
						PLACES. THE LEFT COMMISSURE OF THE MOUTH HAS A			
						PALE LINEAR MARK IN IT, AND IS COVERED IN LICE. THE RIGHT SIDE OF THE WHALE HAS TWO LONG PARALLEL			
						LACERATIONS, ONE PENETRATES THE SCAPULA WHICH			
						IS SHATTERED (MULTIPLE FRACTURES, COMMINUTED			
						FRACTURES), THE OTHER IS THROUGH BLUBBER AND			
						MUSCLE. THERE IS NO HEMORRHAGE OR			
						DISCOLORATION OF BLUBBER OR MUSCLE ADJACENT TO THESE LACERATIONS. THERE ARE MULTIPLE LINEAR			
						MARKS ON THE SKIN TYPICAL OF ABRASION BY A	NOAA Serious		
						BRAIDED LINE. NECROPSY REPORT INDICATED THAT	Injury		
						VESSEL STRIKE WAS PRIMARY CAUSE OF DEATH	Database;		
						(COMPARED WITH ENTANGLEMENT EVIDENCE), AS	NMFS		
		~ .		Unknown		CONDITION OF ANIMAL IS GOOD (ADEQUATE BODY FAT	Unpublished	5515	
18-May-18	MARIN	CA	Migratory	Entanglement	Unknown	STORES) AND STOMACH WAS FULL.	Data	DEAD	1
						GREEN AND WHITE LINE WRAPPED TIGHTLY AROUND LEFT PECTORAL FLIPPER AND PASSES THROUGHT LEFT			
						GAPE. EVIDENCE OF A WRAP AROUND THROAT			
						(BLOATING LIKELY CAUSED ROPE TO SNAP FRAYED			
						ENDS VISIBLE). GREEN, ORANGE, AND WHITE LINES			
						WRAPPED AROUND TAILSTOCK. FAINT IMPRESSIONS			
						ACROSS VENTRAL LEFT FLUKE. TRAILING 2 CRAB POTS. ORIGINALLY SEEN WITH 2 ORANGE BUOYS (WHILE	NOAA Serious Injury		
						FLOATING), ONE VISIBLE IN INITIAL PHOTOS OF THE	Database;		
						BEACH LANDING, BUT HAD BEEN REMOVED BY	NMFS		
						UNKNOWN PERSONS PRIOR TO OUR ARRIVAL ON	Unpublished		
27-May-18	PACIFIC	NBNC	Migratory	Pot Fishery	Unknown	SCENE.	Data	DEAD	1
						WHALE REPORTED TO HAVE AN ENTANGLEMENT			
						LOCATED ON THE CENTER OF THE BODY AND ON THE TAIL WHILE TRAILING TWO BUOYS AND "CRAB POT			
						GEAR". COMMERCIAL DUNGENESS CRAB GEAR WAS			
						IDENTIFIED BY THE ROUND YELLOW TAG ON ONE BUOY	NOAA Serious		
						BUT THE PHOTO QUALITY WAS POOR SO A NUMBER	Injury		
						COULD NOT BE READ TO GET A FISHERMAN ID. NO GEAR	Database;		
					Dunactor	REMOVED. AMOUNT AND CONFIGURATION OF GEAR	NMFS		
6-Jun-18	LINCOLN	NBNC	Feeding	Pot Fishery	Dungeness Crab	UNKNOWN. ONE POOR-QUALITY PHOTO REVIEWED BY J. CARRETTA.	Unpublished Data	SI - L10	0.75
	LINUOLIN	TIDINO.	rooung	i ot i onory	0100	VINNET IN	Dulu		0.10

						DFO MM RESPONSE TEAM RESPONDED AND WERE NOT			
						ABLE TO ATTACH A SATELLITE TAG. THERE WAS A			
					Recreational	SECOND SIGHTING CONFIRMING ROPE AND BUOY AROUND TAIL STOCK. NO LUCK RESIGHTING BY DFO	Paul Cottrell,		
21-Jun-18	PORT ALBERNI	NBNC	Feeding	Pot fishery	crab fishery	RESCUE TEAM, GEAR RECORDED AS: ROP - REC CRAB	DFO	SI - L10	0.75
21001110		<b>HBHO</b>	rooung	T of horiory	ordo nonory	EXTEMELY EMACIATED WHALE LIVE-STRANDED AND	ыо		0.10
						SUBSEQUENTLY DIED. LARGE AREA OF ABRASION			
						(116X30CM) ON LEFT DORSAL AND ACROSS BACK, JUST			
						ANTERIOR TO HUMP, WITH MISSING SKIN AND NECROSIS			
						AT MARGINS, VISIBLE BRUISING UNDER WIDEST POINT			
						OF MISSING SKIN. ABRAIDED SKIN ON UPPER RIGHT SIDE AT SAME LEVEL AS LARGER ABRASION. WHALE			
						LICE ALL OVER BODY, INCLUDING DORSAL SURFACE OF			
						FLUKE (UNUSUAL-SUSPECT UNABLE TO LIFT FLUKES	NOAA Serious		
						PROPERLY). AT LEAST 4 SHATTERED VERTEBRAE AT	Injury		
						SITE, APPROXIMATELY 1 MONTH'S WORTH OF HEALING	Database;		
						IN TISSUES. AREAS OF INTERNAL INFECTION AT TRAUMA	NMFS		
00 1			E P			SITE. SUSPECT ANIMAL HIT BY SHIP, WITH SUBSEQUENT	Unpublished		1
28-Jun-18	GRAYS HARBOR	NBNC	Feeding	Ship Strike		INFECTION, EMACIATION AND LIVE STRANDING.	Data NOAA Serious	DEAD	I
							Injury		
						BOATER VIDEO OF A GRAY WHALE TRAILING A SINGLE	Database;		
						BUOY, WHICH ONLY APPEARS AS WHALE IS DIVING.	NMFS		
						AMOUNT AND CONFIGURATION OF GEAR UNKNOWN.	Unpublished		
9-Jul-18	CURRY	NBNC	Feeding	Pot Fishery	Unknown	VIDEO REVIEWED BY J. CARRETTA.	Data	SI - L10	0.75
13-Jul-18	PRINCE RUPERT	SEAK	Feeding	Unknown entanglement	Unknown	Animal not relocated. Gear recorded as rope-float.	Paul Cottrell, DFO	SI - L10	0.75
			0	<u> </u>		A GRAY WHALE WAS STRUCK BY A 24 FT PRIVATE			
						RECREATIONAL CABIN CRUISER AT 2.4 KNOTS. THE	NOAA Serious		
						BOAT WAS JOLTED BY THE IMPACT, AFTER WHICH THE	Injury		
						WHALE SUBMERGED IMMEDIATELY. THE WHALE WAS	Database; NMFS		
						SEEN RESURFACING WITHIN A MINUTE OF THE STRIKE, BUT THERE WAS NO INDICATION OF INJURY TO THE	Unpublished		
26-Aug-18	SITKA	SEAK	Feeding	Ship Strike		ANIMAL. THE VESSEL DID NOT INCUR ANY DAMAGE.	Data	NSI - L6C	0
	•		, county			SELF REPORTED VESSEL COLLISION WITH JET CATALINA			-
						EXPRESS WHICH HAS A 35 KTS CRUISE SPEED AND			
						LENGTH OF 144 FEET. WHALE MOVING SOUTH TO			
						NORTH AND WAS SEEN JUST AHEAD OF THE PORT BOW AS VESSEL TRAVELED WEST, WHALE HIT ON RIGHT SIDE			
						BASED ON VESSEL DIRECTION AND WHALE DIRECTION			
						NARRATIVE. VESSEL IMMEDIATELY SLOWED AND CAPT.			
						FELT A BUMP TOWARDS THE BACK OF THE VESSEL.			
						CAPT. DID SEE WHALE DIVING AND TURNING DOWN JUST			
						BEFORE COLLISION. COLLISION OCCURRED AT 33.687			
						AND -118.18. FRESH DEAD CARCASS FOUND ON			
						3/21/2019 (WCRLB-20190321ER) AT 33.73 AND -118.20 (3			
						MILES FROM REPORTED VESSEL STRIKE) DETERMINED TO BE SAME WHALE AS IT HAS EVIDENCE OF BEING HIT			
						ON THE RIGHT DORSAL SURFACE, WITH THE FORCE	Carretta et al.		
19-Mar-19	LOS ANGELES	CA	Migratory	Ship Strike		CAUSING SIGNIFICANT HEMORRHAGING AROUND	2022	DEAD	1

						PECTORAL FLIPPERS. LARGE WOUND ACROSS THE			
						ANIMALS BACK CONSISTENT WITH VESSEL COLLISION.			
						VIDEO REVIEWED BY J. GREENMAN AND J. VIEZBECKE.			
						ENTANGLED WHALE SEEN WITH GREEN LINE THROUGH			
				Unknown		MOUTH. GEAR AMOUNT AND CONFIGURATION	Carretta et al.		
4-Mar-19	LINCOLN	NBNC	Migratory	entanglement	Unknown	UNKNOWN.	2022	SI - L10	0.75
						WHALE HAD A SERIES OF DEEP LACERATIONS FROM A			
						PROPELLER DOWN ENTIRE LENGTH OF PEDUNCLE.			
						DEEP INTRAMUSCULAR ABCESS AT BASE OF PEDUNCLE			
						WITH NECROTIC TISSUE AND NOTED POTENTIAL FOR			
						SPINAL INVOLVEMENT IN INJURY. PHOTOS REVIEWED BY	Carretta et al.		
4-Mar-19	VENTURA	CA	Migratory	Ship Strike		J. CARRETTA.	2022	DEAD	1
	WEST COAST OF					Animal ok, gear may have come off on own, Cottrell could not			
	VANCOUVER				Recreational	confirm entanglement certainty. Gear recorded as 'rope-rec	Paul Cottrell,		
80-Mar-19	ISLAND	NBNC	Migratory	Pot fishery	crab fishery	crab'	DFO	<u>SI - L10</u>	0.75
						LARGE SOFTBALL SIZED ABSCESS ON VENTRAL SIDE OF			
						RIGHT FLUKE BLADE POSTERIOR TO PEDUNCLE ON			
						MODERATELY DECOMPOSED WHALE. ABSCESS WAS			
						VERY HARD AND DIFFICULT TO CUT THROUGH. ABSCESS			
						WAS COVERED IN WHALE LICE, STARTED TO BLEED			
						WHEN CUT. UPON REVIEW OF UNDERWATER VIDEO,			
						TWISTED ROPE IS SEEN EMBEDDED IN FLUKES RIGHT			
						NEXT TO ABSCESS. SKIN AND BLUBBER COLLECTED.	o		
		~		Unknown		ENTIRE ABSCESS COLLECTED AND SUB SAMPLED FOR	Carretta et al.	0540	
8-Apr-19	LOS ANGELES	CA	Migratory	entanglement	Unknown	HISTOLOGY.	2022	DEAD	1
						9.6 METER FEMALE WITH GOOD BODY CONDITION.			
						LARGE AREA OF HEMORRHAGE ON THE RIGHT LATERAL			
						NECK AND MUSCLES ABOVE AND BELOW THE SCAPULA. THE MUSCLE IN THIS AREA APPEARED DEEP RED AND			
						WAS MORE DECOMPOSED THAN THE REST OF THE			
						MUSCLE ON THE BODY. THE MUSCLE FROM THE MID			
						THORAX DOWN WAS LIGHT REDDISH PINK AND HAD			
						NORMAL TONE WITH LITTLE TO NO DECOMPOSITION.			
						FINDINGS CONSISTENT WITH VESSEL STRIKE INJURY.	Carretta et al.		
10-Apr-19	SAN MATEO	CA	Migratory	Ship Strike		PHOTOS REVIEWED BY J. CARRETTA.	2022	DEAD	1
10-Api-13			wigratory			FRESH DEAD CARCASS WAS AMPUTATED POSTERIOR	2022	DLAD	<u> </u>
						TO THE GENITAL SLIT AND WAS MISSING THE ENTIRE			
						PEDUNCLE AND FLUKES. BASED ON THE MEASUREMENT			
						OF THE REMAINING CARCASS (910 CM.) AND SIMILAR			
						SIZE FEMALE GRAY WHALES, WE ESTIMATED THAT THE			
						INTACT CARCASS WOULD HAVE BEEN APPROXIMATELY			
						12 M. IN LENGTH, SEE NECROPSY REPORT FOR MORE	Carretta et al.		
13-Apr-19	CONTRA COSTA	CA	Migratory	Ship Strike		DETAILS.	2022	DEAD	1
						WHALE ENTANGLED IN PINK GILLNET WITH GREEN LINES			
						AROUND FLUKES, TRAILING 20 FEET BEHIND WHALE.			
						MASS OF NETTING IS TIGHT AROUND FLUKES AND IS			
						CONSTRICTING AND CUTTING INTO TRAILING EDGE OF	Carretta et al.		
4-Apr-19	ORANGE	CA	Migratory	Net fishery	Gillnet	FLUKES BASED ON PHOTOS REVIEWED BY J. CARRETTA.	2022	SI - L2	1
							0 11 1 1		
						10.9 METER FEMALE, SLIGHTLY UNDERWEIGHT, THE	Carretta et al.		

						VERTEBRAE (M. LONGISSIMUS DORSII) WAS FRIABLE			
						AND MACERATED RELATIVE TO THE SAME MUSCLE			
						LOCATED MORE CRANIAL ON THE THORACIC SPINE. THE			
						CHANGE IS CONSISTENT WITH BLUNT FORCE TRAUMA			
						AND HEMORRHAGE. AT LEAST EIGHT VERTEBRAE HAD			
						FRACTURED DORSAL PROCESSES. ALL RIBS WERE			
						INTACT. PHOTOS REVIEWED BY J. CARRETTA.			
						PINK MONOFILAMENT GILLNET 8 INCH MESH SIZE			
						CONSISTENT WITH LOCAL SET GILLNET FISHERY. BLACK			
						FLOAT LINE (BLACK FLOATS), AND BLACK LEAD LINE			
						WRAPPED AROUND FLUKE AND PEDUNCLE. MULTIPLE			
						WRAPS, FOUR TO FIVE, ENTANGLEMENT DESCRIBED AS			
						DIGGING INTO TAIL, SO A CONSTRICTING			
						ENTANGLEMENT. LINE TRAILED DEEP. ARTICLE STATES			
						THAT END OF TRAILING GEAR WAS 40 FT BEHIND			
					CA halibut	WHALE. WHALE PARTIALLY DISENTANGLED AND FOUND	Carretta et al.		
20-Apr-19	ORANGE	CA	Migratory	Net fishery	gillnet	DEAD ON 5/3/2020.	2022	SI - NA	1
			<u>,                                 </u>			PRELIMINARY CAUSE OF DEATH: SHIPSTRIKE-			
						PROPELLER WOUND TO PEDUNCLE. THERE WAS ONE			
						PARTIAL AND ONE FULL-THICKNESS LACERATION ALONG			
						THE CAUDAL PEDUNCLE AND A PARTIAL THICKNESS			
						LACERATION ALONG THE DORSAL ASPECT OF THE			
						FLUKE. APPROXIMATELY 128 CM CRANIAL TO THE FLUKE			
						ALONG THE RIGHT CAUDAL PEDUNCLE EXTENDING			
						FROM THE DORSAL MIDLINE TO THE MID-LATERAL			
						ASPECT IS A 45.3 CM LENGTH AND 5-14 CM WIDTH, V-			
						SHAPED PARTIAL THICKNESS LACERATION WITH			
						RAGGED, IRREGULAR MARGINS AND EXPOSURE OF THE			
						UNDERLYING BRIGHT RED DERMIS. ON CUT SURFACE,			
						THE SUPERFICIAL BLUBBER UNDERLYING THE EXPOSED			
						DERMIS HAS A WELL DEMARCATED, THIN, BRIGHT RED			
						BAND (HEMORRHAGE). THE CAUDAL PEDUNCLE			
						APPROXIMATELY 15 CM CRANIAL TO THE FLUKE IS			
						ALMOST COMPLETELY TRANSECTED THROUGH THE			
						SKIN, BLUBBER, VASCULATURE, TENDONS, AND THE			
						CAUDAL VERTEBRAL BODY AND CONNECTED TO THE			
						BODY BY A THICK BAND OF SKIN, BLUBBER, AND			
						TENDONS ALONG THE RIGHT DORSAL AND LATERAL			
						ASPECT. WOUND MARGINS ARE SHARP AND WELL-			
						DEMARCATED. THE VERTEBRAL BONE ALONG THE			
						CRANIAL ASPECT OF THE WOUND IS FRACTURED INTO			
						NUMEROUS SMALL FRAGMENTS AND BONE ALONG THE			
						CAUDAL ASPECT IS LARGELY INTACT WITH SEVERAL			
						SMALL FRAGMENTS ALONG THE DORSAL AND LATERAL			
						MARGINS OF THE BONE. THE CENTER OF THE			
						VERTEBRAL BODY IS MOTTLED DARK RED TO PURPLE.			
						ALONG THE DORSAL ASPECT OF THE FLUKE EXTENDING			
						FROM THE LEFT LATERAL CRANIAL MARGIN DIAGONALLY			
						TOWARDS THE RIGHT LATERAL CAUDAL MARGIN IS A	Carretta et al.		
28-Apr-19	MARIN	CA	Migratory	Ship Strike		1.35 M, PARTIAL THICKNESS UP TO 3 CM DEEP	2022	DEAD	1
			/						

						LACERATION WITH EXPOSURE OF THE UNDERLYING			
						BLUBBER AND CONNECTIVE TISSUE. THE RIGHT-SIDED,			
						POST OCCIPITAL SUBCUTIS IS MARKEDLY EXPANDED			
						WITH DARK RED, GELATINOUS MATERIAL			
						(HEMORRHAGE). SKELETAL MUSCLE IS SIMILARLY			
						HEMORRHAGIC. THE SUPERFICIAL BLUBBER			
						IMMEDIATELY CAUDAL TO THIS IS BRIGHT RED			
						(HEMORRHAGE).			
						WHALE DRAGGING A 2 FT X 2 FT STYROFOAM CUBE OR			
	SAN LUIS					BUOY BEHIND BLOWHOLE. UNKNOWN AMOUNT OF LINE	Carretta et al.		
4-May-19	OBISPO	CA	Migratory	Other	Unknown	AND GEAR CONFIGURATION. NO PHOTOS.	2022	SI - L10	0.75
						THE PRELIMINARY CAUSE OF DEATH IS SEVERE ACUTE			
						BLUNT TRAUMA AFFECTING THE HEAD AND NECK. POST-			
						OCCIPITAL AND THORACIC EPAXIAL AND HYPAXIAL			
						SKELETAL MUSCLES, PREDOMINANTLY ALONG THE			
						RIGHT SIDE AND TO A LESSER DEGREE ON THE LEFT,			
						ARE MARKEDLY EXPANDED WITH DARK RED			
						GELATINOUS MATERIAL (HEMORRHAGE). THE			
						OVERLYING DEEP BLUBBER AND SUBCUTIS ARE			
						SIMILARLY HEMORRHAGIC AND THE SUPERFICIAL			
						BLUBBER HAS A THICK LINEAR BAND OF HEMORRHAGE.			
						ON CUT SURFACE, SKELETAL MUSCLE AND SUBCUTIS			
						OOZES A MODERATE VOLUME OF RED-TINGED OPAQUE			
						FLUID. THE TIPS OF THE DORSAL SPINOUS PROCESSES			
						ON THE ATLAS (C2) ARE ABSENT AND THE EXPOSED			
						ENDOSTEUM IS ROUGHENED AND IRREGULAR			
						(AVULSION FRACTURE, PRESUMPTIVE). A LARGE			
						RECTANGULAR PORTION OF THE PERIOSTEUM ALONG			
						THE RIGHT NUCHAL CREST IS ELEVATED FROM THE			
						UNDERLYING BONE AND THE EXPOSED SURFACE IS			
						SIMILARLY ROUGH AND IRREGULAR (AVULSION			
						FRACTURE, PRESUMPTIVE). A SMALL PORTION OF THE			
						PERIOSTEUM ALONG THE DORSAL AND LATERAL			
						ASPECTS OF THE RIGHT OCCIPITAL CONDYLE ARE			
						SIMILARLY AVULSED. THE RIGHT SCAPULA HUMERAL			
						AND RIGHT SQUAMOMANDIBULAR JOINTS WERE	Carretta et al.		
6-May-19	SAN FRANCISCO	CA	Migratory	Ship Strike		UNREMARKABLE.	2022	DEAD	1
						GRAY WHALE BRIEFLY ENTANGLED IN MOORING BUOY			
						BEFORE SELF-RELEASING. WHALE SEEN GEAR-FREE	Carretta et al.		
3-Jun-19	SNOHOMISH	PS	Feeding	Other	Mooring buoy	AFTER EVENT.	2022	NSI - L3	0
						DURING A SEABIRD SURVEY, HELICOPTER TEAM			
					Dungeness	DETECTED DEAD ENTANGLED WHALE WITH MULTIPLE			
					crab pot	SETS OF DUNGENESS GEAR. STATE FISHERY NOT	Carretta et al.		
12-Jun-19	CURRY	NBNC	Feeding	Pot fishery	fishery	CONFIRMED.	2022	DEAD	1
12-001-13		NDNO	recurry	Unknown	nonory	Cottrell talked to MOP. Animal not relocated. Gear recorded as	Paul Cottrell,	DEND	
29-Jul-19	HAIDA GWAII	SEAK	Feeding	entanglement	Unknown	rope-buoy'	DFO	SI - L10	0.75
29-301-19	TADA GWAII	SEAN	reeding	entangiement	UTIKITUWIT			31-L10	0.75
						WHALE TOWING LINE FROM DAMAGED LEFT FLUKE			
						BLADE THAT HAD DEEP PROPELLER INJURY, AS	Cometto at al		
C Con 10			Teaching	Ohin Ohiles		EVIDENCED BY REGULAR SPACING AND CHARACTER OF	Carretta et al.		4
6-Sep-19	LINCOLN	NBNC	Feeding	Ship Strike		WOUNDS. LINE WAS CAUGHT IN THE SCAR OF THE	2022	SI - L5A	1

						PROPELLER WOUND. CYAMIDS NOTED IN WOUND.			
						AMOUNT AND CONFIGURATION OF GEAR UNKNOWN.			
						OBSERVER WAS AN OSU WHALE RESEARCHER.			
						MULTIPLE WRAPS ON FLUKES, TRAILING LINE 40 FEET			
				Unknown		BEHIND ANIMAL, WHERE IT SANK BELOW SURFACE.	Carretta et al.		
13-Sep-19	LINCOLN	NBNC	Feedina	entanglement	Unknown	AMOUNT AND CONFIGURATION OF GEAR UNKNOWN.	2022	SI - L10	0.75
	LINGOLIN	TIBILO .	rocomy	ontangiomont	Onknown	APPROXIMATELY 75 FEET OF LINE TRAILING FROM TAIL	LULL		0.10
						AREA ON WHALE. AT THE END OF THE LINE IS A SINGLE			
				Unknown		LIGHT GREEN OR YELLOWISH GREEN BUOY. FULL GEAR	Carretta et al.		
12-Jan-20	VENTURA	CA	Migratory	entanglement	Unknown	CONFIGURATION AND AMOUNT UNKNOWN.	2022	SI - L10	0.75
12 0011 20		0,1	mgratory	ontangioniont	Childhe	ROPE IN FRONT OF BLOWHOLE AND WRAPPED AROUND		01 210	0.10
						THE ROSTRUM AND TRAILING DOWNWARD:			
						BLUEISH/PURPLE MONOFILAMENT NETTING DRAPPED			
						OVER THE BLOWHOLE, WRAPPED ON ITSELF INTO A			
						"CORD" TRAILING OVER BACK. GEAR CONFIGURATION	Carretta et al.		
20-Jan-20	SAN DIEGO	CA	Migratory	Net fishery	Gillnet	AND AMOUNT UNKNOWN.	2022	SI - L10	0.75
	Laguna Ojo de				Pot Gear		ESSA /	NSI -	
31-Jan-20	Liebre	М	Breeding	Pot fishery	(Lobster)	50m of line and 4 buoys; successfully disentangled	CONANP	Released	0
			g		(100000.)	FREE-SWIMMING GRAY WHALE WITH CLOSED BRIDLE			
						THROUGH MOUTH. OTHER END OF GEAR TRAILING WITH			
						BUOYS AND DESCENDING TO DEPTH. LINE RUNS			
						THROUGH MOUTH: OUT OF LEFT MOUTH ACROSS THE			
						HEAD TO MEET UP WITH THE LINE COMING FROM THE			
						RIGHT MOUTH IN A MULTIPLE TWISTS. THE LINE FROM			
						THE LEFT MOUTH CONTINUES AFTER THE TWISTS			
						TOWARDS THE SEAFLOOR / TRAP. THE LINE FROM THE			
						RIGHT MOUTH CONTINUES PAST THE TWISTS TO THE			
						BUOYS NEAR THE PEDUNCLE. POT LINE - 10 FATHOMS			
						OF 3/8THS SINKING LINE FROM BUOY, RUNNING TO 2			
						FMS OF 7/16TH FLOATING LINE TO POT HAD BLUE			
						SQUARE WDFW TAG FROM 2019-20 SEASON (300 POT			
					Dungeness	LIMIT FROM COASTAL WA); 10 FATHOMS OF 3/8THS			
					crab pot	SINKING LINE FROM BUOY. RESCUE TEAM WAS ABLE TO	Carretta et al.		
24-Apr-20	CLALLAM	NBNC	Migratory	Pot fishery	fishery	CUT GEAR FREE / FULL RELEASE.	2022	SI - L3	0
						MODERATELY DECOMPOSED AND IN POOR NUTRITIONAL			
						CONDITION WITH HEALING ENTANGLEMENT INJURY AT			
						TIP OF LOWER JAW. ONE SET OF PHOTOS POSTED ON			
						FACEBOOK ON MAY 10 SHOWED A LOOSE			
						ENTANGLEMENT ON LEFT PECTORAL FLIPPER, BUT THE			
				Unknown		GEAR WAS GONE BY MORNING OF MAY 11. WHALE ALSO	Carretta et al.		
0-May-20	PACIFIC	NBNC	Migratory	entanglement	Unknown	SHOWED EVIDENCE OF PRIOR ENTANGLEMENT.	2022	DEAD	1
						BLUNT FORCE TRAUMA TO LEFT SIDE ROSTRUM.			
						HEMORRHAGE, EDEMA, HEMATOMA, FORCE STRONG			
						ENOUGH TO CAUSE LATITUDINAL CRACKS IN BALEEN			
						AND BEND THE FRINGE OUTWARD OVER THE LOWER			
						LIP. NO BROKEN BONES SEEN. AT LEAST CONTRIBUTED			
						TO THE MORTALITY. HEALED ENTANGLEMENT WOUNDS			
						ON LEADING EDGE OF FLUKES AND ON TAILSTOCKNOT			
						RELATED TO MORTALITY. INDENT ACROSS TONGUE	Carretta et al.		
31-May-20	PACIFIC	NBNC	Migratory	Ship Strike		(HEALED), APPROX 1/3 POSTERIOR TO THE TIP,	2022	DEAD	1

						APPEARS TO HAVE BEEN WRAPPED/CONSTRICTED AT			
						SOME POINTNOT RELATED TO MORTALITY. VESSEL			
						SIZE AND SPEED UNKNOWN.			
						BLUNT FORCE TRAUMA TO TOP OF HEAD, PREMORTEM.			
						HEMORRHAGE AND EDEMA AT TOP OF HEAD. BONE			
						NEAR EAR CANAL CHIPPED, EVIDENCE OF DRAINING			
						HEMORRHAGE IN AREA. TINY BONE FRAGMENTS COULD			
						BE FELT IN EDEMATOUS BONE TISSUE. VESSEL SIZE	Carretta et al.		
5-Jul-20	GRAYS HARBOR	NBNC	Feeding	Ship Strike		AND SPEED UNKNOWN.	2022	DEAD	1
						TRIBAL SALMON GILLNET; NET AND ROPE THIS WHALE			
						WAS REPORTED BY FISHERMAN (TRIBAL SALMON			
						GILLNET FISHERY) THAT HAD CAUGHT THE WHALE IN HIS			
						NET. IT WAS DEAD ON ARRIVAL AT 9:40 AM AFTER			
						HAVING DROWNED IN THE NET. IT IS NOT KNOWN WHEN			
						THE WHALE WAS ENTANGLED. OR WHEN IT DIED. BUT IT			
						WAS CLEAR THAT THE WHALE HAD VERY LITTLE			
						DECOMPOSITION SUGGESTING THAT IT HAD NOT BEEN			
						DEAD IN THE NET FOR TOO LONG. CARCASS WAS			
						BROUGHT ASHORE FOR A FULL EXAMINATION DUE TO			
						THE ONGOING GRAY WHALE UME INVESTIGATION AND			
						THE FRESH CONDITION OF THE ANIMAL. PRETTY CLEAR			
						WHERE THE LARGE ROPES OF NET HAD INTERACTED			
						WITH THE WHALE - BUT IF ROPE HAD NOT BEEN SEEN AT			
						THAT LOCATION IT WOULD HAVE BEEN HARD TO PICK			
						OUT AS COMPARED TO NORMAL SUITE OF SCARS AND			
						SCRATCHES ON A GRAY WHALES. WE DID NOT SEE ANY			
					Salmon	OF THE CHARACTERISTIC HASH MARKING CAUSED BY A	Carretta et al.		
6-Aug-20	CLALLAM	NBNC	Feeding	Net fishery	gillnet	NET.	2022	DEAD	1
0-Aug-20	CLALLAIVI	INDING	reeding	INEL IISHELY	giinet		2022	DEAD	<u> </u>
						BLUE STEEL LINE WITH 2 BUOYS (1/2 WHITE/ 1/2			
						ORANGE) WRAPPED AROUND HEAD AND FLIPPER. WE			
						BELIEVE IT COULD BE WRAPPED AROUND THE LEFT			
						PECTORAL AND THERE IS SOME SMALL REMNANTS OF			
						GILLNET. UNAUTHORIZED RP SAID THEY GRABBED THE			
						LINE VERY CLOSE TO THE WHALE AND WHEN THE			
						WHALE FELT THEM ON THE LINE IT SPOOKED AND DOVE			
			_	Unknown		AND THEY DIDN'T SEE IT AGAIN. FINAL OUTCOME AND	Carretta et al.		
7-Aug-20	MENDOCINO	CA	Feeding	entanglement	Maybe gillnet	GEAR CONFIGURATION AND AMOUNT UNKNOWN.	2022	SI - L10	0.75
						ORANGE BUOY WITH MARINE GROWTH ATTACHED TO			
						LEFT SIDE OF WHALE, ATTACHMENT POINT ASSUMED TO			
						BE PECTORAL FLIPPER BASED ON PHOTO. REPORTING			
						PARTY STATES THERE WAS A SMALL AMOUNT OF BLUE			
						GILLNET ATTACHED TO THE BUOY, BUT IT IS NOT			
						VISIBLE IN PHOTOS. GEAR AMOUNT AND			
						CONFIGURATION UNKNOWN. WHALE APPEARS HEALTHY			
						AND IS FREE-SWIMMING. ASSUMED TO BE SAME			
						UNIDENTIFIED WHALE INITIALLY SEEN OFF GUALALA IN			
						MENDOCINO ON 8/7 AND IDENTIFIED AS A GRAY WHALE			
				Unknown		IN SAME AREA ON 8/13 WITH SIMILAR GEAR AND	Carretta et al.		
19-Aug-20	MONTEREY	CA	Feeding	entanglement	Maybe gillnet	PLACEMENT.	2022	SI - L10	0.75

						CONFIRMED ENTANGLED FROM UNMANNED AERIAL			
						VEHICLE PHOTOS: BUNDLE OF LINE AT BASE OF			
						PEDUNCLE AND MID FLUKE. CONSTRICTING LINE AT FLUKE INSERTION. LONG SINGLE LINE TRAILING THE			
				Unknown		WHALE THAT MAY EXCEED LENGTH OF WHALE. FULL	Carretta et al.		
18-Nov-20	ORANGE	CA	Feeding	entanglement	Unknown	GEAR CONFIGURATION AND AMOUNT UNKNOWN.	2022	SI - L2	1
10-1404-20	Laguna San		I couling	Changiomon	Pot Gear	60m of lines tight around the body and peduncle;6 buoys and 2	2022	NSI -	<u> </u>
7-Feb-21	Ignacio	М	Breeding	Pot fishery	(Lobster)	lobster traps; successfully disentangled	PRIMMA	Released	0
110021	Ignadio		Brooding	1 of honory	(2000101)	STRANDED DEAD WITH PREVIOUS ENTANGLEMENT		110100000	
						SCARS. POOR PHYSICAL CONDITION, WITH VISIBLE			
						SCAPULAE, VERTEBRAE, AND OBVIOUS LOSS OF			
						NUCHAL FAT (PEANUT HEAD). SOME AREAS OF			
						PROBABLE DERMATITIS, MILD-MODERATE CYAMIDS			
						(MOSTLY AROUND BARNACLES, GENITAL/ANAL SLIT,			
						BLOWHOLE, AND INJURIES). SOME OF THE OUTERMOST			
						LAYER OF DERMIS ABRAIDED ON THE RIGHT SIDE OF			
						THE HEAD. PARTIALLY HEALED ENTANGLEMENT SCARS			
						ON TAILSTOCK/FLUKES. PARTIALLY HEALED			
						LACERATION ON RIGHT PEDUNCLE AT FLUKE			
						INSERTION, IMPRESSION DOWN VENTRAL SURFACE OF			
						FLUKE BETWEEN THAT LACERATION TO A CUT INTO THE			
						TRAILING EDGE OF THE RIGHT FLUKE. IMPRESSION ON			
						LEFT SIDE OF PEDUNCLE AND ACROSS VENTRAL PEDUNCLE, AT THE INSERTION OF THE FLUKE.			
						CONSISTENT WITH WRAPPING. PARTIALLY HEALED			
						CUTS / NOTCHES INTO TRAILING EDGE OF BOTH			
						FLUKES. PHOTOS SHOW GAPING WOUND ON LEADING			
						EDGE OF LEFT FLUKE / PEDUNCLE, FILLED WITH			
						CYAMIDS, INJURIES ARE CONSISTENT WITH A			
						CONSTRICTING ENTANGLEMENT, ENTANGLEMENT			
				Unknown		LIKELY CONTRIBUTED TO POOR CONDITION OF ANIMAL	Carretta et al.		
8-Mar-21	<b>GRAYS HARBOR</b>	NBNC	Migratory	entanglement	Unknown	AND ULTIMATELY, STRANDING.	2023	DEAD	1
						ENTRAPMENT UNDER PIER, SUBSEQUENT DROWNING.			
						INTERNAL EVIDENCE THAT ENTRAPMENT WAS			
						PREMORTEM AND THE ANIMAL LIKELY DRY DROWNED.			
						DEEP (6CM) HEALED LACERATION ON L LOWER JAW			
						WITH POSSIBLE BENDING OF BALEEN AND FAINT			
						HEALED ABRASION L UPPER JAW, CONSISTENT WITH			
					Entresid	PREVIOUS ROPE ENTANGLEMENT. HEALED	Comette da la		
25 Mar 24	KITSAP	DC	Migroton	Other	Entrapment	ENTANGLEMENT SCARRING AT THE INSERTION OF THE	Carretta et al.	DEAD	1
25-Mar-21	RTI SAP	PS	Migratory	Other	under pier	FLUKE ON L SIDE. SUSPECTED SHIP STRIKE. BRUISING IN THE MUSCLE	2023	DEAD	
						NEAR THE BACK OF THE SKULL. COPIOUS AMOUNTS OF			
						BLOODY LIQUID AND FRIABLE TISSUES FOUND IN RIGHT			
						TEMPORALIS AREA PARTIALLY, RIBS ON RIGHT SIDE			
						WERE INTACT AND FREE OF BRUISING AND FRACTURES.			
						A DEEP GASH WAS NOTED IN THE RIGHT MAXILLA, NEAR	Carretta et al.		
2-Apr-21	SAN MATEO	CA	Migratory	Ship Strike		THE END OF THE ROSTRUM.	2023	DEAD	1
						THE CARCASS WAS IN FRESH STATE OF	Carretta et al.		
							ouncila of al.		

						AND APPRECIATE THE EXTENSIVE HEMORRHAGE ON			
						THE SKULL AND NECK REGION. THE MARKED AREAS OF			
						HEMORRHAGE ON LUNGS IS SUGGESTIVE OF BLUNT			
						FORCE TRAUMA BUT WILL BE EVALUATED FURTHER ON			
						HISTOLOGY.			
						ENTANGLED GRAY WHALE. THE ENTANGLING MATERIAL			
						WAS REPORTED AS ROPE AND BUOYS ATTACHED TO			
				Unknown		THE HEAD AND MOUTH. AMOUNT AND CONFIGURATION	Carretta et al.		
9-Apr-21	HUMBOLDT	NBNC	Migratory	entanglement	Unknown	OF GEAR UNKNOWN.	2023	SI - L10	0.75
				Unknown		WHALE TRAILING LINE AND A SINGLE BUOY. GEAR	Carretta et al.		
14-Apr-21	SAN FRANCISCO	CA	Migratory	entanglement	Unknown	AMOUNT AND CONFIGURATION UNKNOWN.	2023	SI - L10	0.75
				¥		CALF ENTANGLED IN LINE WRAPPED AROUND MOUTH.			
						TOP JAW, AND PECTORAL FIN, TRAILING OVER AND			
						BEHIND WHALE WITH A SINGLE BUOY. REPORT STATES			
						THAT A PARTIAL DISENTANGLEMENT RESPONSE WAS			
				Unknown		MADE, BUT NO DETAILS ON REMAINING GEAR OR	Carretta et al.		
19-Apr-21	ORANGE	CA	Migratory	entanglement	Unknown	CONFIGURATION.	2023	SI - L10	0.75
19-Apr-21	URANGE	CA	wigratory	entangiement	UNKNOWN		2023	5I - L IU	0.75
						A SHATTERED LEFT ROSTRUM; A SUBSTANTIAL AMOUNT			
						OF POOLED BLOODY FLUID ALONG WITH HEMORRHAGE			
						OF THE LEFT MANDIBULAR AREA; HEMORRHAGE AND			
						EDEMA OF THE LEFT FLIPPER; HEMORRHAGE OF			
						VARIOUS AREAS OF THE BODY, ESPECIALLY THE			
						DORSAL CRANIAL BACK; AND LINEAR-PATTERNED CUTS			
						OR GOUGES ALONG THE FIRST DORSAL "KNUCKLE"			
						WITH NO UNDERLYING ASSOCIATED TISSUE CHANGES.	Carretta et al.		
27-Apr-21	PACIFIC	NBNC	Migratory	Ship Strike		INJURIES CONSISTENT WITH VESSEL STRIKE.	2023	DEAD	1
						NECROPSY SHOWED EXTENSIVE HEMORRHAGING AND			
						FRACTURES. GENERALIZED HEMORRHAGE IN THE LEFT			
						INTERCOSTAL, CRANIAL T1-T2 INTERCOSTAL,			
						SHOULDER, EPAXIAL, AND C1-T2. CERVICAL AND			
						THORACIC VERTEBRAE AS WELL AS LEFT RIBS			
						EXAMINED. T5-T11 VERTEBRAE WERE FRACTURED ON			
						THE DORSAL PROCESSES. FINDINGS CONSISTENT WITH	Carretta et al.		
12-May-21	MARIN	CA	Migratory	Ship Strike		BLUNT FORCE TRAUMA.	2023	DEAD	1
12-11/1ay-21		UA	IVIIgratory				2023	DLAD	
						BLUNT FORCE TRAUMA TO THE SPINE FROM THE BACK			
						OF THE HEAD THROUGH TO THE LOWER END OF THE			
						THORACIC SPINE. MULTIPLE PIECES OF BONE			
						RETRIEVED FROM DAMAGED TISSUE. SPINAL COLUMN			
						EXAMINED DUE TO BRUISING NOTED ON DORSUM			
						MULTIPLE BONE FRAGMENTS RETRIEVED FROM SPINAL			
						COLUMN IN THE LOWER THORACIC VERTS			
						HEMORRHAGE AND TISSUE DEGRADATION. INITIALLY			
						STRANDED FRESH DEAD BELOW POINT BONITA ON MAY			
						28, 2021 AND WAS INACCESSIBLE UNTIL THE WHALE			
						DRIFTED NORTH TO RODEO BEACH, WHERE IT			
						UNDERWENT A PARTIAL NECROPSY TO EXAMINE THE			
						SPINAL COLUMN. AREA OF TRAUMA SPANS 2/3 OF THE			
						WHALES SPINAL COLUMN AND BROKEN BONES WERE			
							Corrotto ot ol		
00 14- 04		~	Minut			RETRIEVED. SOME PROP MARKS NOTED ON LEFT RIB	Carretta et al.		4
28-May-21	MARIN	CA	Migratory	Ship Strike		AREA BUT ARE THOUGHT TO BE POST-MORTEM.	2023	DEAD	1

<u>8-Jun-21</u>	CLALLAM	NBNC	Feeding	Unknown entanglement	Possible pot fishery Salmon	GRAY WHALE WITH ROPE COMING OUT OF MOUTH AND BUNDLE OF LINE ON RIGHT SIDE OF HEAD AS IT EXITS MOUTH. LINE TRAILING 50-60 FT TO BUOYS. APPARENT SQUARE TAG ON BUOY NEAR PECTORAL FIN ATTACHMENT POINT. GOOD BODY CONDITION. FULL AMOUNT OF GEAR AND CONFIGURATION UNKNOWN. ENTANGLED IN COMMERICAL SALMON GILLNET. RIGHT PECTORAL WRAPPED IN GILLNET. MULTIPLE WRAPS OF PEDUNCLE. ENTANGLEMENT INVOLVED CORKLINE AND LEADLINE. PARTIAL DISENTANGLEMENT BY FISHERMEN. WHALE REPORTEDLY SWAM AWAY WITH LITTLE NETTING REMAINING ON PEDUNCLE. REPORTED AS 'VERY LITTLE TRAILING GEAR'. FINAL GEAR	Carretta et al. 2023 Carretta et al.	SI - L10	0.75
20-Jul-21	PENINSULA	SEAK	Feeding	Net fishery	aillnet	CONFIGURATION AND AMOUNT UNKNOWN.	2023	SI - L10	0.75
	WEST COAST OF VANCOUVER		Ŭ			DFO MMRP responded and could not relocate. Animal was then spotted in Esperanza inlet and MMRP team successfully	Paul Cottrell,	NSI -	
28-Jul-21	ISLAND	NBNC	Feeding	Net fishery	Gillnet	disentangled grey whale. Gear recorded as 'net-gillnet' KITSAP FAST FERRY REPORT. WHALE DETECTED AND AVOIDANCE MANOUVER INITIATED. OBSERVERS FELT A SOFT THUD, NO ADDITIONAL VIBRATION OR MOVEMENTS OCCURRED. WHALE STRUCK MIDBODY AND NEAR/BEHIND DORSAL HUMP. THE VESSEL DID NOT RECEIVE WRAS REPORTS, RADIO ADVISORY, OR EARLIER SIGHTINGS. AFTER THE STRIKE, THE WHALE ROLLED ON ITS SIDE, SLAPPED PECTORAL FIN, THEN DOVE, SLAPPED TAIL, AND THEN WAS SEEN SWIMMING NORTH. NOT OBSERVED AGAIN. THE CREW DID NOT SEE ANY VISIBLE EVIDENCE OF INJURY. VESSEL SIZE	DFO Carretta et al.	Released	0
4-Nov-21	KITSAP	PS	Feeding	Ship Strike		ASSUMED > 65 FT, VESSEL SPEED UNKNOWN.	2023	SI - L7A	0.56